

## Appendix E – Noise Analysis Report

---



# Highway Noise Analysis Report

## I-29 and 85th Street Interchange

Lincoln County, SD

South Dakota DOT

OWNJV 149418 | May 25, 2020



Building a Better World  
for All of Us®

Engineers | Architects | Planners | Scientists



Building a Better World  
for All of Us®

# Contents

<b>1</b>	<b>Project Overview .....</b>	<b>1</b>
1.1	Project Background and History .....	1
1.2	Project Description and Limits .....	1
1.3	Project Assessment .....	2
<b>2</b>	<b>Noise Overview .....</b>	<b>2</b>
2.1	Federal Regulations .....	3
2.2	State Regulations .....	4
<b>3</b>	<b>Methodology.....</b>	<b>4</b>
3.1	Affected Environment .....	4
3.2	Field Monitoring .....	5
3.3	Noise Model Validation .....	6
<b>4</b>	<b>Noise Analysis.....</b>	<b>7</b>
4.1	Noise Modeling .....	7
4.2	Noise Model Results.....	8
<b>5</b>	<b>Noise Abatement Analysis .....</b>	<b>9</b>
5.1	Noise Barrier Evaluation .....	9
5.1.1	Project Summary.....	10
5.1.2	Vehicle Sight Lines.....	10
5.2	Noise Barrier Results.....	10
5.2.1	Noise Area 1 – Sundowner Avenue (West).....	11
5.2.2	Noise Area 2 – Sundowner Avenue (East).....	11
5.2.3	Noise Area 3 – South of I-229 Northbound .....	11
5.2.4	Noise Area 4 – South of I-229 NB Exit Ramp at Louise Avenue.....	11
5.2.5	Noise Area 5 – 270 <sup>th</sup> Street (between Ellis Road and Sundowner Avenue).....	11
5.2.6	Noise Area 6 – Sundowner Avenue (North of 270 <sup>th</sup> Street).....	12
5.2.7	Noise Area 7 – 270 <sup>th</sup> Street (Between Sundowner Avenue and Interchange) .....	12
5.2.8	Noise Area 8 – 85 <sup>th</sup> Street North (Interchange to Tallgrass Avenue).....	12

## Contents (continued)

5.2.9	Noise Area 9 – 85 <sup>th</sup> Street North (Tallgrass Avenue to Beal Avenue).....	12
5.2.9.1	Barrier 9-1 .....	13
5.2.9.2	Barrier 9-2 .....	13
5.2.9.3	Barrier 9-3 .....	13
5.2.10	Noise Area 10 – 85 <sup>th</sup> Street North (Beal Avenue to Hughes Avenue).....	13
5.2.10.1	Barrier 10-1 .....	14
5.2.11	Noise Area 11 – 85 <sup>th</sup> Street North (Hughes Avenue to S Louise Avenue).....	14
5.2.11.1	Barrier 11-1 .....	14
5.2.12	Noise Area 12 – 85 <sup>th</sup> Street South (Townsley Avenue to Brett Avenue).....	14
5.2.12.1	Barrier 12-1 .....	15
5.2.13	Noise Area 13 – 85 <sup>th</sup> Street South (Brett Avenue to Hughes Avenue).....	15
5.2.13.1	Barrier 13-1 .....	15
5.2.13.2	Barrier 13-2 .....	15
5.2.14	Noise Area 14 – 85 <sup>th</sup> Street South (Hughes Avenue to S Louise Avenue) .....	15
5.2.14.1	Barrier 14-1 .....	16
5.2.15	Noise Area 15 – Northbound I-29 (East) .....	16
5.2.15.1	Barrier 15-1 .....	16
5.3	Previous Overpass EA Results.....	16
6	Construction Noise .....	17
7	Conclusions.....	17

### List of Tables

Table 1 – FHWA Noise Abatement Criteria.....	4
Table 2 – Noise Monitoring Locations & Results .....	7
Table 4 – Typical Construction Equipment Noise Levels at 50 Feet .....	17

### List of Table Following Report

Table 3 – Noise Analysis Summary Table	
--	--

### List of Figures

Figure 1 – Decibel Levels of Common Noise Sources .....	3
Figure 2 – Existing Conditions – Monitor Locations and Project Area .....	6



# Contents (continued)

## List of Appendices

Appendix A.....	Noise Analysis Overview Map (1)
Appendix B.....	Noise Barrier Tables
Appendix C.....	Future Build and Barrier Results Figure (1-6)
Appendix D.....	Noise Monitoring Data
Appendix E.....	Noise Barrier Public Meeting and Balloting

# Highway Noise Analysis Draft Report

## I-29 and 85<sup>th</sup> Street Interchange Project

Prepared for the South Dakota Department of Transportation (SDDOT).

### 1 Project Overview

The purpose of this analysis is to evaluate and document the effect of the proposed interchange improvements at I-29 and 85<sup>th</sup> Street and surrounding proposed local roadway improvements on traffic noise levels in the project area. The project area is located in Lincoln and Minnehaha Counties in South Dakota, and includes the Cities of Sioux Fall and Tea and Delapre Township.

#### 1.1 Project Background and History

The City of Sioux Falls, in cooperation with SDDOT and the Sioux Falls Metropolitan Planning Organization (MPO), completed an Environmental Assessment (EA) in March of 2018 for the reconstruction of 85th Street between Sundowner Avenue and Louise Avenue and for the construction of an overpass at I-29. The Federal Highway Administration (FHWA) determined that the proposed improvements would have no significant impact on the human environment and issued a Finding of no Significant Impact (FONSI) on March 1, 2018. The Overpass EA did not include analysis or consideration for an interchange at I-29 and 85th Street. During the preparation of the Overpass EA, representatives of the 85th Street Joint Venture (JV) came forward with a request to evaluate an interchange at I-29 and 85th Street. In October 2018, the recommended interchange concept was accepted by FHWA. For additional project history and background, see Section 1 of the I-29 and 85<sup>th</sup> Street Interchange Environmental Assessment. Since the proposed interchange improvements qualify the project as a Type I project, a new traffic noise analysis was completed for incorporation into the new Environmental Assessment.

#### 1.2 Project Description and Limits

The project includes the construction of a Diverging Diamond Interchange (DDI) along I-29 at 85<sup>th</sup> Street, including a connector ramp from southbound I-229 to the 85th Street exit ramp and a braided exit ramp from southbound I-29. The proposed action also includes the following improvements to the surrounding transportation system:

- Reconstruction of the I-229 NB exit ramp at S Louise Avenue as a two-lane exit ramp.
- Construction of an Auxiliary Lane on I-229 NB from the proposed 85th Street entrance ramp to the I-229 NB exit ramp at S Louise Avenue.
- Two-lane pavement of 270th Street from the proposed interchange at I-29 west to Ellis Road.
- Two-lane pavement of Sundowner Avenue from 69th Street to 270th Street.
- Two-lane pavement of 85<sup>th</sup> Street from S Tallgrass Avenue to S Louise Avenue.

The noise modeling limits include the following roadway limits: 469<sup>th</sup> Avenue to the west, S Louis Avenue to the east, the I-29/271<sup>st</sup> Street interchange to the south and various northern termini including I-229 NB auxiliary lane (proposed) to the I-229 NB exit ramp at S Louise Avenue, connector ramp from southbound I-229 to the 85th Street exit ramp and a braided exit ramp from southbound I-29.

It should be noted the roadway limits extend further than the project noise areas in order to capture the entire noise environment; the project noise areas are defined in **Section 5** of this report.

### 1.3 Project Assessment

This study was conducted in accordance with the Noise Analysis and Abatement Guidance for SDDOT (2011) and Federal Highway Administration (FHWA) Noise Regulation found at 23 CFR 772.

The analysis utilized FHWA's Traffic Noise Model 2.5 (TNM 2.5) software model. The analysis includes modeling of existing conditions (2015) and future (2045) build conditions.

## 2 Noise Overview

Noise is defined as any unwanted sound. Sound travels in a wave motion and produces a sound pressure level. This sound pressure level is commonly measured in decibels. For highway traffic noise, an adjustment, or weighting, of the high- and low-pitched sounds, is made to approximate the way that an average person hears sounds. The adjusted sound levels are stated in units of "A-weighted decibels" (dBA).

A-weighted decibels (dBA) represent the logarithmic increase (decrease) in sound energy relative to a reference energy level. A sound increase of 3 dBA is barely perceptible to the human ear, a 5 dBA increase is clearly noticeable, and a 10 dBA increase is heard as twice as loud. For example, if the sound energy is doubled (e.g., the amount of traffic doubles), there is a three dBA increase in noise, which is just barely noticeable to most people. On the other hand, if the traffic volumes increase by a factor of ten the sound energy level increases by 10 dBA, which is heard as a doubling of the loudness.

The following **Figure 1** provides a rough comparison of the noise levels of some common noise sources.

Figure 1 – Decibel Levels of Common Noise Sources

150	Jet take off (at close range on the ground)
130	Machine gun, riveting machine
120	Thunderclap
117	jet plane (at passenger ramp)
107	Loud power mower
94	Pneumatic jackhammer
90	Sports car, truck, shouted conversation
50-60	Normal conversation
50	Quiet street
40	Quiet room
0	Threshold of Audibility

Source: "City Noise: Designers Can Restore Quiet, at a Price," by Harold W. Bredlin, *Product Engineering*, (November 1968) as cited in "The Audible Landscape: A Manual for Highway Noise and Land Use; Appendix B" (June 2017) Federal Highway Administration, <https://www.fhwa.dot.gov>

Along with traffic volumes, vehicle speeds, roadway grades, and topography, the distance of a receptor from a sound's source is also a significant factor that contributes to the level of traffic noise. Sound level decreases as the distance from the source increases. A general rule regarding sound level decrease due to increasing distance is: outside of approximately 50 feet, every time the distance between a line source, such as a roadway, and a receptor is doubled, the sound level decreases by either 3 dBA over hard surfaces or 4.5 dBA over soft surfaces.

## 2.1 Federal Regulations

The Federal Noise Abatement Criteria (23 CFR 772, Procedures for Abatement of Highway Traffic Noise and Construction Noise) established the noise criteria for various land uses. The criteria are in terms of the Leq descriptor. Leq is an equivalent steady-state sound level which contains the same acoustic energy as the time-varying sound level during the same time period.

Federal Noise Abatement Criteria (NAC) apply to all Type I projects requiring FHWA approval, regardless of funding source, or Type I projects requiring Federal-aid highway funds.

This project includes the construction of a new interchange at I-29 and 85<sup>th</sup> Street. The addition of a new interchange qualifies it as a Type I project. For the full definition of Type I projects see the definitions at link:

<https://dot.sd.gov/media/documents/FinalNoiseAnalysisandAbatementGuidance071311.pdf>

According to 23 CFR 772, a noise impact is defined as occurring when the predicted traffic noise levels:

- Approach or exceed the noise abatement criteria (see **Table 1**)
- Substantially exceed the existing noise levels

**Table 1 – FHWA Noise Abatement Criteria**

Activity Category	Activity Criteria <sup>1,2</sup> Leq(h) dBA	Evaluation Location	Activity Description
A	57	Exterior	Lands on which serenity and quiet are of extraordinary significance and serve an important public need and where the preservation of those qualities is essential if the area is to continue to serve its intended purpose
B <sup>3</sup>	67	Exterior	Residential
C <sup>3</sup>	67	Exterior	Active sport areas, amphitheaters, auditoriums, campgrounds, cemeteries, day care centers, hospitals, libraries, medical facilities, parks, picnic areas, places of worship, playgrounds, public meeting rooms, public or nonprofit institutional structures, radio studios, recording studios, recreation areas, Section 4(f) sites, schools, television studios, trails, and trail crossings
D	52	Interior	Auditoriums, day care centers, hospitals, libraries, medical facilities, places of worship, public meeting rooms, public or nonprofit institutional structures, radio studios, recording studios, schools, and television studios
E <sup>3</sup>	72	Exterior	Hotels, motels, offices, restaurants/bars, and other developed lands, properties or activities not included in A-D or F
F	--	--	Agriculture, airports, bus yards, emergency services, industrial, logging, maintenance facilities, manufacturing, mining, rail yards, retail facilities, shipyards, utilities (water resources, water treatment, electrical), and warehousing
G	--	--	Undeveloped lands that are not permitted.
Notes: (1) Leq(h) shall be used for impact assessment (2) Leq(h) Activity Criteria values are for impact determination only, and are not design standards for noise abatement (3) Includes undeveloped lands permitted for this activity category			

## 2.2 State Regulations

South Dakota DOT has defined “approach or exceed” as when the predicted Leq is within one dBA, or less, or exceeds the Leq given for the activity category in the NAC (Table 1), and “substantially exceed” as an increase of 15 dBA or more over existing noise levels.

In South Dakota, traffic noise impacts are evaluated by measuring and/or modeling the traffic noise levels that exceed the equivalent steady-state sound level of the time during the worst hour traffic volumes for the design year. This number is identified as the Leq levels; the Leq value is compared to FHWA noise abatement criteria.

## 3 Methodology

### 3.1 Affected Environment

The purpose of this noise analysis is to determine the impacts the proposed project has on traffic noise levels in the immediate vicinity of the project at noise sensitive receptors (residences,

businesses, etc). It is important to note that this analysis only includes traffic generated noise. There are other noise sources in the project area that have some effect on the ambient noise levels.

The project will construct a diverging diamond interchange at I-29 and 85<sup>th</sup> Street, as well as various other roadway improvements associated with the project.

## 3.2 Field Monitoring

Noise level monitoring is required for noise studies to document existing noise levels and assist in validating the noise prediction model. Monitored noise levels can also be used as a baseline of the possible ambient noise levels that can occur with a new roadway alignment.

The existing noise levels in the I-29/85<sup>th</sup> Street project area were monitored at four sites on July 2<sup>nd</sup>, 2019. The monitoring location sites are illustrated in **Figure 2**, Existing Conditions. The four sites were selected to have field measurements done, to capture existing noise along the study limits; most of the project area where proposed improvements occur are undeveloped or very few sensitive receptors nearby. Site M1 was selected based on the close proximity to the large number of homes on the northwest side of the project area. Site M2 was selected based on the close proximity to the existing I-29 traffic and to represent the few homes still left along the west side of I-29. Site M3 was selected to represent sensitive receptors on the east side of the I-29, along 85th Street. Site M4 was selected to represent sensitive receptors located at/near the Avera hospital location and because of its close proximity to existing I-229 traffic.

Short-term noise measurements of 30 minutes were conducted at each of these locations and were used to validate the model. Concurrent traffic data was collected for the duration of each monitoring session, which was then used to develop hourly volumes for each site for the validation model. The noise level monitoring results are shown on the monitoring summary sheets in **Appendix D**, and ranged from 53.1 dBA (L<sub>eq</sub>) to 64.6 dBA (L<sub>eq</sub>). The monitoring time periods had good weather (no precipitation with winds less than 12 mph), and dry pavement; the sound level meter utilized was a Larson Davis model 831 that was laboratory calibrated in March of 2019.

Field data sheets were generated for each site, including collected traffic data, weather, wind speed, time and location of measurement, as well as any other observed noise sources that occurred during the measurement. Field data sheets and photographs of each measurement location and can be found in **Appendix D**.



Figure 2 – Existing Conditions – Monitor Locations and Project Area



### 3.3 Noise Model Validation

The noise modeling for both the existing noise levels and future build noise levels was done using the noise prediction program TNM 2.5, which was developed for FHWA. The model uses the roadway alignment (horizontal and vertical), traffic volumes, traffic speeds, vehicle classification, and the distances from the roadway center-of-lanes to the receptors as well as

relative elevation differences. In general, higher traffic volumes, vehicle speeds, and numbers of heavy trucks increases the loudness of highway traffic noise.

To verify the accuracy of the noise model, the modeled noise level results must be within +/- 3 dBA of the monitored noise levels (*Highway Traffic Noise: Analysis and Abatement Guidance*, Federal Highway Administration, Washington, DC, December 2011, pp. 31–32). The monitoring results are provided in **Table 2**, which shows the results of the validation modeling to be within the 3 dBA limits for the  $L_{eq}$  for 3 of the 4 sites. The modeled results for Site M1, near 69<sup>th</sup> Street and Sundowner Avenue, was 6.1 dBA lower than what was measured at the site. This difference is attributed to the ambient noise surrounding the site at the time of monitoring being louder than the noise generated by the nearby traffic, especially since there was very little traffic occurring near this site during the monitoring session. Also, during the field monitoring, it was observed that the air conditioners were audible from the nearby homes at the monitoring location and there were 3 instances of water trucks with back-up beepers going during the monitoring, as well as an audible airplane overhead. All of these events contributed to the difference in the validation results at this location. It is important to note that the TNM 2.5 program only accounts for noise generated from vehicles and not background noise. Since the other three sites were within 3 dBA difference between the measured and modeled results, the model is considered validated.

**Table 2 – Noise Monitoring Locations & Results**

Site ID	Location/Description	Measurement Date/Time	Measured Levels, dBA	Modeled Levels, dBA	Difference dBA
			$L_{eq}$	$L_{eq}$	$L_{eq}$
M1	NE Quadrant of 69 <sup>th</sup> Street and Sundowner Avenue	July 2, 2019 10:10 am to 10:40 am	53.9	47.8	-6.1
M2	At 270 <sup>th</sup> Street and I-29 (West of I-29 SB)	July 2, 2019 11:02 am to 11:32 am	64.6	67.1	+2.5
M3	At NW Quadrant of 85 <sup>th</sup> Street and Tallgrass Avenue	July 2, 2019 12:04 am to 12:34 am	53.1	51.3	-1.8
M4	At Avera Hospital Grounds (South of I-229 EB)	July 2, 2019 1:13 pm to 1:43 pm	64.6	62.3	-2.3

## 4 Noise Analysis

### 4.1 Noise Modeling

Traffic noise impacts were assessed by modeling noise levels at noise sensitive receptor locations likely to be affected by the construction of the proposed project. SDDOT Noise Analysis and Abatement Guidance defines the noise study area for the build alternative to be from the beginning project construction point to the ending project construction point. The minimum distance to look for receptors is 300 feet from the edge of pavement. If an impact is identified at 300 feet, the next closest receptor would need to be analyzed until a distance where impacts are no longer identified is reached. If no receptors are located within the 300 foot zone, then the closest receptor(s) should be analyzed.

The project receptors were divided up into 15 separate noise areas based on proximity of adjacent receptors and roadway access locations, as shown in **Appendix A Figure 1; Noise Analysis Overview Map**. Using worst hour traffic volumes for the design year and future posted



speed limits, traffic noise levels were modeled at a total of 169 representative receptor locations throughout the project area. The majority of the receptors represent residential receptors located throughout the project area, with the exception of two medical facilities, three commercial properties, and an elementary school. The locations of the existing and future build modeled receptor sites are illustrated in **Appendix C Figures 1 through 6**; Noise Analysis Future Build and Barrier Results.

The attached **Table 3** includes the predicted results, receptor site ID and land use for each receptor.

The following assumptions were used in modeling the noise levels for this project:

- Traffic data input into the noise model included Existing (year 2015) and Build (year 2045) forecast traffic volumes from the Intersection Justification Report (IJR). Year 2045 was identified as the design year for the proposed project.
- Existing 24-hour vehicle data was used to determine that the peak hourly traffic occurs between 4:45 p.m. and 5:45 p.m.
- Vehicular fleet composition was determined based on truck percentages generated for the IJR and from traffic counts collected during field monitoring.

## 4.2 Noise Model Results

Results of the noise modeling analysis are tabulated in the attached **Table 3, Noise Analysis Summary Table**. The following describes the results of the traffic noise analysis for existing (2015) and future (2045) Build condition.

Existing (2015) modeled noise levels at the modeled receptor locations range from 37.0 dBA ( $L_{eq}$ ) to 68.2 dBA ( $L_{eq}$ ). Modeled noise receptors exceeded FHWA Noise Criteria ( $L_{eq}$ ) at 1 of 167 modeled receptor locations under existing (2015) conditions.

Future (2045) Build modeled noise levels at the modeled receptor locations range from 42.0 dBA ( $L_{eq}$ ) to 70.7 dBA ( $L_{eq}$ ). Modeled noise receptors exceeded FHWA criteria ( $L_{eq}$ ) at 65 of 167 modeled receptor locations under Build (2045) conditions, with 29 of these being from a “substantial increase” in traffic noise due to the proposed project.

Modeled noise level changes range from 0.5 dBA to 20.7 dBA for existing receptor locations when comparing the Build (2045) to the existing (2015) conditions.

Generally, traffic noise levels are increased with the proposed build project due to many factors. A few of the major changes that influence the increases are as follows:

- Traffic demands will increase between the existing (2015) conditions and future (2045) conditions.
- The proposed 85<sup>th</sup> Street interchange will create new access to I-29, which will direct new traffic along 85<sup>th</sup> Street.
- Additional residential development will continue along 85<sup>th</sup> Street, east of the proposed interchange

## 5 Noise Abatement Analysis

Because Federal Noise Abatement Criteria (NAC) are both approached and exceeded at modeled receptor locations throughout the project area, noise abatement must be considered.

Noise mitigation measures have been considered, as listed in 23 CFR 772.13(c) and are addressed below:

- Traffic management measures: The primary purpose of the facility is to move people and goods. Restrictions of certain vehicles or speeds would be inconsistent with the purpose of the project.
- Alteration of horizontal and vertical alignments: The proposed interchange location was selected based on the proposed demands for existing and proposed land use. The majority of current land use where the proposed interchange will be constructed is open space. Adjacent land use is primarily residential, which will provide people with alternate access to the I-29/I-229 interchange. Redesigning the horizontal and vertical alignments to minimize noise impacts would be impractical for this project.
- Acquisition of real property or interests therein (predominantly unimproved property) to serve as a buffer zone to preempt development that would be adversely impacted by traffic noise: Exclusive land use designations or acquisition of property to serve as a buffer zone between the roadway and adjacent lands would not be feasible because land has already been developed along the project corridor.
- Noise insulation of public use or nonprofit institutional structures: Under FHWA guidelines, only public buildings such as schools and hospitals should be considered for acoustical insulation. Within the project area, there is not a noise exceedance near the buildings' location for these types of land uses.
- Construction of Noise Barriers: including acquisition of property rights, either within or outside the highway right of way.

Noise barriers have been chosen as the most cost-effective noise mitigation measure available for this project.

The use of quieter pavements is not an acceptable noise abatement measure for Federal-aid projects. Planting of vegetation or landscaping is not an acceptable Federal-aid noise abatement measure because only dense stands of evergreen vegetation at least 100 feet deep will reduce noise levels by a noticeable amount.

### 5.1 Noise Barrier Evaluation

When noise impacts are identified, a noise barrier evaluation analysis must be performed. Noise barrier construction decisions are determined based on the evaluation of the feasibility and reasonableness of the noise barriers.

Feasibility of the noise barrier is determined by engineering feasibility (i.e., whether a noise barrier could feasibly be constructed on the site) and by acoustic feasibility (a minimum of 60% of front row receptors directly behind the noise wall achieve a 5 dBA noise reduction). The feasibility of noise barrier construction is sometimes dependent on design details that are not known until the final design of the project. The following analysis assumes that noise barriers could be feasibly constructed throughout the project area, up to 20 feet high along the corridor.

Reasonableness is based on three factors determined by the number of benefited receptors from the noise abatement that must be met. A benefited receptor is any receptor behind the noise

barrier that receives a minimum noise level reduction of 5 dBA or more. The three reasonableness factors are as follows:

- A cost effectiveness (CE) threshold of \$21,000 per individual benefited receptor has been established, based on an estimated construction cost of \$44 per square foot for noise barriers. The cost calculations for the noise abatement measure should include all items directly related to the construction of the noise abatement measure, including additional costs of some items such as right-of-way, drainage modifications, utility relocation, traffic control, retaining walls, landscaping for graffiti abatement and standard aesthetic treatments.
- At least 40% of benefited receptors must achieve a 7 dBA noise reduction in order for noise abatement to be reasonable.
- The viewpoints of the property owners and residents of all benefited receptors shall be solicited and considered in reaching a decision on the abatement measure to be provided. See Section 9 of the SDDOT Noise Analysis and Abatement Guidance (effective date: July 13, 2011) for a detailed explanation of the voting system.

All barriers evaluated must meet SDDOT's 7 dBA noise reduction design goal for at least 40% of the benefited receptors for each noise abatement measure evaluated. If a barrier is unable to achieve the design goal, further evaluation will not be completed.

### 5.1.1 Project Summary

Federal Noise Abatement Criteria (NAC) are currently predicted to be both approached and exceeded throughout portions of the study area. Noise barriers were evaluated at 10 barrier locations within the project's 15 noise areas. **Appendix C Build Condition Figures 1-6** illustrates the analysis summary of noise barriers that were considered.

Noise barrier cost-effectiveness results are tabulated in **Appendix B Noise Barrier Tables**.

### 5.1.2 Vehicle Sight Lines

Along 85<sup>th</sup> Street, there are side street stop control access locations and driveways. Intersection sight lines were evaluated at each access point to determine where any proposed barrier must not encroach, to ensure propose and safe sight lines for all users. Barriers would need to follow along the sight line, requiring additional right-of-way and/or easements. Based on the American Association of State Highway and Transportation Officials (AASHTO) Guide, at 40 mph, sight distance requirements for left-turning single-unit vehicles from the minor, stop-controlled road is 685 feet, for Beal Avenue and Tuscan Club Circle.

There are multiple residences along 270<sup>th</sup> Street and 85<sup>th</sup> Street where the only direct access to those residences is those roadways. Since access will need to be maintained for these homes, there are some impacted residences where noise barriers were not considered feasible.

## 5.2 Noise Barrier Results

The previous Overpass EA analyzed eight noise areas for noise abatement based on the receptors surrounding the overpass construction limits, located along 270<sup>th</sup> Street and 85<sup>th</sup> Street. Abatement for seven of the noise areas were found to be either not feasible or not reasonable.

The project receptors were divided up into 15 separate noise areas based on proximity of adjacent receptors and highway access locations (see **Figure 1** in **Appendix A**).

### 5.2.1 Noise Area 1 – Sundowner Avenue (West)

Land uses west of Sundowner Avenue consist of 1 residential receptor. The proposed project in this noise area will pave Sundowner Avenue along its existing profile.

Noise levels were modeled at 1 receptor location in Noise Area 1. Modeled noise levels approached or exceeded the Federal NAC at 0 of 1 receptor locations with future (2045) Build conditions. With no impacted receptor in Noise Area 1, no mitigation was evaluated for this noise area.

### 5.2.2 Noise Area 2 – Sundowner Avenue (East)

Land uses east of Sundowner Avenue consist of 2 residential receptors. The proposed project in this noise area will pave Sundowner Avenue along its existing profile.

Noise levels were modeled at 2 receptor locations in Noise Area 2. Modeled noise levels had a significant increase impact at Receptor 2-1 with future (2045) Build conditions. Noise abatement at this receptor was not feasible due to the need of direct access to the property off Sundowner Avenue. No mitigation was evaluated for this noise area.

### 5.2.3 Noise Area 3 – South of I-229 Northbound

Land uses south of I-229 Northbound consist of non-residential hospital facilities on the south side of I-229. The proposed project in this noise area constructs an auxiliary lane from 85<sup>th</sup> Street entrance ramp to I-229 northbound exit ramp at Louise Avenue, along the existing edge of pavement.

Noise levels were modeled at 4 receptor locations in Noise Area 3. Receptors 3-3 and 3-4 represents exterior land use at the Encompass Health Rehabilitation Hospital of Sioux Falls, which is currently under construction. Modeled noise levels approached or exceeded the Federal NAC at 0 of 4 receptor locations with future (2045) Build conditions.

### 5.2.4 Noise Area 4 – South of I-229 NB Exit Ramp at Louise Avenue

Land uses south of I-229 Northbound exist ramp at Louise Avenue consist of commercial buildings on the south side of the Louise Avenue ramp. The proposed project in this noise area constructs an auxiliary lane from 85<sup>th</sup> Street entrance ramp to I-229 northbound exit ramp at Louise Avenue, along the existing edge of pavement.

Noise levels were modeled at 3 receptor locations in Noise Area 4. Modeled noise levels approached or exceeded the Federal NAC at 0 of 3 receptor locations with future (2045) Build conditions.

### 5.2.5 Noise Area 5 – 270<sup>th</sup> Street (between Ellis Road and Sundowner Avenue)

Land uses along 270<sup>th</sup> Street, between Ellis Road and Sundowner Avenue consists of 2 residential receptors. The proposed project in this noise area will pave Sundowner Avenue along its existing profile.

Noise levels were modeled at 2 receptor locations in Noise Area 5. Modeled noise levels had a significant increase impact at Receptor 5-1 with future (2045) Build conditions. Noise abatement at this receptor was not feasible due to the need of direct access to the property off 270<sup>th</sup> Street. No mitigation was evaluated for this noise area.

### 5.2.6 Noise Area 6 – Sundowner Avenue (North of 270<sup>th</sup> Street)

Land uses along Sundowner Avenue, north of 270<sup>th</sup> Street consists of 3 residential receptors. The proposed project in this noise area will pave Sundowner Avenue along its existing profile.

Noise levels were modeled at 3 receptor locations in Noise Area 6. Modeled noise levels approached or exceeded the Federal NAC at 0 of 3 receptor locations with future (2045) Build conditions.

### 5.2.7 Noise Area 7 – 270<sup>th</sup> Street (Between Sundowner Avenue and Interchange)

Land uses along 270<sup>th</sup> Street, between Sundowner Avenue and the proposed I-29 interchange consists of 6 residential receptors. The proposed project in this noise area will widen 270<sup>th</sup> Street, providing two through-lanes and right and left turn lanes on all approaches. The intersection of 270<sup>th</sup> Street and Sundowner Avenue will also be signalized.

Noise levels were modeled at 5 receptor locations in Noise Area 7. Modeled noise levels had a significant increase impact at Receptors 7-1 and 7-2 with future (2045) Build conditions. Noise abatement at these receptors was not feasible due to the need of direct access to the property off 270<sup>th</sup> Street. No mitigation was evaluated for this noise area. Receptors 7-4 and 7-5 will be demolished during the proposed design.

### 5.2.8 Noise Area 8 – 85<sup>th</sup> Street North (Interchange to Tallgrass Avenue)

Land uses along the north side of 85<sup>th</sup> Street, from the proposed I-29 interchange to Tallgrass Avenue consists of 4 residential receptors. The proposed project in this noise area will raise the profile at the 85<sup>th</sup> Street/Tallgrass Avenue intersection, widen 85<sup>th</sup> Street and Tallgrass to accommodate two through-lanes, right and left turn lanes on all approaches. The intersection will also be signalized.

Noise levels were modeled at 4 receptor locations in Noise Area 8. Modeled noise levels approached or exceeded the Federal NAC at 3 of 4 receptor locations with future (2045) Build conditions. Noise abatement at these receptors was not feasible due to the need of direct access to the property off 85<sup>th</sup> Street. No mitigation was evaluated for this noise area. Receptor 8-1 will be demolished during the proposed design.

### 5.2.9 Noise Area 9 – 85<sup>th</sup> Street North (Tallgrass Avenue to Beal Avenue)

Land uses along the north side of 85<sup>th</sup> Street, from Tallgrass Avenue to Beal Avenue consists of residential receptors, including multiple single family homes and townhouse complexes. The proposed project in this noise area will lower the profile along 85<sup>th</sup> Street approximately 2-3 feet, widen 85<sup>th</sup> Street and Tallgrass to accommodate two through-lanes, right and left turn lanes and signalize the intersections of Tallgrass Avenue, Townsley Avenue, and Beal Avenue.

Noise levels were modeled at 21 receptor locations in Noise Area 9. Modeled noise levels approached or exceeded the Federal NAC at 13 of 21 receptor locations with future (2045) Build conditions.

For receptors 9-2, 9-6, 9-7 and 9-8, modeled noise levels had a significant increase impact with future (2045) Build conditions. Noise abatement at these receptors was not feasible due to the need of direct access to the property off 85<sup>th</sup> Street. No mitigation was evaluated for this noise area.

For receptors 9-4 and 9-5, modeled noise levels had a significant increase impact with future (2045) Build conditions. Since receptors 9-4 and 9-5 both have direct access off Cactus Place, a noise barrier was modeled along both parcels on 85<sup>th</sup> Street.

For receptors 9-9A, 9-9B, 9-10 and 9-11, modeled noise levels exceeded the Federal NAC with the future build, while receptors 9-13, 9-14, and 9-17 had a significant increase impacts with future (2045) Build conditions. A noise barrier was modeled behind the proposed sidewalk location along 85<sup>th</sup> Street to mitigate traffic noise to these multi-family dwellings.

#### 5.2.9.1 Barrier 9-1

An approximately 170 foot long, 15 foot high noise barrier was modeled on the north side of 85<sup>th</sup> Street, east of Tallgrass Avenue, to mitigate impacts to the residential receptor "9-4". The barrier provides a reduction of 2.3 dBA for receptor 9-4 and 0.7 dBA reduction for receptor 9-3. Iterating the barrier height higher did not provide any additional noise reduction. The noise barrier does not meet SDDOT's 7 dBA noise reduction design goal and is therefore not proposed.

#### 5.2.9.2 Barrier 9-2

An approximately 180 foot long, 16 foot high noise barrier was modeled on the north side of 85<sup>th</sup> Street, east of Tallgrass Avenue, to mitigate impacts to the residential receptor "9-5". The barrier provides a reduction of 2.2 dBA. Iterating the barrier height higher did not provide any additional noise reduction. The noise barrier does not meet SDDOT's 7 dBA noise reduction design goal and is therefore not proposed.

#### 5.2.9.3 Barrier 9-3

An approximately 235 foot long, 6 foot high noise barrier was modeled on the north side of 85<sup>th</sup> Street, east of Tallgrass Avenue, to mitigate impacts to the residential receptors 9-9A, 9-9B, 9-10, 9-11, 9-13, 9-14 and 9-17. The barrier provides a reduction that varies from 0.2 to 9.2 dBA. 5 out of 5 (100%) of the benefited receptors achieve a noise reduction of 7.0 dBA or more. Due to limited existing right-of-way, the proposed barrier layout will require the purchase of easements. The cost of the proposed barrier with the proposed easements (10 feet behind the barrier) is \$18,355 per benefited receptor. Since the barrier design meets both reasonableness and feasibility requirements, the noise barrier will be presented to the benefited residents and owners for voting as outlined in the SDDOT Noise Analysis and Abatement Guidance (effective date: July 13, 2011).

### 5.2.10 Noise Area 10 – 85<sup>th</sup> Street North (Beal Avenue to Hughes Avenue)

Land use along the north side of 85<sup>th</sup> Street, from Beal Avenue to Hughes Avenue consists of residential receptors, consisting of multiple single family homes and townhouse complexes. The proposed project in this noise area will lower the profile along 85<sup>th</sup> Street approximately 2-3 feet, widen 85<sup>th</sup> Street and Tallgrass to accommodate two through-lanes, right and left turn lanes and signalize the intersections of Beal Avenue and Hughes Avenue.

Noise levels were modeled at 31 receptor locations in Noise Area 10. Modeled noise levels approached or exceeded the Federal NAC at 17 of 31 receptor locations with future (2045) Build conditions.

### 5.2.10.1 Barrier 10-1

An approximately 1,387 foot long, 6 foot high noise barrier was modeled on the north side of 85<sup>th</sup> Street, east of Beal Avenue, to mitigate impacts to the residential receptors 10-1 through 10-14 and 10-28 through 10-30. The barrier provides a reduction that varies from 2.6 to 8.3 dBA. 7 out of 13 (54%) of the benefited receptors achieve a noise reduction of 7.0 dBA or more. However, the cost per benefited receptor is \$28,167, which exceeds the allowable CE threshold of \$21,000 benefited receptor.

A second alternative noise barrier design was modeled of the same 1,387 foot length, but that had a more cost-effective average height of 5.4 feet, to mitigate impacts to the residential receptors 10-1 through 10-14 and 10-28 through 10-30. The barrier provides a reduction that varies from 2.4 to 7.5 dBA. Only 5 out of 13 (38%) of the benefited receptors achieve a noise reduction of 7.0 dBA or more, which does not meet the 7.0 dBA or more noise reduction goal for 40% of benefited receptors. Also, the cost per benefited receptor is \$25,397, which exceeds the allowable CE threshold of \$21,000 benefited receptor and therefore, is not proposed.

### 5.2.11 Noise Area 11 – 85<sup>th</sup> Street North (Hughes Avenue to S Louise Avenue)

Land uses along the north side of 85<sup>th</sup> Street, from Hughes Avenue to S Louise Avenue consists of residential receptors, consisting of multiple single family homes. The proposed project in this noise area will lower the profile approximately 1 foot in some areas along 85<sup>th</sup> Street. 85<sup>th</sup> Street will be widened to accommodate two through-lanes, right and left turn lanes at Hughes Avenue and signalize the intersection of Hughes Avenue.

Noise levels were modeled at 22 receptor locations in Noise Area 11. Modeled noise levels approached or exceeded the Federal NAC at 4 of 22 receptor locations with future (2045) Build conditions.

#### 5.2.11.1 Barrier 11-1

An approximately 745 foot long, 6.4 foot high noise barrier was modeled on the north side of 85<sup>th</sup> Street, east of Hughes Avenue, to mitigate impacts to the residential receptors 11-1 through 11-4. The barrier provides a reduction that varies from 0.5 to 7.7 dBA. 3 out of 6 (50%) of the benefited receptors achieve a noise reduction of 7.0 dBA or more. However, the cost per benefited receptor is \$34,801, which exceeds the allowable CE threshold of \$21,000 benefited receptor.

A second alternative noise barrier design was modeled of the same 745 foot length, but that had a more cost-effective average height of 5.7 feet, to mitigate impacts to the residential receptors 11-1 through 11-4. The barrier provides a reduction that varies from 0.4 to 7.0 dBA. Only 1 out of 6 (17%) of the benefited receptors achieve a noise reduction of 7.0 dBA or more, which does not meet the 7.0 dBA or more noise reduction goal for 40% of benefited receptors. Also, the cost per benefited receptor is \$30,977, which exceeds the allowable CE threshold of \$21,000 benefited receptor and therefore, is not proposed.

### 5.2.12 Noise Area 12 – 85<sup>th</sup> Street South (Townsville Avenue to Brett Avenue)

Land uses along the south side of 85<sup>th</sup> Street, from Townsville Avenue to Brett Avenue consist of residential receptors, including multiple townhouse complexes. The proposed project in this noise area will lower the profile along 85<sup>th</sup> Street approximately 2-3 feet, widen 85<sup>th</sup> Street and Townsville Avenue to accommodate two through-lanes, right and left turn lanes and signalize the intersections of Townsville Avenue and Brett Avenue.



Noise levels were modeled at 29 receptor locations in Noise Area 12. Modeled noise levels approached or exceeded the Federal NAC at 14 of 29 receptor locations with future (2045) Build conditions.

#### 5.2.12.1 Barrier 12-1

An approximately 650 foot long, 6 foot high noise barrier was modeled on the south side of 85<sup>th</sup> Street, west of Brett Avenue, to mitigate impacts to the residential receptors 12-1 through 12-11 and 12-13 through 12-15. The barrier provides a reduction that varies from 0.1 to 9.2 dBA. 14 out of 15 (93%) of the benefited receptors achieve a noise reduction of 7.0 dBA or more. The cost per benefited receptor for the barrier alone is \$11,440. However, the proposed barrier would be located along the Lewis & Clark waterline and within the Lewis & Clark permanent utility easement, making construction of this barrier not feasible. Approximately 650 feet of this utility would be impacted by the construction of the barrier. Additional costs incurred from relocating the waterline, acquiring the additional right-of-way for construction of the barrier, and maintaining access of water to residents in the area would far exceed the allowable CE threshold of \$21,000 benefited receptor.

#### 5.2.13 Noise Area 13 – 85<sup>th</sup> Street South (Brett Avenue to Hughes Avenue)

Land use along the south side of 85<sup>th</sup> Street, from Brett Avenue to Hughes Avenue consists of residential receptors, consisting of multiple single family homes. The proposed project in this noise area will lower the profile along 85<sup>th</sup> Street approximately 2-3 feet and widen 85<sup>th</sup> Street to accommodate two through-lanes, right and left turn lanes.

Noise levels were modeled at 10 receptor locations in Noise Area 13. Modeled noise levels approached or exceeded the Federal NAC at 6 of 10 receptor locations with future (2045) Build conditions. For Receptor 13-4, the modeled noise level had a significant increase impact with future (2045) Build conditions. Noise abatement at this receptor was not feasible due to the need of direct access to the property off 85<sup>th</sup> Street. No mitigation was evaluated for this receptor.

#### 5.2.13.1 Barrier 13-1

An approximately 225 foot long, 9.2 foot high noise barrier was modeled on the south side of 85<sup>th</sup> Street, west of S Tuscan Club Circle, to mitigate impacts to the residential receptors 13-1 and 13-5. The barrier provides a reduction that varies from 1.7 to 7.0 dBA. Only one of the residences is benefited by the noise barrier, with a 7.0 dBA reduction, making the cost per benefited receptor is \$83,164, which exceeds the allowable CE threshold of \$21,000 benefited receptor.

#### 5.2.13.2 Barrier 13-2

An approximately 505 foot long, 20 foot high noise barrier was modeled on the south side of 85<sup>th</sup> Street, east of S Tuscan Club Circle, to mitigate impacts to the residential receptors 13-2, 13-3 and 13-7. The barrier provides a reduction that varies from 0.9 to 6.6 dBA. The noise barrier does not meet SDDOT's 7 dBA noise reduction design goal and is therefore not proposed.

#### 5.2.14 Noise Area 14 – 85<sup>th</sup> Street South (Hughes Avenue to S Louise Avenue)

Land uses along the south side of 85<sup>th</sup> Street, from Hughes Avenue to S Louise Avenue consists of residential receptors, consisting of multiple single family homes and apartment complexes. The proposed project in this noise area will lower the profile approximately 1 foot in some areas along 85<sup>th</sup> Street. 85<sup>th</sup> Street will be widened to accommodate two through-lanes, right and left turn lanes at Hughes Avenue and signalized Hughes intersection.



Noise levels were modeled at 24 receptor locations in Noise Area 11. Modeled noise levels approached or exceeded the Federal NAC at 4 of 24 receptor locations with future (2045) Build conditions.

#### 5.2.14.1 Barrier 14-1

An approximately 445 foot long, 8.5 foot high noise barrier was modeled on the south side of 85<sup>th</sup> Street, east of Hughes Avenue, to mitigate impacts to the residential receptors 14-1 through 14-4. The barrier provides a reduction that varies from 0.9 to 7.5 dBA. 2 out of 4 (50%) of the benefited receptors achieve a noise reduction of 7.0 dBA or more. However, the cost per benefited receptor is \$41,363, which exceeds the allowable CE threshold of \$21,000 benefited receptor.

#### 5.2.15 Noise Area 15 – Northbound I-29 (East)

Land use east of I-29 Northbound consists of Sioux Fall Lutheran School, including various outdoor sports and recreational areas, which are located adjacent to the interstate. Closest receptors to the interstate represent a soccer field (Receptor 15-1) and track & field areas (receptors 15-2, 15-3 and 15-4). The school building itself is located further west from the interstate. The proposed project in this noise area constructs an auxiliary lane from 85<sup>th</sup> Street entrance ramp to I-229 northbound exit ramp at Louise Avenue, along the existing edge of pavement.

Noise levels were modeled at 4 receptor locations in Noise Area 15. Modeled noise levels approached or exceeded the Federal NAC at 1 of 4 receptor locations with future (2045) Build conditions.

#### 5.2.15.1 Barrier 15-1

An approximately 320 foot long, 20 foot high noise barrier was modeled on the west side of I-29 Northbound, to mitigate impacts to the exterior receptor 15-1. The barrier provides a reduction that varies from 0.6 to 3.6 dBA. The noise barrier does not meet SDDOT's 7 dBA noise reduction design goal and is therefore not proposed.

### 5.3 Previous Overpass EA Results

The previous Overpass EA analyzed eight noise areas for noise abatement based on the receptors surrounding the overpass construction limits, located along 270<sup>th</sup> Street and 85<sup>th</sup> Street. Abatement for seven of the noise areas were found to be either not feasible or not reasonable. Only one noise barrier, located along 85<sup>th</sup> Street, west to Beal Avenue, was determined to be reasonable and feasible. This noise barrier was modeled to mitigate impacts to the multi-family residential receptors at this location. The noise barrier was presented to the benefited residents and owners for voting as outlined in the SDDOT Noise Analysis and Abatement Guidance (effective date: July 13, 2011), as a part of the previous Overpass EA. More than 50% of the balloted voters were in favor of the construction of the noise barrier.

Barrier 9-3 was modeled to mitigate impacts to these same multi-family residential receptors along 85<sup>th</sup> Street at Beal Avenue for the proposed future (2045) Build conditions. Since this barrier was also determined to be reasonable and feasible, a new vote will be conducted for the benefited property owners and residents based on the barrier layout shown in Appendix C.

## 6 Construction Noise

The construction activities associated with implementation of the proposed project will result in increased noise levels relative to existing conditions. These impacts will primarily be associated with construction equipment and pile driving.

The following table (**Table 4**) shows peak noise levels monitored at 50 feet from various types of construction equipment. This equipment is primarily associated with site grading/site preparation, which is generally the roadway construction phase associated with the greatest noise levels.

Table 4 – Typical Construction Equipment Noise Levels at 50 Feet

Equipment Type	Manufacturers Sampled	Total Number of Models in Sample	Peak Noise Levels (dBA)	
			Range	Average
Backhoes	5	6	74-92	83
Front Loaders	5	30	75-96	85
Dozers	8	41	65-95	85
Graders	3	15	72-92	84
Scrapers	2	27	76-98	87
Pile Drivers	N/A	N/A	95-105	101

Source: United States Environmental Protection Agency and Federal Highway Administration

Elevated noise levels are, to a degree, unavoidable for this type of project. SDDOT will require that contractors comply with the sound control requirements identified in the SDDOT Standard Specifications for Roads and Bridges. Construction noise abatement will be determined by weighing the duration of the project, benefits achieved, overall adverse social, economic and environmental effects, and cost of abatement measures.

It is anticipated that night construction may be required to minimize traffic impacts and to improve safety. However, construction will be limited to daytime hours as much as possible. If necessary, a detailed nighttime construction mitigation plan will be developed during the project final design stage.

Any associated high-impact equipment noise, such as pile driving, pavement sawing, or jack hammering, will be unavoidable with construction of the proposed project. Pile-driving noise is associated with any bridge construction and sheet piling necessary for retaining wall construction. High-impact noise construction activities will be limited in duration to the greatest extent possible. While pile-driving equipment results in the highest peak noise level, as shown in **Table 4**, it is limited in duration to the activities noted above (e.g., bridge construction). The use of pile drivers, jack hammers, and pavement sawing equipment will be prohibited during nighttime hours.

## 7 Conclusions

Noise levels surrounding the 85<sup>th</sup> Street project area exceed Federal NAC criteria for several single and multi-family receptors under the future build (2045) conditions, as well as at the outdoor soccer field at the Sioux Falls Lutheran School along I-29 Northbound.

In general, the construction of the I-29 interchange at 85<sup>th</sup> Street will result in increases in traffic noise levels compared to the existing conditions. Modeled build (2045) condition noise levels vary from 0.5 dBA to 20.7 dBA from existing (2015) conditions.

Generally, traffic noise levels are increased with the proposed build project due to many factors. Some of the major changes that influence the increases are as follows:

- Traffic demands will increase between the existing (2015) conditions and future (2045) conditions.
- The 85<sup>th</sup> Street corridor will be widened to two through-lanes, plus left and/or right turn lanes at various side roads along the corridor. The construction of additional lanes along 85<sup>th</sup> Street shifts the traffic closer to the existing receptors, resulting in increased noise levels.

If there are any significant changes to the final design of the I-29 and 85<sup>th</sup> Street Interchange project, the environmental document may need to be re-evaluated.

Acoustic reasonableness and cost effectiveness were calculated for each of the 10 noise barriers that were evaluated for this study. One of the noise barriers (B9-3) was found to be reasonable and feasible after following a voting process for possible incorporation into this project, as outlined in the SDDOT Noise Analysis and Abatement Guidance (effective date: July 13, 2011).

Appendix E includes the documented results of the noise barrier balloting process. Due to COVID-19, the barrier voting process followed SDDOT's 30-day online meeting process, beginning with a notice of this noise study's availability online on August 7, 2020, certified mailing of the noise barrier ballot to eligible benefited receptors, and a letter to residents in surrounding properties alerting them to the possible noise barrier construction. A total of 6 eligible voters were provided ballots and asked to vote either for or against a noise barrier. Following the mailing, two door-to-door contacts were made to encourage voting and to answer questions. In accordance with SDDOT's Noise Analysis and Abatement Guidance, three points were given to the owner of the residential building and one point each were given to tenants of the building to apply to the vote outcome. Two of the eligible tenants did not vote. The vote tabulation was 2 votes yes and 2 votes no; however the owner's yes vote garnered 3 points while the tenant votes were tabulated at one point each. At least 50% of the points must be achieved in order to make a determination that the wall could be considered reasonable from the public opinion standpoint. With the owner's allocation of points, a favorable outcome to built the wall achieved 67% percent of the vote points.

## Tables

Table 3 – Noise Analysis Summary Table

**Table 3**  
**Noise Analysis Summary**  
**Existing and Future Scenarios**

Noise Level Comparison to Standards	
<b>XX</b>	<b>Bold</b> ; Approach or Exceeds FHWA Activity Criteria
<u>XX</u>	<u>Underline</u> ; substantial increase (15 dBA) in noise levels
N/A	Receptor does not exist in Scenario

**\*Medical - Land Use is inpatient rehabilitation facility**

Receiver		FHWA Activity (dBA)		Existing Modeled 2015 Conditions	Future Build Conditions	Difference - Existing and Build
Receptor ID	Land Use	Activity Category	Criteria $L_{eq}$	$L_{eq}$	$L_{eq}$	$L_{eq}$
<b>Noise Area 1 &amp; 2 - Sundowner Ave</b>						
1-1	Residential	B	67	46.7	57.4	10.7
2-1	Residential	B	67	49.4	64.5	<u>15.1</u>
2-2	Residential	B	67	47.9	54.1	6.2
<b>Noise Area 3 &amp; 4 - South of I-229 Northbound</b>						
3-1	Hospital	C	67	59.2	60.7	1.5
3-2	Commercial	E	72	56.6	58.5	1.9
3-3	Medical*	C	67	61.8	63.3	1.5
3-4	Medical*	C	67	58.0	59.6	1.6
4-1	Commercial	E	72	65.0	66.7	1.7
4-2	Commercial	E	72	58.4	59.6	1.2
4-3	Commercial	E	72	60.2	60.7	0.5
<b>Noise Area 5 - 270th Street (Between Ellis Rd and Sundowner Ave)</b>						
5-1	Residential	B	67	40.9	58.6	<u>17.7</u>
5-2	Residential	B	67	40.2	49.8	9.6
<b>Noise Area 6 - Sundowner Ave, North of 270th Street</b>						
6-1	Residential	B	67	47.2	53.6	6.4
6-2	Residential	B	67	47.1	54.1	7.0
6-3	Residential	B	67	47.5	55.6	8.1
<b>Noise Area 7 - 270th Street (Between Sundowner Ave and Interchange)</b>						
7-1	Residential	B	67	48.3	63.3	<u>15.0</u>
7-2	Residential	B	67	49.0	65.8	<u>16.8</u>
7-3	Residential	B	67	51.6	61.3	9.7
7-4	Residential	B	67	48.2	N/A	
7-5	Residential	B	67	58.4	N/A	
<b>Noise Area 8 - 85th Street (Interchange to Tallgrass Ave)</b>						
8-1	Residential	B	67	52.8	N/A	
8-2	Residential	B	67	49.0	<b>69.0</b>	<u>20.0</u>
8-3	Residential	B	67	50.0	64.5	14.5
8-4	Residential	B	67	50.9	<b>69.1</b>	<u>18.2</u>
<b>Noise Area 9 - 85th Street (Tallgrass Ave to Beal Ave)</b>						
9-1	Residential	B	67	49.8	64.3	14.5
9-2	Residential	B	67	47.6	64.1	<u>16.5</u>
9-3	Residential	B	67	48.9	62.1	13.2
9-4	Residential	B	67	47.4	63.9	<u>16.5</u>
9-5	Residential	B	67	46.2	62.7	<u>16.5</u>
9-6	Residential	B	67	46.8	63.4	<u>16.6</u>
9-7	Residential	B	67	46.7	63.2	<u>16.5</u>
9-8	Residential	B	67	47.0	63.8	<u>16.8</u>
9-9A	Residential	B	67	50.5	<b>70.4</b>	<u>19.9</u>
9-9B	Residential	B	67	50.3	<b>70.6</b>	<u>20.3</u>
9-10	Residential	B	67	50.2	<b>70.6</b>	<u>20.4</u>
9-11	Residential	B	67	50.1	<b>70.4</b>	<u>20.3</u>

**Table 3**  
**Noise Analysis Summary**  
**Existing and Future Scenarios**

Noise Level Comparison to Standards	
<b>XX</b>	<b>Bold;</b> Approach or Exceeds FHWA Activity Criteria
<u>XX</u>	<u>Underline;</u> substantial increase (15 dBA) in noise levels
N/A	Receptor does not exist in Scenario

Receiver		FHWA Activity (dBA)		Existing Modeled 2015 Conditions	Future Build Conditions	Difference - Existing and Build
Receptor ID	Land Use	Activity Category	Criteria $L_{eq}$	$L_{eq}$	$L_{eq}$	$L_{eq}$
<b>Noise Area 9 - 85th Street WB (Tallgrass Ave to Beal Ave)</b>						
9-12	Residential	B	67	42.6	57.4	14.8
9-13	Residential	B	67	41.4	57.1	<u>15.7</u>
9-14	Residential	B	67	41.9	58.6	<u>16.7</u>
9-15	Residential	B	67	40.9	54.6	13.7
9-16	Residential	B	67	39.9	52.7	12.8
9-17	Residential	B	67	40.2	56.0	<u>15.8</u>
9-18	Residential	B	67	50.8	63.1	12.3
9-19	Residential	B	67	51.3	63.3	12.0
9-20	Residential	B	67	49.8	58.3	8.5
<b>Noise Area 10 - 85th Street WB (Beal Ave to Hughes Ave)</b>						
10-1	Residential	B	67	48.2	<b>67.6</b>	<u>19.4</u>
10-2	Residential	B	67	48.3	<b>66.8</b>	<u>18.5</u>
10-3	Residential	B	67	49.3	<b>68.1</b>	<u>18.8</u>
10-4	Residential	B	67	48.5	<b>66.9</b>	<u>18.4</u>
10-5	Residential	B	67	48.8	<b>67.3</b>	<u>18.5</u>
10-6	Residential	B	67	48.6	<b>67.0</b>	<u>18.4</u>
10-7	Residential	B	67	48.7	<b>66.8</b>	<u>18.1</u>
10-8	Residential	B	67	48.9	<b>67.1</b>	<u>18.2</u>
10-9	Residential	B	67	48.8	<b>66.8</b>	<u>18.0</u>
10-10	Residential	B	67	49.0	<b>66.9</b>	<u>17.9</u>
10-11	Residential	B	67	50.2	<b>68.3</b>	<u>18.1</u>
10-12	Residential	B	67	49.1	65.7	<u>16.6</u>
10-13	Residential	B	67	51.9	<b>68.9</b>	<u>17.0</u>
10-14	Residential	B	67	43.7	59.0	<u>15.3</u>
10-15	Residential	B	67	43.0	57.3	14.3
10-16	Residential	B	67	43.5	57.5	14.0
10-17	Residential	B	67	43.5	57.5	14.0
10-18	Residential	B	67	43.6	57.4	13.8
10-19	Residential	B	67	43.6	57.4	13.8
10-20	Residential	B	67	43.7	57.5	13.8
10-21	Residential	B	67	43.9	57.5	13.6
10-22	Residential	B	67	44.0	57.5	13.5
10-23	Residential	B	67	45.5	59.1	13.6
10-24	Residential	B	67	44.4	57.7	13.3
10-25	Residential	B	67	48.2	62.6	14.4
10-26	Residential	B	67	46.0	58.9	12.9
10-27	Residential	B	67	44.9	57.4	12.5
10-28	Residential	B	67	45.8	64.0	<u>18.2</u>
10-29	Residential	B	67	43.9	61.3	<u>17.4</u>
10-30	Residential	B	67	42.6	58.4	<u>15.8</u>
10-31	Residential	B	67	42.5	57.1	14.6

**Table 3**  
**Noise Analysis Summary**  
**Existing and Future Scenarios**

Noise Level Comparison to Standards	
<b>XX</b>	<b>Bold;</b> Approach or Exceeds FHWA Activity Criteria
<u>XX</u>	<u>Underline;</u> substantial increase (15 dBA) in noise levels
N/A	Receptor does not exist in Scenario

Receiver		FHWA Activity (dBA)		Existing Modeled 2015 Conditions	Future Build Conditions	Difference - Existing and Build
Receptor ID	Land Use	Activity Category	Criteria $L_{eq}$	$L_{eq}$	$L_{eq}$	$L_{eq}$
<b>Noise Area 11 - 85th Street WB (Hughes Avenue to S Louise Avenue)</b>						
11-1	Residential	B	67	56.6	<b>69.5</b>	12.9
11-2	Residential	B	67	56.9	<b>69.5</b>	12.6
11-3	Residential	B	67	57.4	<b>69.5</b>	12.1
11-4	Residential	B	67	58.2	<b>69.5</b>	11.3
11-5	Residential	B	67	50.7	62.6	11.9
11-6	Residential	B	67	52.3	63.8	11.5
11-7	Residential	B	67	54.1	65.9	11.8
11-8	Residential	B	67	53.5	65.4	11.9
11-9	Residential	B	67	55.2	64.4	9.2
11-10	Residential	B	67	47.8	58.7	10.9
11-11	Residential	B	67	48.3	58.8	10.5
11-12	Residential	B	67	49.4	58.3	8.9
11-13	Residential	B	67	49.7	57.9	8.2
11-14	Residential	B	67	49.4	56.1	6.7
11-15	Residential	B	67	53.9	60.7	6.8
11-16	Residential	B	67	53.3	59.1	5.8
11-17	Residential	B	67	46.5	57.1	10.6
11-18	Residential	B	67	47.1	57.1	10.0
11-19	Residential	B	67	48.3	56.4	8.1
11-20	Residential	B	67	49.1	56.0	6.9
11-21	Residential	B	67	52.0	56.8	4.8
11-22	Residential	B	67	53.1	57.9	4.8
<b>Noise Area 12 - 85th Street EB (S Townsley Ave to S Brett Ave)</b>						
12-1	Residential	B	67	50.6	<b>69.6</b>	<u>19.0</u>
12-2	Residential	B	67	50.3	<b>69.8</b>	<u>19.5</u>
12-3	Residential	B	67	50.2	<b>69.8</b>	<u>19.6</u>
12-4	Residential	B	67	50.2	<b>70.0</b>	<u>19.8</u>
12-5	Residential	B	67	50.0	<b>70.6</b>	<u>20.6</u>
12-6	Residential	B	67	50.0	<b>70.7</b>	<u>20.7</u>
12-7	Residential	B	67	49.6	<b>70.0</b>	<u>20.4</u>
12-8	Residential	B	67	42.3	57.6	<u>15.3</u>
12-9	Residential	B	67	38.4	54.2	<u>15.8</u>
12-10	Residential	B	67	40.1	57.7	<u>17.6</u>
12-11	Residential	B	67	39.5	55.1	<u>15.6</u>
12-12	Residential	B	67	37.1	49.0	11.9
12-13	Residential	B	67	38.2	55.9	<u>17.7</u>
12-14	Residential	B	67	45.2	63.5	<u>18.3</u>
12-15	Residential	B	67	43.2	60.1	<u>16.9</u>
12-16	Residential	B	67	40.2	48.7	8.5
12-17	Residential	B	67	38.0	44.0	6.0
12-18	Residential	B	67	37.6	43.2	5.6
12-19	Residential	B	67	37.0	42.2	5.2

**Table 3**  
**Noise Analysis Summary**  
**Existing and Future Scenarios**

Noise Level Comparison to Standards	
<b>XX</b>	<b>Bold;</b> Approach or Exceeds FHWA Activity Criteria
<u>XX</u>	<u>Underline;</u> substantial increase (15 dBA) in noise levels
N/A	Receptor does not exist in Scenario

Receiver		FHWA Activity (dBA)		Existing Modeled 2015 Conditions	Future Build Conditions	Difference - Existing and Build
Receptor ID	Land Use	Activity Category	Criteria $L_{eq}$	$L_{eq}$	$L_{eq}$	$L_{eq}$
<b>Noise Area 12 - 85th Street EB (S Townsley Ave to S Brett Ave)</b>						
12-20	Residential	B	67	37.2	42.0	4.8
12-21	Residential	B	67	37.4	47.0	9.6
12-22	Residential	B	67	43.3	56.2	12.9
12-23	Residential	B	67	40.2	52.8	12.6
12-24	Residential	B	67	38.3	48.7	10.4
12-25	Residential	B	67	38.0	47.8	9.8
12-26	Residential	B	67	37.9	48.1	10.2
12-27	Residential	B	67	38.1	49.4	11.3
12-28	Residential	B	67	41.5	55.5	14.0
12-29	Residential	B	67	41.3	54.5	13.2
<b>Noise Area 13 - 85th Street EB (Brett Ave to Hughes Ave)</b>						
13-1	Residential	B	67	49.1	<b>68.9</b>	<u>19.8</u>
13-2	Residential	B	67	47.0	64.3	<u>17.3</u>
13-3	Residential	B	67	54.0	<b>70.3</b>	<u>16.3</u>
13-4	Residential	B	67	43.9	60.1	<u>16.2</u>
13-5	Residential	B	67	44.1	59.7	<u>15.6</u>
13-6	Residential	B	67	44.3	59.1	14.8
13-7	Residential	B	67	49.0	64.1	<u>15.1</u>
13-8	Residential	B	67	46.5	60.7	14.2
13-9	Residential	B	67	45.0	58.4	13.4
13-10	Residential	B	67	42.2	56.0	13.8
<b>Noise Area 14 - 85th Street EB (Hughes Ave to S Louise Ave)</b>						
14-1	Residential	B	67	56.2	<b>69.6</b>	13.4
14-2	Residential	B	67	54.9	<b>67.4</b>	12.5
14-3	Residential	B	67	55.9	<b>68.6</b>	12.7
14-4	Residential	B	67	55.3	<b>67.6</b>	12.3
14-5	Residential	B	67	53.5	64.2	10.7
14-6	Residential	B	67	53.6	64.3	10.7
14-7	Residential	B	67	53.7	64.3	10.6
14-8	Residential	B	67	54.0	64.4	10.4
14-9	Residential	B	67	49.7	60.4	10.7
14-10	Residential	B	67	47.8	58.3	10.5
14-11	Residential	B	67	42.8	47.0	4.2
14-12	Residential	B	67	43.9	46.0	2.1
14-13	Residential	B	67	45.5	47.2	1.7
14-14	Residential	B	67	49.2	54.0	4.8
14-15	Residential	B	67	49.9	60.1	10.2
14-16	Residential	B	67	46.9	57.2	10.3
14-17	Residential	B	67	46.4	58.3	11.9
14-18	Residential	B	67	46.8	57.4	10.6



**Table 3**  
**Noise Analysis Summary**  
**Existing and Future Scenarios**


Noise Level Comparison to Standards	
<b>XX</b>	<b>Bold;</b> Approach or Exceeds FHWA Activity Criteria
<u>XX</u>	<u>Underline;</u> substantial increase (15 dBA) in noise levels
N/A	Receptor does not exist in Scenario

**\*\*School - Land Use is outdoor school sports areas**

Receiver		FHWA Activity (dBA)		Existing Modeled 2015 Conditions	Future Build Conditions	Difference - Existing and Build
Receptor ID	Land Use	Activity Category	Criteria $L_{eq}$	$L_{eq}$	$L_{eq}$	$L_{eq}$
<b>Noise Area 14 - 85th Street EB (Hughes Ave to S Louise Ave)</b>						
14-19	Residential	B	67	46.5	56.2	9.7
14-20	Residential	B	67	45.6	56.0	10.4
14-21	Residential	B	67	44.8	50.9	6.1
14-22	Residential	B	67	46.4	52.4	6.0
14-23	Residential	B	67	47.9	53.9	6.0
14-24	Residential	B	67	50.4	56.1	5.7
<b>Noise Area 15 - I-29 Northbound (East)</b>						
15-1	School**	C	67	<b>68.2</b>	<b>70.3</b>	2.1
15-2	School**	C	67	62.0	64.0	2.0
15-3	School**	C	67	62.6	64.7	2.1
15-4	School**	C	67	62.7	64.9	2.2

# Appendix A

Noise Analysis Overview Map (1)



401 East 8th Street  
Suite 309  
Sioux Falls, SD 57103  
(605) 330-7000

Print Date: 1/2/2020  
Source: Bing Maps,  
Lincoln County  
Map by: m/falk  
Projection: State Plane  
South Dakota S

**Noise Analysis Overview Map**  
*I-29 and 85th Street Interchange*  
*Lincoln County, SD*

# Appendix B

Noise Barrier Tables



**Table B1**  
**Build Noise Barrier Cost Effectiveness (Noise Area 9)**  
**Noise Barrier 9-1**

Noise Barrier	Receiver	Land Use	FHWA Noise Standard (Leq dBA)	Future Noise Levels		Acoustic Effectiveness			Cost Effectiveness (\$44/SF)					NOISE WALL RESULTS
				Build (Leq dBA)	Build with Barriers (Leq dBA)	dBA Reduction	Number of Receptors	Benefited Receptors (-5 dBA)	Barrier Length (ft)	Average Barrier Height (ft)	Area of Barrier (SF)	Total Cost	Cost per Benefited Receptor	
B9-1	9-3	Residential	67	62.1	61.4	-0.7	1	0	170	15	2550	\$112,200	N/A*	NO
	9-4	Residential	67	63.9	61.6	-2.3	1	0						

Number of Benefited Receptors (Front Row) = 0 (0%)  
Total Number of Benefited Receptors = 0  
Number of Receptors meeting Design Goal (7 dBA Reduction) = 0 (0%)

\*Design Goal and Acoustic Feasibility was not achieved since there are no Benefited Receptors

**Table B2**  
**Build Noise Barrier Cost Effectiveness (Noise Area 9)**  
**Noise Barrier 9-2**

Noise Barrier	Receiver	Land Use	FHWA Noise Standard (Leq dBA)	Future Noise Levels		Acoustic Effectiveness			Cost Effectiveness (\$44/SF)					NOISE WALL RESULTS
				Build (Leq dBA)	Build with Barriers (Leq dBA)	dBA Reduction	Number of Receptors	Benefited Receptors (-5 dBA)	Barrier Length (ft)	Average Barrier Height (ft)	Area of Barrier (SF)	Total Cost	Cost per Benefited Receptor	
B9-2	9-5	Residential	67	62.7	60.5	-2.2	1	0	180	16	2880	\$126,720	N/A*	NO

Number of Benefited Receptors (Front Row) = 0 (0%)  
Total Number of Benefited Receptors = 0  
Number of Receptors meeting Design Goal (7 dBA Reduction) = 0 (0%)

\*Design Goal and Acoustic Feasibility was not achieved since there are no Benefited Receptors

**Table B3**  
**Build Noise Barrier Cost Effectiveness (Noise Area 9)**  
**Noise Barrier 9-3**

Noise Barrier	Receiver	Land Use	FHWA Noise Standard (Leq dBA)	Future Noise Levels		Acoustic Effectiveness			Cost Effectiveness (\$44/SF)					NOISE WALL RESULTS
				Build (Leq dBA)	Build with Barriers (Leq dBA)	dBA Reduction	Number of Receptors	Benefited Receptors (-5 dBA)	Barrier Length (ft)	Average Barrier Height (ft)	Area of Barrier (SF)	Total Cost	Cost per Benefited Receptor	
B9-3	9-9A	Residential	67	70.4	66.5	-3.9	1	0	257	6	1542	\$67,848	\$13,570	YES
	9-9B	Residential	67	70.6	62.9	-7.7	1	1						
	9-10	Residential	67	70.6	61.7	-8.9	2	2						
	9-11	Residential	67	70.4	62.0	-8.4	2	2						
	9-12	Residential	67	57.4	57.4	0.0	2	0						
	9-13	Residential	67	57.1	57.1	0.0	4	0						
	9-14	Residential	67	58.6	58.6	0.0	2	0						
	9-15	Residential	67	54.6	54.6	0.0	2	0						
	9-16	Residential	67	52.7	52.7	0.0	4	0						
	9-17	Residential	67	56.0	55.8	-0.2	2	0						

Number of Benefited Receptors (Front Row) = 5 (83%)  
Total Number of Benefited Receptors = 5  
Number of Receptors meeting Design Goal (7 dBA Reduction) = 5 (100%)

Approx easements needed = 4785 SF  
Estimated Cost/SF = \$5  
Cost / Benefited Receptor = \$4,785  
**TOTAL Cost / Benefited Receptor = \$18,355**  
**(Includes Wall + Proposed Easements)**

**Table B4**  
**Build Noise Barrier Cost Effectiveness (Noise Area 10)**  
**Noise Barrier 10-1**

Noise Barrier	Receiver	Land Use	FHWA Noise Standard (Leq dBA)	Future Noise Levels		Acoustic Effectiveness			Cost Effectiveness (\$44/SF)					NOISE WALL RESULTS
				Build (Leq dBA)	Build with Barriers (Leq dBA)	dBA Reduction	Number of Receptors	Benefited Receptors (-5 dBA)	Barrier Length (ft)	Average Barrier Height (ft)	Area of Barrier (SF)	Total Cost	Cost per Benefited Receptor	
B10-1	10-1	Residential	B	67.6	62.6	-5.0	1	1	1387	6	8322	\$366,168	\$28,167	NO
	10-2	Residential	B	66.8	59.2	-7.6	1	1						
	10-3	Residential	B	68.1	60.6	-7.5	1	1						
	10-4	Residential	B	66.9	60.4	-6.5	1	1						
	10-5	Residential	B	67.3	60.8	-6.5	1	1						
	10-6	Residential	B	67.0	60.2	-6.8	1	1						
	10-7	Residential	B	66.8	59.3	-7.5	1	1						
	10-8	Residential	B	67.1	59.3	-7.8	1	1						
	10-9	Residential	B	66.8	59.4	-7.4	1	1						
	10-10	Residential	B	66.9	59.2	-7.7	1	1						
	10-11	Residential	B	68.3	60.0	-8.3	1	1						
	10-12	Residential	B	65.7	59.3	-6.4	1	1						
	10-13	Residential	B	68.9	62.3	-6.6	1	1						
	10-14	Residential	B	59.0	55.3	-3.7	1	0						
	10-15	Residential	B	57.3	54.1	-3.2	1	0						
	10-16	Residential	B	57.5	54.5	-3.0	1	0						
	10-17	Residential	B	57.5	54.5	-3.0	1	0						
	10-18	Residential	B	57.4	54.4	-3.0	1	0						
	10-19	Residential	B	57.4	54.4	-3.0	1	0						
	10-20	Residential	B	57.5	54.3	-3.2	1	0						
	10-21	Residential	B	57.5	54.3	-3.2	1	0						
	10-22	Residential	B	57.5	54.4	-3.1	1	0						
	10-23	Residential	B	59.1	55.7	-3.4	1	0						
	10-24	Residential	B	57.7	54.2	-3.5	1	0						
	10-25	Residential	B	62.6	59.1	-3.5	1	0						
	10-26	Residential	B	58.9	56.3	-2.6	1	0						
	10-27	Residential	B	57.4	54.8	-2.6	1	0						
	10-28	Residential	B	64.0	60.1	-3.9	1	0						
	10-29	Residential	B	61.3	57.3	-4.0	1	0						
	10-30	Residential	B	58.4	55.0	-3.4	1	0						
	10-31	Residential	B	57.1	53.7	-3.4	1	0						
		Number of Benefited Receptors (Front Row) = 13 (100%)												
		Total Number of Benefited Receptors = 13												
		Number of Receptors meeting Design Goal (7 dBA Reduction) = 7 (54%)												

**Table B5**  
**Build Noise Barrier Cost Effectiveness (Noise Area 10)**  
**Noise Barrier 10-1 Alt 2**

Noise Barrier	Receiver	Land Use	FHWA Noise Standard (Leq dBA)	Future Noise Levels		Acoustic Effectiveness			Cost Effectiveness (\$44/SF)					NOISE WALL RESULTS
				Build (Leq dBA)	Build with Barriers (Leq dBA)	dBA Reduction	Number of Receptors	Benefited Receptors (-5 dBA)	Barrier Length (ft)	Average Barrier Height (ft)	Area of Barrier (SF)	Total Cost	Cost per Benefited Receptor	
B10-1	10-1	Residential	B	67.6	62.6	-5.0	1	1	1387	5.4	7504	\$330,161	\$25,397	NO
	10-2	Residential	B	66.8	59.3	-7.5	1	1						
	10-3	Residential	B	68.1	60.8	-7.3	1	1						
	10-4	Residential	B	66.9	61.0	-5.9	1	1						
	10-5	Residential	B	67.3	62.3	-5.0	1	1						
	10-6	Residential	B	67.0	61.8	-5.2	1	1						
	10-7	Residential	B	66.8	60.0	-6.8	1	1						
	10-8	Residential	B	67.1	60.0	-7.1	1	1						
	10-9	Residential	B	66.8	60.1	-6.7	1	1						
	10-10	Residential	B	66.9	59.8	-7.1	1	1						
	10-11	Residential	B	68.3	60.8	-7.5	1	1						
	10-12	Residential	B	65.7	59.8	-5.9	1	1						
	10-13	Residential	B	68.9	62.8	-6.1	1	1						
	10-14	Residential	B	59.0	55.3	-3.7	1	0						
	10-15	Residential	B	57.3	54.1	-3.2	1	0						
	10-16	Residential	B	57.5	54.9	-2.6	1	0						
	10-17	Residential	B	57.5	55.0	-2.5	1	0						
	10-18	Residential	B	57.4	55.0	-2.4	1	0						
	10-19	Residential	B	57.4	54.9	-2.5	1	0						
	10-20	Residential	B	57.5	54.8	-2.7	1	0						
	10-21	Residential	B	57.5	54.8	-2.7	1	0						
	10-22	Residential	B	57.5	54.9	-2.6	1	0						
	10-23	Residential	B	59.1	55.9	-3.2	1	0						
	10-24	Residential	B	57.7	54.4	-3.3	1	0						
	10-25	Residential	B	62.6	59.4	-3.2	1	0						
	10-26	Residential	B	58.9	56.5	-2.4	1	0						
	10-27	Residential	B	57.4	54.9	-2.5	1	0						
	10-28	Residential	B	64.0	60.1	-3.9	1	0						
	10-29	Residential	B	61.3	57.3	-4.0	1	0						
	10-30	Residential	B	58.4	55.0	-3.4	1	0						
	10-31	Residential	B	57.1	53.7	-3.4	1	0						
		Number of Benefited Receptors (Front Row) = 13 (100%)												
		Total Number of Benefited Receptors = 13												
		Number of Receptors meeting Design Goal (7 dBA Reduction) = 5 (38%)												

**Table B6**  
**Build Noise Barrier Cost Effectiveness (Noise Area 11)**  
**Noise Barrier 11-1**

Noise Barrier	Receiver	Land Use	FHWA Noise Standard (Leq dBA)	Future Noise Levels		Acoustic Effectiveness			Cost Effectiveness (\$44/SF)					NOISE WALL RESULTS
				Build (Leq dBA)	Build with Barriers (Leq dBA)	dBA Reduction	Number of Receptors	Benefited Receptors (-5 dBA)	Barrier Length (ft)	Average Barrier Height (ft)	Area of Barrier (SF)	Total Cost	Cost per Benefited Receptor	
B11-1	11-1	Residential	67	69.5	64.4	-5.1	1	1	745	6.4	4746	\$208,809	\$34,801	NO
	11-2	Residential	67	69.5	63.6	-5.9	1	1						
	11-3	Residential	67	69.5	61.8	-7.7	1	1						
	11-4	Residential	67	69.5	62.5	-7.0	1	1						
	11-5	Residential	67	62.6	60.0	-2.6	1	0						
	11-6	Residential	67	63.8	59.5	-4.3	1	0						
	11-7	Residential	67	65.9	59.7	-6.2	1	1						
	11-8	Residential	67	65.4	58.4	-7.0	1	1						
	11-9	Residential	67	64.4	62.0	-2.4	1	0						
	11-10	Residential	67	58.7	56.9	-1.8	1	0						
	11-11	Residential	67	58.8	56.7	-2.1	1	0						
	11-12	Residential	67	58.3	55.3	-3.0	1	0						
	11-13	Residential	67	57.9	55.1	-2.8	1	0						
	11-14	Residential	67	56.1	54.1	-2.0	1	0						
	11-15	Residential	67	60.7	60.0	-0.7	1	0						
	11-16	Residential	67	59.1	58.6	-0.5	1	0						
	11-17	Residential	67	57.1	55.6	-1.5	1	0						
	11-18	Residential	67	57.1	55.2	-1.9	1	0						
	11-19	Residential	67	56.4	54.1	-2.3	1	0						
	11-20	Residential	67	56.0	53.8	-2.2	1	0						
	11-21	Residential	67	56.8	56.1	-0.7	1	0						
	11-22	Residential	67	57.9	57.5	-0.4	1	0						
		Number of Benefited Receptors (Front Row) = 4						(100%)						
		Total Number of Benefited Receptors = 6												
		Number of Receptors meeting Design Goal (7 dBA Reduction) = 3						(50%)						



**Table B7**  
**Build Noise Barrier Cost Effectiveness (Noise Area 11)**  
**Noise Barrier 11-1 Alt 2**

Noise Barrier	Receiver	Land Use	FHWA Noise Standard (Leq dBA)	Future Noise Levels		Acoustic Effectiveness			Cost Effectiveness (\$44/SF)					NOISE WALL RESULTS
				Build (Leq dBA)	Build with Barriers (Leq dBA)	dBA Reduction	Number of Receptors	Benefited Receptors (-5 dBA)	Barrier Length (ft)	Average Barrier Height (ft)	Area of Barrier (SF)	Total Cost	Cost per Benefited Receptor	
B11-1	11-1	Residential	67	69.5	64.4	-5.1	1	1	745	5.7	4224	\$185,863	\$30,977	NO
	11-2	Residential	67	69.5	64.3	-5.2	1	1						
	11-3	Residential	67	69.5	62.5	-7.0	1	1						
	11-4	Residential	67	69.5	63.6	-5.9	1	1						
	11-5	Residential	67	62.6	60.1	-2.5	1	0						
	11-6	Residential	67	63.8	59.7	-4.1	1	0						
	11-7	Residential	67	65.9	60.7	-5.2	1	1						
	11-8	Residential	67	65.4	59.0	-6.4	1	1						
	11-9	Residential	67	64.4	62.2	-2.2	1	0						
	11-10	Residential	67	58.7	57.0	-1.7	1	0						
	11-11	Residential	67	58.8	56.8	-2.0	1	0						
	11-12	Residential	67	58.3	55.6	-2.7	1	0						
	11-13	Residential	67	57.9	55.4	-2.5	1	0						
	11-14	Residential	67	56.1	54.4	-1.7	1	0						
	11-15	Residential	67	60.7	60.1	-0.6	1	0						
	11-16	Residential	67	59.1	58.6	-0.5	1	0						
	11-17	Residential	67	57.1	55.6	-1.5	1	0						
	11-18	Residential	67	57.1	55.3	-1.8	1	0						
	11-19	Residential	67	56.4	54.3	-2.1	1	0						
	11-20	Residential	67	56.0	54.1	-1.9	1	0						
	11-21	Residential	67	56.8	56.1	-0.7	1	0						
	11-22	Residential	67	57.9	57.5	-0.4	1	0						
		Number of Benefited Receptors (Front Row) = 3						(75%)						
		Total Number of Benefited Receptors = 6												
		Number of Receptors meeting Design Goal (7 dBA Reduction) = 1						(17%)						

**Table B8**  
**Build Noise Barrier Cost Effectiveness (Noise Area 12)**  
**Noise Barrier 12-1**

Noise Barrier	Receiver	Land Use	FHWA Noise Standard (Leq dBA)	Future Noise Levels		Acoustic Effectiveness			Cost Effectiveness (\$44/SF)					NOISE WALL RESULTS
				Build (Leq dBA)	Build with Barriers (Leq dBA)	dBA Reduction	Number of Receptors	Benefited Receptors (-5 dBA)	Barrier Length (ft)	Average Barrier Height (ft)	Area of Barrier (SF)	Total Cost	Cost per Benefited Receptor	
B12-1	12-1	Residential	67	69.6	61.0	-8.6	3	3	650	6	3900	\$171,600	\$11,440	YES *
	12-2	Residential	67	69.8	60.6	-9.2	2	2						
	12-3	Residential	67	69.8	61.0	-8.8	2	2						
	12-4	Residential	67	70.0	61.4	-8.6	2	2						
	12-5	Residential	67	70.6	62.4	-8.2	2	2						
	12-6	Residential	67	70.7	63.3	-7.4	3	3						
	12-7	Residential	67	70.0	63.4	-6.6	1	1						
	12-8	Residential	67	57.6	57.5	-0.1	3	0						
	12-9	Residential	67	54.2	54.0	-0.2	2	0						
	12-10	Residential	67	57.7	53.7	-4.0	2	0						
	12-11	Residential	67	55.1	51.6	-3.5	2	0						
	12-12	Residential	67	49.0	49.0	0.0	2	0						
	12-13	Residential	67	55.9	51.1	-4.8	3	0						
	12-14	Residential	67	63.5	62.4	-1.1	1	0						
	12-15	Residential	67	60.1	59.4	-0.7	2	0						
	12-16	Residential	67	48.7	48.7	0.0	3	0						
	12-17	Residential	67	44.0	44.0	0.0	2	0						
	12-18	Residential	67	43.2	43.3	0.1	2	0						
	12-19	Residential	67	42.2	42.2	0.0	2	0						
	12-20	Residential	67	42.0	42.1	0.1	2	0						
	12-21	Residential	67	47.0	47.0	0.0	3	0						
	12-22	Residential	67	56.2	55.7	-0.5	2	0						
	12-23	Residential	67	52.8	52.8	0.0	2	0						
	12-24	Residential	67	48.7	48.8	0.1	3	0						
	12-25	Residential	67	47.8	47.8	0.0	2	0						
	12-26	Residential	67	48.1	48.1	0.0	2	0						
	12-27	Residential	67	49.4	49.5	0.1	3	0						
	12-28	Residential	67	55.5	55.2	-0.3	1	0						
	12-29	Residential	67	54.5	54.2	-0.3	2	0						
		Number of Benefited Receptors (Front Row) = 15 Total Number of Benefited Receptors = 15 Number of Receptors meeting Design Goal (7 dBA Reduction) = 14						(100%)  (93%)	* Barrier is not feasible to construct due to Lewis & Clark Water utility, which cannot be impacted or relocated.					

**Table B9**  
**Build Noise Barrier Cost Effectiveness (Noise Area 13)**  
**Noise Barrier 13-1**

Noise Barrier	Receiver	Land Use	FHWA Noise Standard (Leq dBA)	Future Noise Levels		Acoustic Effectiveness			Cost Effectiveness (\$44/SF)					NOISE WALL RESULTS
				Build (Leq dBA)	Build with Barriers (Leq dBA)	dBA Reduction	Number of Receptors	Benefited Receptors (-5 dBA)	Barrier Length (ft)	Average Barrier Height (ft)	Area of Barrier (SF)	Total Cost	Cost per Benefited Receptor	
B13-1	13-1	Residential	67	68.9	61.9	-7.0	1	1	205	9.2	1890.1	\$83,164	\$83,164	NO
	13-5	Residential	67	59.7	58.0	-1.7	1	0						

Number of Benefited Receptors (Front Row) =	1	(100%)
Total Number of Benefited Receptors =	1	
Number of Receptors meeting Design Goal (7 dBA Reduction) =	1	(100%)

**Table B10**  
**Build Noise Barrier Cost Effectiveness (Noise Area 13)**  
**Noise Barrier 13-2**

Noise Barrier	Receiver	Land Use	FHWA Noise Standard (Leq dBA)	Future Noise Levels		Acoustic Effectiveness			Cost Effectiveness (\$44/SF)					NOISE WALL RESULTS
				Build (Leq dBA)	Build with Barriers (Leq dBA)	dBA Reduction	Number of Receptors	Benefited Receptors (-5 dBA)	Barrier Length (ft)	Average Barrier Height (ft)	Area of Barrier (SF)	Total Cost	Cost per Benefited Receptor	
B13-2	13-2	Residential	67	64.3	59.0	-5.3	1	1	505	18.0	9090	\$399,960	\$99,990	NO
	13-3	Residential	67	70.3	63.7	-6.6	1	1						
	13-6	Residential	67	59.1	56.3	-2.8	1	0						
	13-7	Residential	67	64.1	58.3	-5.8	1	1						
	13-8	Residential	67	60.7	55.7	-5.0	1	1						
	13-9	Residential	67	58.4	54.0	-4.4	1	0						

Number of Benefited Receptors (Front Row) =	2	(100%)
Total Number of Benefited Receptors =	4	
Number of Receptors meeting Design Goal (7 dBA Reduction) =	0	(0%)

**Table B11**  
**Build Noise Barrier Cost Effectiveness (Noise Area 14)**  
**Noise Barrier 14-1**

Noise Barrier	Receiver	Land Use	FHWA Noise Standard (Leq dBA)	Future Noise Levels		Acoustic Effectiveness			Cost Effectiveness (\$44/SF)					NOISE WALL RESULTS
				Build (Leq dBA)	Build with Barriers (Leq dBA)	dBA Reduction	Number of Receptors	Benefited Receptors (-5 dBA)	Barrier Length (ft)	Average Barrier Height (ft)	Area of Barrier (SF)	Total Cost	Cost per Benefited Receptor	
B14-1	14-1	Residential	67	69.6	63.8	-5.8	1	1	445	8.5	3760	\$165,451	\$41,363	NO
	14-2	Residential	67	67.4	60.9	-6.5	1	1						
	14-3	Residential	67	68.6	61.1	-7.5	1	1						
	14-4	Residential	67	67.6	60.6	-7.0	1	1						
	14-9	Residential	67	60.4	57.8	-2.6	1	0						
	14-10	Residential	67	58.3	55.5	-2.8	1	0						
	14-15	Residential	67	60.1	57.3	-2.8	1	0						
	14-16	Residential	67	57.2	54.5	-2.7	1	0						
	14-17	Residential	67	58.3	57.4	-0.9	1	0						
	14-18	Residential	67	57.4	55.7	-1.7	1	0						
	14-19	Residential	67	56.2	53.9	-2.3	1	0						
	14-20	Residential	67	56.0	53.3	-2.7	1	0						
		Number of Benefited Receptors (Front Row) = 4 (100%)												
		Total Number of Benefited Receptors = 4												
		Number of Receptors meeting Design Goal (7 dBA Reduction) = 2 (50%)												

**Table B12**  
**Build Noise Barrier Cost Effectiveness (Noise Area 15)**  
**Noise Barrier 15-1**

Noise Barrier	Receiver	Land Use	FHWA Noise Standard (Leq dBA)	Future Noise Levels		Acoustic Effectiveness			Cost Effectiveness (\$44/SF)					NOISE WALL RESULTS
				Build (Leq dBA)	Build with Barriers (Leq dBA)	dBA Reduction	Number of Receptors	Benefited Receptors (-5 dBA)	Barrier Length (ft)	Average Barrier Height (ft)	Area of Barrier (SF)	Total Cost	Cost per Benefited Receptor	
B15-1	15-1	School	67	70.3	66.7	-3.6	1	0	320	20	6400	\$281,600	N/A*	NO
	15-2	School	67	64.0	62.6	-1.4	1	0						
	15-3	School	67	64.7	63	-1.7	1	0						
	15-4	School	67	64.9	64.3	-0.6	1	0						

Number of Benefited Receptors (Front Row) = 0 (100%)

Total Number of Benefited Receptors = 0

Number of Receptors meeting Design Goal (7 dBA Reduction) = 0 (0%)

\*Design Goal and Acoustic Feasibility was not achieved since there are no Benefited Receptors


## Appendix C

Future Build and Barrier Results Figure (1-6)
























**Legend**

Noise Sensitive Areas

**Noise Receptors**

Impacted


Not Impacted

Building Demolished

**Noise Barriers**

Noise Barrier (Proposed)

Noise Barrier (Not Proposed)



© 2020 Microsoft Corporation © 2019 DigitalGlobe ©CNES (2019) Distribution Airbus DS © 2019 HERE



## Appendix D

Noise Monitoring Data

Summary		Monitor Location 1:						
File Name on Meter	831_Data.007	<b>North of 69th St, East of Sundowner Ave</b> Coords: <b>43° 29' 24.5"N 096° 48' 18.7"W</b> Traffic (Cars/MT/HT estimated hourly from short count): EB - 4 / 0 / 0 WB - 4 / 0 / 0						
File Name on PC	SLM_0004132_831_Data_007.00.ldbin							
Serial Number	0004132							
Model	Model 831							
Firmware Version	2.314							
User	Justin Anibas							
Location	85th Street Interchange Project							
Job Description								
Note								
Measurement								
Description								
Start	2019-07-02 10:10:02							
Stop	2019-07-02 10:40:04							
Duration	00:30:02.5							
Run Time	00:30:02.5							
Pause	00:00:00.0							
Pre Calibration	2019-07-02 10:06:44							
Post Calibration	None							
Calibration Deviation	---							
Overall Settings								
RMS Weight	A Weighting							
Peak Weight	A Weighting							
Detector	Fast							
Preamp	PRM831							
Microphone Correction	Off							
Integration Method	Linear							
Gain	0.0 dB							
Overload	145.2 dB							
	A	C	Z					
Under Range Peak	77.8	74.8	79.8 dB					
Under Range Limit	27.0	27.6	33.8 dB					
Noise Floor	17.8	18.4	24.1 dB					
Results								
LAeq	53.9							
LAE	86.5							
EA	49.152 µPa²h							
LApeak (max)	2019-07-02 10:34:22	96.7 dB						
LAFmax	2019-07-02 10:34:23	83.6 dB						
LAFmin	2019-07-02 10:37:38	37.6 dB						
SEA	-99.9 dB							
LAF > 65.0 dB (Exceedance Counts / Duration)	7	21.1 s						
LAF > 85.0 dB (Exceedance Counts / Duration)	0	0.0 s						
LApeak > 135.0 dB (Exceedance Counts / Duration)	0	0.0 s						
LApeak > 137.0 dB (Exceedance Counts / Duration)	0	0.0 s						
LApeak > 140.0 dB (Exceedance Counts / Duration)	0	0.0 s						
Community Noise	Ldn	LDay 07:00-23:00	LNight 23:00-07:00	Lden	LDay 07:00-19:00	LEvening 19:00-23:00	LNight 23:00-07:00	
	53.9	53.9	-99.9	53.9	53.9	-99.9	-99.9	
LCeq	63.5 dB							
LAeq	53.9 dB							
LCeq - LAeq	9.6 dB							
LAleq	57.0 dB							
LAeq	53.9 dB							
LAleq - LAeq	3.1 dB							
	A	C		Z				
	dB	Time Stamp	dB	Time Stamp	dB	Time Stamp		
Leq	53.9		63.5		67.5			
Ls(max)	80.9	2019/07/02 10:34:23	88.6	2019/07/02 10:34:23	89.7	2019/07/02 10:34:23		
Lf(max)	83.6	2019/07/02 10:34:23	91.4	2019/07/02 10:34:23	92.7	2019/07/02 10:34:23		
Li(max)	84.4	2019/07/02 10:34:23	92.6	2019/07/02 10:34:23	94.0	2019/07/02 10:34:23		
Ls(min)	39.0	2019/07/02 10:31:45	52.6	2019/07/02 10:32:47	55.4	2019/07/02 10:23:20		
Lf(min)	37.6	2019/07/02 10:37:38	50.5	2019/07/02 10:32:46	53.7	2019/07/02 10:19:08		
Li(min)	38.5	2019/07/02 10:32:23	53.3	2019/07/02 10:32:44	56.2	2019/07/02 10:23:18		
Lpeak(max)	96.7	2019/07/02 10:34:22	101.1	2019/07/02 10:34:23	102.5	2019/07/02 10:34:23		
# Overloads	0							
Overload Duration	0.0 s							
Statistics								
LAI5.00	54.4 dB							
LAI10.00	51.7 dB							
LAI33.30	45.4 dB							
LAI50.00	43.8 dB							
LAI66.60	42.9 dB							
LAI90.00	41.0 dB							
Calibration History								
Preamp	Date	dB re. 1V/Pa	6.3	8.0	10.0	12.5		
PRM831	2019-07-02 10:06:39	-27.8	46.5	45.9	42.4	44.4		
PRM831	2019-07-02 09:03:47	-27.8	58.2	64.9	63.3	60.1		
PRM831	2019-06-13 09:39:04	-27.8	66.9	69.7	55.0	61.1		
PRM831	2019-06-06 09:54:09	-27.8	54.5	56.4	64.1	69.3		
PRM831	2019-06-06 09:53:46	-27.8	50.2	48.1	52.6	50.2		
PRM831	2019-06-05 19:18:32	-27.7	58.2	56.4	51.0	60.3		
PRM831	2019-06-05 19:13:22	-27.7	53.0	55.2	54.7	52.1		
PRM831	2019-06-05 11:53:15	-27.9	63.3	57.9	60.0	58.9		
PRM831	2019-04-18 13:26:43	-27.8	60.1	51.2	50.0	64.6		
PRM831	2019-03-22 11:28:03	-27.6						
PRM831	2019-03-22 11:01:16	-26.0	27.7	50.3	137.6	72.3		



I-29 / 85th St (noise monitoring)

Date: 7-2-19

Location: #1 - (east of Sundowner; north of 69th)

GPS Coordinates: 43.49014° (N) 96.80519 (W)

Start time: 10:10am

Finish time: 10:40am

831\_Data.007

Photos Taken: Yes/No


Calibration of Unit: Yes/No

Weather: 76°

partly cloudy  
wind 5-6mph (W)

Vehicle Count			Total
passenger car	wb	11	2
	eb	11	2
single-unit truck			
bus			
semi truck / heavy truck			
Total			4

Site Set-up Diagram



\*talked to homeowner and she had no issue with setting up in her backyard.

Noise Comments

- AC units running in houses north of setup during monitoring
- 10:10am - water truck on Sundowner (backup beeper)
- 10:15am - " "
- 10:17am - " "
- 10:31am - airplane



Site M1: 69<sup>th</sup> Street, east of Sundowner Avenue  
Camera Facing South (07/02/2019)

Summary			
File Name on Meter	831_Data.008		<b>Monitor Location 2:</b> <b>East end of 85th St near I-29 Southbound</b>  Coords: <b>43° 28' 31.7"N 096° 47' 51.4"W</b> Traffic (Cars/MT/HT estimated hourly from short count): NB - 1276 / 32 / 184 SB - 1046 / 28 / 154
File Name on PC	SLM_0004132_831_Data_008.00.ldbin		
Serial Number	0004132		
Model	Model 831		
Firmware Version	2.314		
User	Justin Anibas		
Location			
Job Description	85th Street Interchange Project		
Note			

Measurement			
Description			
Start	2019-07-02	11:02:27	
Stop	2019-07-02	11:32:58	
Duration		00:30:31.0	
Run Time		00:30:31.0	
Pause		00:00:00.0	
Pre Calibration	2019-07-02	10:55:46	
Post Calibration		None	
Calibration Deviation		---	

Overall Settings			
RMS Weight	A Weighting		
Peak Weight	A Weighting		
Detector	Fast		
Preamp	PRM831		
Microphone Correction	Off		
Integration Method	Linear		
Gain	0.0 dB		
Overload	145.1 dB		
	<b>A</b>	<b>C</b>	<b>Z</b>
Under Range Peak	77.7	74.7	79.7 dB
Under Range Limit	27.0	27.5	33.7 dB
Noise Floor	17.8	18.4	24.0 dB

Results			
LAeq	64.6		
LAE	97.2		
EA	582.407 µPa²h		
LApeak (max)	2019-07-02	11:31:26	92.9 dB
LAFmax	2019-07-02	11:11:19	77.7 dB
LAFmin	2019-07-02	11:19:15	48.6 dB
SEA	-99.9 dB		
LAF > 65.0 dB (Exceedance Counts / Duration)	100	624.7 s	
LAF > 85.0 dB (Exceedance Counts / Duration)	0	0.0 s	
LApeak > 135.0 dB (Exceedance Counts / Duration)	0	0.0 s	
LApeak > 137.0 dB (Exceedance Counts / Duration)	0	0.0 s	
LApeak > 140.0 dB (Exceedance Counts / Duration)	0	0.0 s	

Community Noise	<b>Ldn</b>	<b>LDay 07:00-23:00</b>	<b>LNight 23:00-07:00</b>	<b>Lden</b>	<b>LDay 07:00-19:00</b>	<b>LEvening 19:00-23:00</b>
	64.6	64.6	-99.9	64.6	64.6	-99.9

LCeq	75.0 dB
LAeq	64.6 dB
LCeq - LAeq	10.4 dB
LAFeq	65.8 dB
LAeq	64.6 dB
LAeq - LAeq	1.2 dB

	A		C		Z	
	dB	Time Stamp	dB	Time Stamp	dB	Time Stamp
Leq	64.6		75.0		76.5	
LS(max)	75.7	2019/07/02 11:31:27	90.0	2019/07/02 11:10:06	90.4	2019/07/02 11:10:06
LF(max)	77.7	2019/07/02 11:11:19	90.9	2019/07/02 11:10:06	91.3	2019/07/02 11:10:06
LI(max)	78.5	2019/07/02 11:11:19	91.4	2019/07/02 11:10:06	91.8	2019/07/02 11:10:06
LS(min)	50.3	2019/07/02 11:19:15	61.9	2019/07/02 11:19:17	65.9	2019/07/02 11:21:10
LF(min)	48.6	2019/07/02 11:19:15	60.4	2019/07/02 11:19:12	63.7	2019/07/02 11:19:20
LI(min)	49.3	2019/07/02 11:19:15	62.6	2019/07/02 11:19:14	66.7	2019/07/02 11:21:09
LPeak(max)	92.9	2019/07/02 11:31:26	98.5	2019/07/02 11:31:27	97.6	2019/07/02 11:31:27

# Overloads	0
Overload Duration	0.0 s

Statistics	
LAI5.00	69.7 dB
LAI10.00	67.9 dB
LAI33.30	64.1 dB
LAI50.00	62.2 dB
LAI66.60	60.7 dB
LAI90.00	57.7 dB

Calibration History					
Preamp	Date	dB re. 1V/Pa	6.3	8.0	10.0
PRM831	2019-07-02 10:55:36	-27.7	68.6	64.6	51.9
PRM831	2019-07-02 10:06:39	-27.8	46.5	45.9	42.4
PRM831	2019-07-02 09:03:47	-27.8	58.2	64.9	63.3
PRM831	2019-06-13 09:39:04	-27.8	66.9	69.7	55.0
PRM831	2019-06-06 09:54:09	-27.8	54.5	56.4	64.1
PRM831	2019-06-06 09:53:46	-27.8	50.2	48.1	52.6
PRM831	2019-06-05 19:18:32	-27.7	58.2	56.4	51.0
PRM831	2019-06-05 19:13:22	-27.7	53.0	55.2	54.7
PRM831	2019-06-05 11:53:15	-27.9	63.3	57.9	60.0
PRM831	2019-04-18 13:26:43	-27.8	60.1	51.2	50.0
PRM831	2019-03-22 11:28:03	-27.6			

I-29 / 85th St (noise monitoring)

Date: July 2, 2019  
 Location: \* 2 - 85th St (east end)  
 GPS Coordinates: 43.47546° - 96.79760°  
 Start time: 11:02 am  
 Finish time: 11:32 am  
831-Data.008


Photos Taken: Yes/No  
 Calibration of Unit: Yes/No

79°  
 partly cloudy  
 wind 6-7 mph (N)

Vehicle Count

		Total
passenger car	NB	141
	SB	106
single-unit truck	NB	3
	SB	4
bus	NB	1
	SB	-
semi truck / heavy truck	NB	21
	SB	14
Total		

Site Set-up Diagram



Noise Comments



I-29 / 85th St (noise monitoring)

2/6

Date: \_\_\_\_\_  
 Location: \_\_\_\_\_  
 GPS Coordinates: \_\_\_\_\_  
 Start time: \_\_\_\_\_  
 Finish time: \_\_\_\_\_

Photos Taken: Yes/No  
 Calibration of Unit: Yes/No

Vehicle Count		Total
passenger car	NB	115
	SB	93
single-unit truck	NB	3
	SB	3
bus	NB	—
	SB	—
semi truck / heavy truck	NB	15
	SB	22
Total		

Site Set-up Diagram

Noise Comments

I-29 / 85th St (noise monitoring)

Date: \_\_\_\_\_

Location: \_\_\_\_\_

GPS Coordinates: \_\_\_\_\_

Start time: \_\_\_\_\_

Finish time: \_\_\_\_\_

Photos Taken: Yes/No  
Calibration of Unit: Yes/No

3/6

Vehicle Count		Total
passenger car	NB SB	115
single-unit truck	NB SB	2
bus	NB SB	—
semi truck / heavy truck	NB SB	12
Total		11

Site Set-up Diagram

Noise Comments

I-29 / 85th St (noise monitoring)

4/6

Date: \_\_\_\_\_  
 Location: \_\_\_\_\_  
 GPS Coordinates: \_\_\_\_\_  
 Start time: \_\_\_\_\_  
 Finish time: \_\_\_\_\_

Photos Taken: Yes/No  
 Calibration of Unit: Yes/No

Vehicle Count		Total
passenger car	NB SB	102
single-unit truck	NB SB	7 2
bus	NB SB	1 —
semi truck / heavy truck	NB SB	15 13
Total		93

Site Set-up Diagram

Noise Comments



I-29 / 85th St (noise monitoring)

5/6

Date: \_\_\_\_\_  
 Location: \_\_\_\_\_  
 GPS Coordinates: \_\_\_\_\_  
 Start time: \_\_\_\_\_  
 Finish time: \_\_\_\_\_

Photos Taken: Yes/No  
 Calibration of Unit: Yes/No

Vehicle Count		Total
passenger car	NB	104
	SB	83
single-unit truck	NB	1
	SB	2
bus	NB	2
	SB	—
semi truck / heavy truck	NB	22
	SB	10
Total		

Site Set-up Diagram

Noise Comments

831-Data, 098

6/6

I-29 / 85th St (noise monitoring)

Date: \_\_\_\_\_

Location: \_\_\_\_\_

GPS Coordinates: \_\_\_\_\_

Start time: \_\_\_\_\_

Finish time: \_\_\_\_\_

Photos Taken: Yes/No

Calibration of Unit: Yes/No

## Vehicle Count

NB passenger car		61
SB		51
NB single-unit truck		-
SB	1	1
NB bus		-
SB		-
NB semi truck / heavy truck		7
SB		7
Total		

## Site Set-up Diagram

## Noise Comments



Site M2: 270<sup>th</sup> Street, west of I-29 SB  
Camera Facing East (07/02/2019)

Summary			
File Name on Meter	831_Data.009		<b>Monitor Location 3:</b> <b>NW Quadrant of 85th St and Tallgrass Ave Intersection</b> Coords: <b>43° 28' 32.3"N 096° 47' 15.8"W</b> Traffic (Cars/MT/HT estimated hourly from short count): NB - 23 / 0 / 0 SB - 33 / 0 / 0 EB - 12 / 0 / 0 WB - 0 / 0 / 4
File Name on PC	SLM_0004132_831_Data_009.00.ldbin		
Serial Number	0004132		
Model	Model 831		
Firmware Version	2.314		
User	Justin Anibas		
Location	85th Street Interchange Project		
Job Description	85th Street Interchange Project		
Note			

Measurement				
Description				
Start	2019-07-02	12:04:48		
Stop	2019-07-02	12:34:49		
Duration		00:30:01.0		
Run Time		00:27:52.6		
Pause		00:02:08.4		
Pre Calibration	2019-07-02	12:02:59		
Post Calibration		None		
Calibration Deviation		---		

Overall Settings				
RMS Weight	A Weighting			
Peak Weight	A Weighting			
Detector	Fast			
Preamp	PRM831			
Microphone Correction	Off			
Integration Method	Linear			
Gain	0.0 dB			
Overload	145.1 dB			
	<b>A</b>	<b>C</b>	<b>Z</b>	
Under Range Peak	77.7	74.7	79.7 dB	
Under Range Limit	26.9	27.5	33.7 dB	
Noise Floor	17.8	18.4	24.0 dB	

Results				
LAeq	53.1			
LAE	85.4			
EA	38.178 µPa²h			
LApeak (max)	2019-07-02	12:27:28	84.3 dB	
LAFmax	2019-07-02	12:27:10	70.0 dB	
LAFmin	2019-07-02	12:14:43	37.4 dB	
SEA	-99.9 dB			
LAf > 65.0 dB (Exceedance Counts / Duration)	10	16.3 s		
LAf > 85.0 dB (Exceedance Counts / Duration)	0	0.0 s		
LApeak > 135.0 dB (Exceedance Counts / Duration)	0	0.0 s		
LApeak > 137.0 dB (Exceedance Counts / Duration)	0	0.0 s		
LApeak > 140.0 dB (Exceedance Counts / Duration)	0	0.0 s		

Community Noise	<b>Ldn</b>	<b>LDay 07:00-23:00</b>	<b>LNight 23:00-07:00</b>	<b>Lden</b>	<b>LDay 07:00-19:00</b>	<b>LEvening 19:00-23:00</b>
	53.1	53.1	-99.9	53.1	53.1	-99.9

LCeq	65.6 dB
LAeq	53.1 dB
LCeq - LAeq	12.4 dB
LAleq	55.1 dB
LAeq	53.1 dB
LAleq - LAeq	2.0 dB

	A		C		Z	
	dB	Time Stamp	dB	Time Stamp	dB	Time Stamp
Leq	53.1		65.6		67.2	
Ls(max)	68.0	2019/07/02 12:20:29	80.6	2019/07/02 12:20:32	81.1	2019/07/02 12:20:32
Lf(max)	70.0	2019/07/02 12:27:10	83.0	2019/07/02 12:20:32	83.5	2019/07/02 12:20:32
Li(max)	74.0	2019/07/02 12:27:10	83.6	2019/07/02 12:20:32	84.2	2019/07/02 12:20:32
Ls(min)	38.7	2019/07/02 12:14:49	54.8	2019/07/02 12:05:43	58.4	2019/07/02 12:14:46
Lf(min)	37.4	2019/07/02 12:14:43	52.3	2019/07/02 12:08:23	55.7	2019/07/02 12:14:42
Li(min)	38.7	2019/07/02 12:14:49	55.9	2019/07/02 12:06:21	59.6	2019/07/02 12:10:58
Lpeak(max)	84.3	2019/07/02 12:27:28	90.0	2019/07/02 12:20:28	90.5	2019/07/02 12:20:28

# Overloads	0
Overload Duration	0.0 s

Statistics	
LA15.00	57.7 dB
LA10.00	56.5 dB
LA13.30	52.1 dB
LA150.00	47.9 dB
LA166.60	44.4 dB
LA190.00	41.1 dB

Calibration History					
Preamp	Date	dB re. 1V/Pa	6.3	8.0	10.0
PRM831	2019-07-02 12:02:56	-27.7	51.2	46.5	47.5
PRM831	2019-07-02 10:55:36	-27.7	68.6	64.6	51.9
PRM831	2019-07-02 10:06:39	-27.8	46.5	45.9	42.4
PRM831	2019-07-02 09:03:47	-27.8	58.2	64.9	63.3
PRM831	2019-06-13 09:39:04	-27.8	66.9	69.7	55.0
PRM831	2019-06-06 09:54:09	-27.8	54.5	56.4	64.1
PRM831	2019-06-06 09:53:46	-27.8	50.2	48.1	52.6
PRM831	2019-06-05 19:18:32	-27.7	58.2	56.4	51.0
PRM831	2019-06-05 19:13:22	-27.7	53.0	55.2	54.7
PRM831	2019-06-05 11:53:15	-27.9	63.3	57.9	60.0
PRM831	2019-04-18 13:26:43	-27.8	60.1	51.2	50.0



I-29 / 85th St (noise monitoring)

Date: July 2, 2019

Location: #3 - 85th St. (just west of Tallgrass)

GPS Coordinates: 43.47564 (N) 96.78773 (W)

Start time: 12:04pm

Finish time: 12:34pm

831-Data. 009

Photos Taken: Yes/No

Calibration of Unit: Yes/No

Weather: 81°

partly cloudy  
wind 2-5mph (N)


Vehicle Count N - 111

6 Total

passenger car	S - <u>111</u>	counts @ 85th/Tallgrass Ave intersection	11
	W → N/S - <u>111</u>		11
	S → E - <u>1</u>		1
	N → E - <u>111</u>		5
single-unit truck			
bus			
semi truck / heavy truck	side dumps <u>11</u>		2

Total

Site Set-up Diagram



Noise Comments

- + 3:00 - paused to talk to homeowner
- + 12:15 - paused to talk to guy driving by looking for Minnesota Ave
- + 15:35 - airplane flew over
- + 18:09 - side dump unloaded dirt (SE corner of 85th/Tallgrass)
- + 21:25 - mower started @ NE corner of 85th/Tallgrass (ran until end of recording)
- + 22:00 - side dump unloaded dirt (same location)
- + 28:25 - airplane flew over



Site M3: 85<sup>th</sup> Street, east of Tallgrass Avenue  
Camera Facing South (07/02/2019)

Summary		
File Name on Meter	831_Data.010	<b>Monitor Location 4:</b> <b>Avera Hospital Grounds, South of I-229</b> Coords: <b>43° 29' 30.3"N 096° 46' 53.5"W</b> Traffic (Cars/MT/HT estimated hourly from short count): NB - 1118 / 52 / 38 SB - 1210 / 52 / 38
File Name on PC	SLM_0004132_831_Data_010.00.ldbin	
Serial Number	0004132	
Model	Model 831	
Firmware Version	2.314	
User	Justin Anibas	
Location		
Job Description	85th Street Interchange Project	
Note		

Measurement			
Description			
Start	2019-07-02	13:13:20	
Stop	2019-07-02	13:43:37	
Duration		00:30:17.0	
Run Time		00:29:57.1	
Pause		00:00:19.9	
Pre Calibration	2019-07-02	13:08:23	
Post Calibration		None	
Calibration Deviation		---	

Overall Settings			
RMS Weight	A Weighting		
Peak Weight	A Weighting		
Detector	Fast		
Preamp	PRM831		
Microphone Correction	Off		
Integration Method	Linear		
Gain	0.0 dB		
Overload	145.1 dB		
	<b>A</b>	<b>C</b>	<b>Z</b>
Under Range Peak	77.7	74.7	79.7 dB
Under Range Limit	26.9	27.5	33.7 dB
Noise Floor	17.8	18.4	24.0 dB

Results			
LAeq	64.6		
LAE	97.2		
EA	577.284 µPa²h		
LApeak (max)	2019-07-02	13:27:24	95.3 dB
LAFmax	2019-07-02	13:30:40	77.3 dB
LAFmin	2019-07-02	13:43:33	57.9 dB
SEA	-99.9 dB		
LAF > 65.0 dB (Exceedance Counts / Duration)	58	852.6 s	
LAF > 85.0 dB (Exceedance Counts / Duration)	0	0.0 s	
LApeak > 135.0 dB (Exceedance Counts / Duration)	0	0.0 s	
LApeak > 137.0 dB (Exceedance Counts / Duration)	0	0.0 s	
LApeak > 140.0 dB (Exceedance Counts / Duration)	0	0.0 s	

Community Noise	Ldn	LDay 07:00-23:00	LNight 23:00-07:00	Lden	LDay 07:00-19:00	LEvening 19:00-23:00
	64.6	64.6	-99.9	64.6	64.6	-99.9

LCeq	74.7 dB
LAeq	64.6 dB
LCeq - LAeq	10.1 dB
LAFeq	65.8 dB
LAeq	64.6 dB
LAeq - LAeq	1.2 dB

A		C		Z	
dB	Time Stamp	dB	Time Stamp	dB	Time Stamp
64.6		74.7		75.9	
73.7	2019/07/02 13:22:47	88.5	2019/07/02 13:38:19	89.0	2019/07/02 13:38:19
77.3	2019/07/02 13:30:40	89.7	2019/07/02 13:38:19	90.3	2019/07/02 13:38:19
80.7	2019/07/02 13:30:40	90.2	2019/07/02 13:38:19	90.7	2019/07/02 13:38:19
58.4	2019/07/02 13:43:33	69.1	2019/07/02 13:14:56	71.2	2019/07/02 13:14:58
57.9	2019/07/02 13:43:33	67.8	2019/07/02 13:14:56	69.8	2019/07/02 13:15:00
58.2	2019/07/02 13:43:33	69.4	2019/07/02 13:14:52	72.2	2019/07/02 13:14:58
LPeak(max)	95.3 2019/07/02 13:27:24	96.0 2019/07/02 13:22:47		96.2 2019/07/02 13:30:40	

# Overloads	0
Overload Duration	0.0 s

Statistics	
LAI5.00	68.2 dB
LAI10.00	67.2 dB
LAI33.30	65.1 dB
LAI50.00	63.6 dB
LAI66.60	62.1 dB
LAI90.00	60.3 dB

Calibration History					
Preamp	Date	dB re. 1V/Pa	6.3	8.0	10.0
PRM831	2019-07-02 13:08:20	-27.7	45.1	45.3	54.7
PRM831	2019-07-02 12:02:56	-27.7	51.2	46.5	47.5
PRM831	2019-07-02 10:55:36	-27.7	68.6	64.6	51.9
PRM831	2019-07-02 10:06:39	-27.8	46.5	45.9	42.4
PRM831	2019-07-02 09:03:47	-27.8	58.2	64.9	63.3
PRM831	2019-06-13 09:39:04	-27.8	66.9	69.7	55.0
PRM831	2019-06-06 09:54:09	-27.8	54.5	56.4	64.1
PRM831	2019-06-06 09:53:46	-27.8	50.2	48.1	52.6
PRM831	2019-06-05 19:18:32	-27.7	58.2	56.4	51.0
PRM831	2019-06-05 19:13:22	-27.7	53.0	55.2	54.7
PRM831	2019-06-05 11:53:15	-27.9	63.3	57.9	60.0



831-Data. 010

I-29 / 85th St (noise monitoring)

Date: July 2, 2019

Location: #4 / Avera Heart Inst

GPS Coordinates: N. 43.49175 W. 96.78153°

Start time: 1:13 pm

Finish time: 1:43 pm

Photos Taken: Yes/No


Calibration of Unit: Yes/No

81° deg - 2-6 mph (nw) wind  
partly cloudy

Vehicle Count

		Total
N/E passenger car		114
S/W		113
N/E single-unit truck		8
S/W		3
N/E bus		-
S/W		-
N/E semi truck / heavy truck		5
S/W		4
Total		

Site Set-up Diagram



Noise Comments

- duration - (minor const. @ p. lot.)  
(hauling out dirt)





I-29 / 85th St (noise monitoring)

2/6


Date: \_\_\_\_\_  
 Location: \_\_\_\_\_  
 GPS Coordinates: \_\_\_\_\_  
 Start time: \_\_\_\_\_  
 Finish time: \_\_\_\_\_

Photos Taken: Yes/No  
 Calibration of Unit: Yes/No


Vehicle Count

		Total
N/E passenger car S/W		92
N/E single-unit truck S/W		111
N/E bus S/W		1
N/E semi truck / heavy truck S/W		4
Total		4

Site Set-up Diagram



Noise Comments



3/6

I-29 / 85th St (noise monitoring)

Date: \_\_\_\_\_  
 Location: \_\_\_\_\_  
 GPS Coordinates: \_\_\_\_\_  
 Start time: \_\_\_\_\_  
 Finish time: \_\_\_\_\_

Photos Taken: Yes/No  
 Calibration of Unit: Yes/No

Vehicle Count		Total
passenger car N/E S/W	(15) [Handwritten tally marks]	110
single-unit truck N/E S/W	[Handwritten tally marks]	111
bus		8
		2
		-
semi truck / heavy truck N/E S/W	[Handwritten tally marks]	-
		2
		4
Total		

Site Set-up Diagram

Noise Comments

I-29 / 85th St (noise monitoring)

4/6


Date: \_\_\_\_\_  
 Location: \_\_\_\_\_  
 GPS Coordinates: \_\_\_\_\_  
 Start time: \_\_\_\_\_  
 Finish time: \_\_\_\_\_

Photos Taken: Yes/No  
 Calibration of Unit: Yes/No

Vehicle Count

		Total	
passenger car	N/E S/W	102	119
single-unit truck	N/E S/W	2	5
bus		-	-
semi truck / heavy truck	N/E S/W	4	6
Total			

Site Set-up Diagram



Noise Comments

t17.00 paused briefly



6/6

Vehicle Count		Total
passenger car	N/E	40
	S/W	23
single-unit truck	N/E	1
	S/W	2
bus	N/E	-
	S/W	-
semitruck/ heavy truck	N/E	-
	S/W	-





Site M4: Avera Hospital Grounds, south of I-229 EB  
Camera Facing North (07/02/2019)





Building a Better World for All of Us®

## Building a Better World for All of Us®

Sustainable buildings, sound infrastructure, safe transportation systems, clean water, renewable energy and a balanced environment. Building a Better World for All of Us communicates a companywide commitment to act in the best interests of our clients and the world around us.

We're confident in our ability to balance these requirements.



## Appendix E

Noise Barrier Public Meeting and Balloting



**PUBLIC NOTICE IN THE SIOUX FALLS ARGUS LEADER**

**>>>August 7, 2020 <<<**

**Cities of Sioux Falls and Tea, Lincoln County, Sioux Falls MPO,  
and South Dakota Department of Transportation**

**First Public Notice of a Noise Study and Barrier Analysis Presentation**

**For 85<sup>th</sup> Street, between Hanson Place and Beal Avenue**

**Date Presentation Available: August 7, 2020**

**Presentation Website: <http://siouxfalls.org/85thStreet>**

The City of Sioux Falls, South Dakota Department of Transportation (SDDOT), City of Tea, Lincoln County, and the Sioux Falls Metropolitan Planning Organization are working cooperatively to study the construction of a new interchange at 85<sup>th</sup> Street and I-29. The City of Sioux Falls and SDDOT will make an online presentation available to persons occupying properties identified as potentially benefitted receptors through a noise study analysis completed for the construction of a new interchange at I-29 and 85<sup>th</sup> Street, including the associated study area along 85<sup>th</sup> Street near the planned interchange. The online presentation achieves public meeting outreach requirements during the COVID-19 pandemic.

With the FHWA tentative approval of the new interchange after its approval of an I-29 Overpass bridge for 85<sup>th</sup> Street in 2018, a new noise study was required to update the findings of the noise study for the Overpass to become a full access I-29 Interchange (new Exit 74). The purpose of the online presentation is to explain the results of the noise study, barrier analysis, and public balloting process that will help determine whether or not a noise barrier will be constructed in this segment of 85<sup>th</sup> Street. Online comments and questions will be received at <http://siouxfalls.org/85thStreet>.

If an ADA accommodation is needed to view the presentation in pdf format, please contact the Human Relations Office at (605) 367-8745 (voice), (605) 367-7039 (TTY), or [humanrelations@siouxfalls.org](mailto:humanrelations@siouxfalls.org) at least 48 hours prior to the presentation availability date.

If you have questions or comments, please contact Shannon Ausen, City of Sioux Falls, (605) 367- 8607, Email: [sausen@siouxfalls.org](mailto:sausen@siouxfalls.org); or Kyle Heimerl, South Dakota Department of Transportation, (605) 773-3436, Email: [Kyle.Heimerl@state.sd.us](mailto:Kyle.Heimerl@state.sd.us).



August 7, 2020

Select Companies /Tenants of Southwoods Townhomes and Villas

PO Box 35

Harrisburg, SD 57032

RE: I-29 / 85<sup>th</sup> Interchange Noise Study and Barrier Analysis For 85<sup>th</sup> Street, between Hanson Place and Beal Avenue

Dear Select Companies / Tenants of Southwoods Townhomes and Villas:

The City of Sioux Falls, South Dakota Department of Transportation (SDDOT), City of Tea, Lincoln County, and the Sioux Falls Metropolitan Planning Organization are working cooperatively to study the construction of a new interchange at 85<sup>th</sup> Street and I-29. The proposed interchange is planned for construction in 2022 to 2023. The project was tentatively approved by the Federal Highway Administration (FHWA) in late 2018 after an I-29 Overpass-only project was approved. In September 2017, a noise meeting was held and a balloting process on the construction of a noise barrier for the tenants and owner of the Southwoods Townhomes & Villas took place. The results of that balloting process are available from the City of Sioux Falls.

As part of the new interchange approval process, the FHWA required a re-study of the environmental impacts of the project with the addition of a full-access interchange at I-29 in late 2018, including an updated noise study. The outcome of the updated draft noise study indicated persons occupying the Southwoods Townhomes & Villas, located at 7619 Beal Avenue, could again receive future traffic noise reduction benefits of at least 5 decibels with the construction of a noise barrier wall. The SDDOT's Noise Analysis and Abatement Guidance policy requires the documentation of input of benefitted receptors with a new balloting process, to vote either in favor or opposition to the construction of a noise wall, before a decision can be made. The notice of availability for an online presentation related to the noise study and barrier analysis is attached to this letter. More information is available at <http://siouxfalls.org/85thStreet>.

Tenants of the Southwoods Townhomes & Villas and owner Select Companies have the right to vote in favor of or in opposition to a noise wall along 85<sup>th</sup> Street by completing and returning the attached ballot. For the vote to be tabulated and certified, one ballot per benefitted residential unit and one ballot from the owner must be completed and returned in the postage-paid envelope by **September 7, 2020**. A decision whether or not to construct the wall will be made and further discussed with you after this date. No noise wall construction decisions have been made at this time.


If you have questions or comments, please contact Shannon Ausen, City of Sioux Falls, at (605) 367-8607 (or by email [sausen@siouxfalls.org](mailto:sausen@siouxfalls.org)) or Kyle Heimerl, South Dakota Department of Transportation (SDDOT), at (605) 773-3436. If an ADA accommodation is needed, please contact the Sioux Falls Human Relations office at (605) 367-8745 (voice), (605) 367-7039 (TTY) or [humanrelations@siouxfalls.org](mailto:humanrelations@siouxfalls.org).

Enclosures: \_\_\_\_\_

Online meeting notification (Argus Leader publication), draft slides from noise study online presentation, and noise wall voting ballot

# Noise Abatement Thresholds (SDDOT Policy) For A Barrier

- **Reasonableness** = Cost per Benefitted Receptor is \$21K or less
- **Acoustic Feasibility** = 5 dBA reduction for 60% of receptors directly behind the barrier and 7dBA reduction for 40% of all benefitted receptors
- **General Feasibility** = safety, access requirements for drainage, utilities, and constructability AND accepted by majority vote of residents / owners



Modeled simulations of a potential noise wall looking to the southwest from Beal Avenue and 85<sup>th</sup> Street



**Cities of Sioux Falls and Tea, Lincoln County, Sioux Falls MPO,  
and South Dakota Department of Transportation**

**Public Notice of a Noise Study and Barrier Analysis Presentation  
For 85<sup>th</sup> Street, between Hanson Place and Beal Avenue**

Dear Resident:

The Cities of Sioux Falls and Tea, Lincoln County, Sioux Falls Metropolitan Planning Organization, and South Dakota Department of Transportation (SDDOT) are working cooperatively to study the construction of a new interchange at 85<sup>th</sup> Street and I-29.

With the FHWA tentative approval of the new interchange after its approval of an I-29 Overpass bridge in 2018, a new noise study was required for the planned new I-29 Interchange.

A separate notice is hereby given for the availability of an online presentation **on August 7, 2020**, for the potential installation of a noise barrier determined to be reasonable from the new noise study. The potential new barrier is located on the north side of 85<sup>th</sup> Street between Hanson Place and Beal Avenue intersections. The purpose of the online presentation is to explain the results of the new noise study and barrier analysis to help determine whether or not a noise barrier will be constructed in this segment of 85<sup>th</sup> Street. The online presentation, located at <http://siouxfalls.org/85thStreet>, is available in narrated and pdf format, and achieves public meeting outreach requirements during the COVID-19 pandemic. **No decisions on noise barrier construction have been made at this time.** Online comments and questions will also be received at <http://siouxfalls.org/85thStreet>.

If an ADA accommodation is needed to view the presentation in pdf format, please contact the Human Relations Office at (605) 367-8745 (voice), (605) 367-7039 (TTY), or [humanrelations@siouxfalls.org](mailto:humanrelations@siouxfalls.org).

If you have questions or comments, please contact Shannon Ausen, City of Sioux Falls, (605) 367-8607, Email: [sausen@siouxfalls.org](mailto:sausen@siouxfalls.org); Kyle Heimerl, South Dakota Department of Transportation, (605) 773-3436, Email: [Kyle.Heimerl@state.sd.us](mailto:Kyle.Heimerl@state.sd.us); or Al Murra, Short Elliott Hendrickson Inc., (605) 330-7015, Email: [amurra@sehinc.com](mailto:amurra@sehinc.com).





## I-29/85th Street New Interchange Project - Noise Wall Opinion Ballot

We would like your opinion regarding the current Noise Study for 85th Street from Louise Avenue to Sundowner Avenue in Sioux Falls and Tea, South Dakota. **This survey will close on September 7, 2020.** Please indicate your choices in the boxes below and return in the enclosed postage paid envelope.

1. Do you support or oppose the construction of a 6-7 ft. high concrete noise wall along 85th Street, west of the Beal Avenue Intersection and in front of the Southwoods Townhome Building?

☐ I support the construction of a noise wall at this location.

☐ I oppose the construction of a noise wall at this location.

2. Do you rent or own your property?

☐ I am a lease holder / renter

☐ I am a property owner

3. Please share any comments:

4. Please provide your contact information (name, address, phone, and email):


**Thank you for completing and returning this official ballot.**



# I-29 / 85<sup>th</sup> Street New Interchange Noise Barrier Analysis

# Purpose of This Presentation

# Noise Study Discussion History



# Prior Noise Study Mitigation Site – Barrier #9



So what's new and why is this being done again?



# Noise Abatement Thresholds (SDDOT Policy) For A Barrier

- **Reasonableness** = Cost per Benefitted Receptor is \$21K or less
- **Acoustic Feasibility** = 5 dBA reduction for 60% of receptors directly behind the barrier and 7dBA reduction for 40% of all benefitted receptors
- **General Feasibility** = safety, access requirements for drainage, utilities, and constructability AND accepted by majority vote of residents / owners

# New Noise Model Results for Barrier # 9:

- Still Reasonable and Feasible, pending public meeting vote
- Wall height – consistent 6 ft - 7 ft. which provides noise reduction benefit to receptors 5 ft. above the grade (average ear height) facing the street
- Wall length – 235 ft. (includes one parcel and sightline reduction)

**Table B1**  
**Build Noise Barrier Cost Effectiveness (Noise Area 9)**  
**Noise Barrier**

Noise Barrier	Receiver	Land Use	FHWA Noise Standard (Leq dBA)	Future Noise Levels		Acoustic Effectiveness						Cost Effectiveness (\$44/SF)					NOISE WALL RESULTS
				Build (Leq dBA)	Build with Barriers (Leq dBA)	dBA Reduction	Number of Receptors	Benefitted Receptors (-5 dBA)	Total Benefitted Receptors	Acoustically Effective	Design Goal (-7dBA)	Barrier Length (ft)	Barrier Height (ft)	Area of Barrier (SF) <sup>(1)</sup>	Total Cost <sup>(2)</sup>	Cost per Benefitted Receptor	
B1	9-9A	Residential	67	70.4	66.3	-4.1	1	0	5	YES	YES	235	6	1410	\$62,040	\$12,408	YES
	9-9B	Residential	67	70.6	62.9	-7.7	1	1									
	9-10	Residential	67	70.6	61	-9.6	2	2									
	9-11	Residential	67	70.4	62	-8.4	2	2									

Approx RW needed = 1500 SF  
Estimated Cost/SF = \$25  
Cost / Benefitted Receptor = \$7,500  
**TOTAL Cost / Benefitted Receptor = \$19,908**  
(Includes Wall + RW)

- Wall layout extends to only one parcel where the townhomes are located - the previous layout extended further to two parcels and provided more noise reduction for the outer receptor.
- Don't need to meet the noise reduction goal on the outer parcel according to SDDOT's noise guidance, so reducing it should help with real estate acquisition negotiations (one vs. two parcels).
- Wall access for maintenance right-of-way (permanent easement) will need to be purchased – cost estimate includes 10 ft. of right-of-way.

## Overview Map

Map Extent

### Legend

- Parcel Boundaries
- Modeled Barrier (SEH)
- Noise Receptor (Benefited)
- Noise Receptor (Not Benefited)

Rec. 9-9A  
(-4) dB  
reduction

Rec. 9-9B  
(-7) dB  
reduction

Rec. 9-10  
(-9) dB  
reduction

Rec. 9-11  
(-8) dB  
reduction

W 85th St

W 85th St

W 85th St


W 85th St

**Legend**

- Proposed RW/Easement

**Cad Renderer**

- Noise Barrier (Proposed)
- Noise Barrier (Not Proposed)



	401 East 8th Street Suite 309 Sioux Falls, SD 57103 (605) 330-7000	Print Date: 4/20/2020 Source: Bing Maps, Lincoln County Map by: mfk Projection: State Plane South Dakota 5	<b>Noise Analysis Future Build Results and Barrier Locations: Barrier Analysis Results - NSA's 9-14</b> <i>I-29 and 85th Street Interchange</i> <i>Lincoln County, SD</i>		



Building a Better World for All of Us®















Building a Better World for All of Us®

Why is the wall bent inward toward the residential units?



# What is meant by “Easements”?

Is this the only place along 85<sup>th</sup> Street that  
a noise barrier will be considered?

We need your vote on a noise barrier wall!  
You can vote with a paper ballot delivered  
to your address





### I-29/85th Street New Interchange Project - Noise Wall Opinion Ballot

We would like your opinion regarding the current Noise Study for 85th Street from Louise Avenue to Sundowner Avenue in Sioux Falls and Tea, South Dakota. This survey will close on September 7, 2020. Please indicate your choices in the boxes below and return in the enclosed postage paid envelope.

1. Do you support or oppose the construction of a 6-7 ft. high concrete noise wall along 85th Street, east of the Beal Avenue Intersection and in front of the Southwoods Townhome Building?

☐

I support the construction of a noise wall at this location.

☐

I oppose the construction of a noise wall at this location.

2. Do you rent or own your property?

☐

I am a lease holder / renter

☐

I am a property owner

3. Please share any comments:

4. Please provide your contact information (name, address, phone, and email):

Thank you for completing and returning this official ballot.





September 7, 2020

Votes need to be returned for tabulation  
and certification

# What happens after the vote?

# For More Information

<http://siouxfalls.org/85thStreet>

ADA accommodation is needed to view the presentation in pdf format, please contact the Human Relations Office at (605) 367-8745 (voice), (605) 367-7039 (TTY), or [humanrelations@siouxfalls.org](mailto:humanrelations@siouxfalls.org)

Questions or Comments:

Shannon Ausen, City of Sioux Falls, (605) 367- 8607 Email: [sausen@siouxfalls.org](mailto:sausen@siouxfalls.org)

Kyle Heimerl, South Dakota Department of Transportation, (605) 773-3436

Email: [Kyle.Heimerl@state.sd.us](mailto:Kyle.Heimerl@state.sd.us)



## I-29/85th Street New Interchange Project - Noise Wall Opinion Ballot

We would like your opinion regarding the current Noise Study for 85th Street from Louise Avenue to Sundowner Avenue in Sioux Falls and Tea, South Dakota. **This survey will close on September 7, 2020.** Please indicate your choices in the boxes below and return in the enclosed postage paid envelope.

1. Do you support or oppose the construction of a 6-7 ft. high concrete noise wall along 85th Street, **west** of the Beal Avenue Intersection and in front of the Southwoods Townhome Building?

☐

I support the construction of a noise wall at this location.

☒

I oppose the construction of a noise wall at this location.

2. Do you rent or own your property?

☒

I am a lease holder / renter

☐

I am a property owner

3. Please share any comments:

A wall would be safer, yes. However, the wall would lose all rights from the back of the yard.

4. Please provide your contact information (name, address, phone, and email):

Brock VanDyke  
7619 S. Beal Unit #1  
Sioux Falls SD 57108  
605 695 4193

brock.vandyke@yahoo.com

**Thank you for completing and returning this official ballot.**

Received 8/26/20

UNIT-1



## I-29/85th Street New Interchange Project - Noise Wall Opinion Ballot

We would like your opinion regarding the current Noise Study for 85th Street from Louise Avenue to Sundowner Avenue in Sioux Falls and Tea, South Dakota. **This survey will close on September 7, 2020.** Please indicate your choices in the boxes below and return in the enclosed postage paid envelope.

1. Do you support or oppose the construction of a 6-7 ft. high concrete noise wall along 85th Street, **west** of the Beal Avenue Intersection and in front of the Southwoods Townhome Building?

☐ I support the construction of a noise wall at this location.

☒ I oppose the construction of a noise wall at this location.

2. Do you rent or own your property?

☒ I am a lease holder / renter

☐ I am a property owner

3. Please share any comments:

I feel a noise wall would cause less sunlight into my home and would be ugly to look at outside my back door.

4. Please provide your contact information (name, address, phone, and email):

Joshua Freese jfreese245@gmail.com

Thank you for completing and returning this official ballot.

Received 8/18

## I-29/85th Street New Interchange Project - Noise Wall Opinion Ballot

We would like your opinion regarding the current Noise Study for 85th Street from Louise Avenue to Sundowner Avenue in Sioux Falls and Tea, South Dakota. **This survey will close on September 7, 2020.** Please indicate your choices in the boxes below and return in the enclosed postage paid envelope.

1. Do you support or oppose the construction of a 6-7 ft. high concrete noise wall along 85th Street, **west** of the Beal Avenue Intersection and in front of the Southwoods Townhome Building?

☒

I support the construction of a noise wall at this location.

☐

I oppose the construction of a noise wall at this location.

2. Do you rent or own your property?

☐

I am a lease holder / renter

☐

I am a property owner

3. Please share any comments:

4. Please provide your contact information (name, address, phone, and email):

Sam W:PF 214-1298  
American Properties  
SameSelectCompanies.co

**Thank you for completing and returning this official ballot.**

Received 8/17/20

## I-29/85th Street New Interchange Project - Noise Wall Opinion Ballot

We would like your opinion regarding the current Noise Study for 85th Street from Louise Avenue to Sundowner Avenue in Sioux Falls and Tea, South Dakota. **This survey will close on September 7, 2020.** Please indicate your choices in the boxes below and return in the enclosed postage paid envelope.

1. Do you support or oppose the construction of a 6-7 ft. high concrete noise wall along 85th Street, **west** of the Beal Avenue Intersection and in front of the Southwoods Townhome Building?



I support the construction of a noise wall at this location.



I oppose the construction of a noise wall at this location.

2. Do you rent or own your property?



I am a lease holder / renter



I am a property owner

3. Please share any comments:

4. Please provide your contact information (name, address, phone, and email):

ERIC GASPAN  
7619 #4 S. BEAL Ave  
605-941-3277  
BLACK 02 ~~02~~ SI@6mail.com

Thank you for completing and returning this official ballot.

Received 9/4/20

UNIT-4