

**SOUTH DAKOTA DEPARTMENT OF TRANSPORTATION**

# **STATE HIGHWAY LOG**

## **PIERRE REGION**

**JANUARY 2022**

Prepared by:  
Division of Planning and Engineering  
Office of Transportation of Inventory Management & Research  
700 E Broadway Ave  
Pierre SD 57501



**DEPARTMENT OF  
TRANSPORTATION**



# CODE DEFINITIONS

## HIGHWAY SYSTEM CODE

### FS = Funding system

- 1 – National Highway System – Interstate (NHS-IN)
- 2 – National Highway System - Non Interstate (NHS-NI)
- 3 – Surface Transportation System (STP)
- 6 – Non Federal Aid (NFA)

### SA = State Administrative

- 01 – State Trunk
- 07 – Non State Trunk – State Owned
- 08 – Non State Trunk – Not State Owned

### SS = Special Systems

- 01 – National Forest Highway System
- 02 – National Forest Development Roads
- 03 – National Park Service Parkways
- 04 – Other National Park Service Parkways
- 05 – Bureau of Indian Affairs Roads
- 06 – Bureau of Land Management Roads
- 07 – Military Reservation Roads
- 08 – National Wildlife Refuge Roads
- 09 – U. S. Corps of Engineers Roads
- 10 – Bureau of Reclamation Roads
- 11 – Other Federal Agency Roads

## FUNCTIONAL CLASSIFICATION CODE

### RURAL

- 01 – Interstate
- 02 – Other Freeways & Expressways
- 04 – Other Principal Arterials
- 06 – Minor Arterial
- 07 – Major Collector
- 08 – Minor Collector
- 09 – Local Roads

### URBAN

- 11 – Interstate
- 12 – Other Freeways & Expressways
- 14 – Other Principal Arterials
- 16 – Minor Arterial
- 17 – Major Collector
- 18 – Minor Collector
- 19 – Local Streets

# CODE DEFINITIONS

## SURFACE TYPE CODE

- 1000 to 1015 - Soil Surface
- 2000 to 2015 – Gravel Surface
- 3000 to 3215 – Bituminous Treated Surface
- 4000 to 4255 – Bituminous Surface ( 1” or more)
- 4331 to 4796 – Bituminous Over Old PCCP
- 4805 to 4818 – Bituminous Over Old Brick or Block
- 5000 to 5000 – Interim Surfacing
- 7001 to 7776 – Portland Cement Concrete Surface
- 7999 to 7999 – Concrete Bridge Deck
- 8301 to 8738 – Brick or Block Surface
- 9000 to 9892 – Combination Surface

## SHOULDER TYPE CODE

- 1 – No Shoulder
- 2 – Grass or Sod
- 3 – Soil Surface
- 4 – Gravel or Stone
- 5 - Bituminous Surface Treatment
- 6 – Asphalt Concrete
- 7 – Portland Cement Concrete  
Including Curb And Gutter
- 8 – Other (curb & gutter one side only)
- 9- Recycled Bas/AC

## CURB AND GUTTER CODE

- 1 – No Curb and Gutter
- 2 – Curb and Gutter (one side or both sides)

In Cooperation With:  
United States Department of Transportation  
Federal Highway Administration

*The South Dakota Department of Transportation provides services without regard to race, color, gender, religion, national origin, age or disability, according to the provisions contained in SDCL 20-13, Title VI of the Civil Rights Act of 1964, the Rehabilitation Act of 1973, as amended, the Americans With Disabilities Act of 1990 and Executive Order 12898, Federal Actions to Address Environmental Justice in Minority Populations and Low-Income Populations, 1994.*

*To request additional information on the DOT's Title VI/Nondiscrimination policy or to file a discrimination complaint, please contact the Department's Civil Rights Office at 605-773-3540.*

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
010	182.63	0.000	Campbell	07	Rural	2002	4252	26	4.7	5	5	6	2	424		0.893	0.893
	* JCT SD 10 E/SD 10 W IN POLLOCK HWY BEGIN																
010	183.36	0.000	Campbell	07	Rural	2002	4252	26	4.7	5	5	6	2	424	11104026	0.453	1.346
010	183.36	0.453	Campbell	07	Rural	2002	4252	26	4.7	5	5	6	2	424		7.508	8.854
010	191.48	0.000	Campbell	07	Rural	2002	4252	26	4.7	5	5	6	2	424	11182020	0.042	8.896
010	191.48	0.042	Campbell	07	Rural	2002	4252	26	4.7	5	5	6	2	424		1.828	10.724
010	193.21	0.000						0	0	0	0		0	0		0.000	10.724
	* JCT US 83 N																
010	203.22	0.000	Campbell	06	Rural	2013	4252	24	4.8	3	3	6	2	373		9.080	19.804
	* JCT US 83 S																
010	212.00	0.291	Campbell	06	Rural	2013	4251	26	4.8	2	2	6	2	373		3.956	23.760
010	216.24	0.000	Campbell	06	Rural	2013	4251	26	4.8	2	2	6	2	519		4.003	27.763
	* JCT SD 271 N/319TH AVE S																
010	220.24	0.000	McPherson	06	Rural	2013	4251	26	4.8	2	2	6	2	519		0.985	28.748
	* CAMPBELL/MCPHERSON COUNTY LINE																
010	221.21	0.000	McPherson	06	Rural	2013	4251	26	4.8	2	2	6	2	519		2.997	31.745
	* JCT 324 AVE																
010	224.24	0.000	McPherson	06	Rural	2013	4251	26	4.8	2	2	6	2	1128		0.005	31.750
	* JCT SD 47 S/327 AVE N & W CITY LIMITS IN EUREKA																
010	224.24	0.005	McPherson	06	Rural	2013	4251	40	4.0	2	2	7	2	1128		0.062	31.812
010	224.29	0.000	McPherson	06	Rural	2013	4251	40	4.0	2	2	7	2	1128		0.066	31.878
	* JCT 17TH ST IN EUREKA																
010	224.37	0.000	McPherson	06	Rural	2013	4251	40	4.0	2	2	7	2	1128		0.066	31.944
	* JCT 16TH ST IN EUREKA																
010	224.44	0.000	McPherson	06	Rural	2013	4251	40	4.0	2	2	7	2	1128		0.070	32.014
	* JCT 15TH ST IN EUREKA																
010	224.51	0.000	McPherson	06	Rural	2013	4251	40	4.0	2	2	7	2	1128		0.071	32.085
	* JCT G AVE IN EUREKA																
010	224.58	0.000	McPherson	06	Rural	2013	4251	40	4.0	2	2	7	2	1128		0.070	32.155
	* JCT 13TH ST IN EUREKA																
010	224.65	0.000	McPherson	06	Rural	2013	4251	40	4.0	2	2	7	2	1128		0.069	32.224
	* JCT 12TH ST IN EUREKA																

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
010	224.72	0.000	McPherson	06	Rural	2013	4251	40	4.0	2	2	7	2	1128		0.057	32.281
010	224.77	0.000	McPherson	06	Rural	2013	4251	40	4.0	2	2	7	2	1128		0.068	32.349
010	224.84	0.000	McPherson	06	Rural	2013	4251	40	4.0	2	2	7	2	1128		0.070	32.419
010	224.91	0.000	McPherson	06	Rural	2013	4251	40	4.0	2	2	7	2	1128		0.069	32.488
010	224.98	0.000	McPherson	06	Rural	2013	4251	40	4.0	2	2	7	2	1128		0.067	32.555
010	225.01	0.000	McPherson	06	Rural	2013	4251	40	4.0	2	2	7	2	1128		0.009	32.564
010	225.03	0.000	McPherson	06	Rural	2013	4251	40	4.0	2	2	7	2	1128		0.052	32.616
010	225.07	0.000	McPherson	06	Rural	2013	4251	40	4.0	2	2	7	2	1128		0.060	32.676
010	225.13	0.000	McPherson	06	Rural	2013	4251	40	4.0	2	2	7	2	1128		0.072	32.748

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
010 E	182.37	0.000	Campbell	07	Rural	2002	4251	68	4.0	2	2	7	2	212		0.058	0.058
010 E	182.44	0.000	Campbell	07	Rural	2002	4251	68	4.0	2	2	7	2	212		0.070	0.128
010 E	182.52	0.000	Campbell	07	Rural	2002	4251	68	4.0	2	2	7	2	212		0.003	0.131
010 E	182.52	0.003	Campbell	07	Rural	2002	4252	68	4.7	2	2	7	2	212		0.111	0.242
010 E	182.63	0.000						0	0	0	0		0	0		0.000	0.242

\* JCT SD 1804 IN POLLOCK HWY BEGIN

\* JCT A AVE IN POLLOCK

\* JCT 1ST AVE & E CITY LIMITS IN POLLOCK

\* DIVIDED ENDS

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	Type	-----Surfacing-----		-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length	
								Width	Thick ness	Width LT	RT	Type						
010 W	182.37	0.000	Campbell	07	Rural	2002	4251	68	4.0	2	2	7	2	212		0.058	0.058	
010 W	182.44	0.000	Campbell	07	Rural	2002	4251	68	4.0	2	2	7	2	212		0.070	0.128	
010 W	182.52	0.000	Campbell	07	Rural	2002	4251	68	4.0	2	2	7	2	212		0.003	0.131	
010 W	182.52	0.003	Campbell	07	Rural	2002	4252	68	4.7	2	2	7	2	212		0.111	0.242	
010 W	182.63	0.000						0	0	0	0		0	0		0.000	0.242	

\* JCT SD 1804 IN POLLOCK HWY BEGIN

\* JCT A AVE IN POLLOCK

\* JCT 1ST AVE & E CITY LIMITS IN POLLOCK

\* DIVIDED ENDS



# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
012	101.68	0.000	Corson	04	Rural	2005	4251	24	8.9	5	5	6	2	497		3.931	3.931
	* JCT SD 73 N																
012	105.64	0.000	Corson	04	Rural	2005	4251	24	8.9	5	5	6	2	497	16066010	0.125	4.056
012	105.64	0.125	Corson	04	Rural	2005	4251	24	8.9	5	5	6	2	497		0.585	4.641
012	106.34	0.000	Corson	04	Rural	2005	4251	24	8.9	5	5	6	2	497	16072011	0.315	4.956
012	106.34	0.315	Corson	04	Rural	2005	4251	24	8.9	5	5	6	2	497		0.892	5.848
012	107.55	0.000	Corson	04	Rural	2005	4251	24	8.9	5	5	6	2	497	16083011	0.032	5.880
012	107.55	0.032	Corson	04	Rural	2005	4251	24	8.9	5	5	6	2	497		1.603	7.483
012	109.19	0.000	Corson	04	Rural	2005	4251	24	8.9	5	5	6	2	497		3.513	10.996
	* JCT 215 AVE																
012	112.00	0.714	Corson	04	Rural	2006	4251	24	6.5	2	2	6	2	497		0.233	11.229
012	112.92	0.000	Corson	04	Rural	2006	4251	24	6.5	2	2	6	2	497		0.118	11.347
	* W CITY LIMITS IN MORRISTOWN																
012	113.06	0.000	Corson	04	Rural	2006	4251	24	6.5	2	2	6	2	497		0.071	11.418
	* JCT 3RD AVE W IN MORRISTOWN																
012	113.13	0.000	Corson	04	Rural	2006	4251	24	6.5	2	2	6	2	497		0.040	11.458
	* JCT 2ND AVE W IN MORRISTOWN																
012	113.17	0.000	Corson	04	Rural	2006	4251	24	6.5	2	2	6	2	497		0.029	11.487
	* JCT 220TH AVE S IN MORRISTOWN																
012	113.20	0.000	Corson	04	Rural	2006	4251	24	6.5	2	2	6	2	497		0.073	11.560
	* JCT 1ST AVE W IN MORRISTOWN																
012	113.28	0.000	Corson	04	Rural	2006	4251	24	6.5	2	2	6	2	497		0.072	11.632
	* JCT MAIN AVE IN MORRISTOWN																
012	113.35	0.000	Corson	04	Rural	2006	4251	24	6.5	2	2	6	2	497		0.069	11.701
	* JCT 1ST AVE E IN MORRISTOWN																
012	113.42	0.000	Corson	04	Rural	2006	4251	24	6.5	2	2	6	2	497		0.071	11.772
	* JCT 2ND AVE E IN MORRISTOWN																
012	113.49	0.000	Corson	04	Rural	2006	4251	24	6.5	2	2	6	2	497		0.197	11.969
	* JCT 3RD AVE E IN MORRISTOWN																
012	113.69	0.000	Corson	04	Rural	2006	4251	24	6.5	2	2	6	2	497		0.770	12.739
	* E CITY LIMITS MORRISTOWN																
012	114.46	0.000	Corson	04	Rural	2006	4251	24	6.5	2	2	6	2	497	16154005	0.056	12.795

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
012	114.46	0.056	Corson	04	Rural	2006	4251	24	6.5	2	2	6	2	497		6.828	19.623
012	121.36	0.000	Corson	04	Rural	2006	4251	24	6.5	2	2	6	2	497		0.231	19.854
	* JCT 228 AVE																
012	121.36	0.231	Corson	04	Rural	2006	4251	24	7.5	2	2	6	2	497		0.177	20.031
012	121.36	0.408	Corson	04	Rural	2015	4251	28	7.0	4	4	6	2	497		0.272	20.303
012	122.07	0.000	Corson	04	Rural	2015	4251	28	7.0	4	4	6	2	497		0.355	20.658
	* JCT MAIN ST AT WATAUGA																
012	122.42	0.000	Corson	04	Rural	2015	4251	28	7.0	4	4	6	2	446		8.182	28.840
	* JCT 229 AVE																
012	130.00	0.750	Corson	04	Rural	2006	4251	24	4.5	6	6	6	2	446		0.312	29.152
012	130.92	0.000	Corson	04	Rural	2006	4251	24	4.5	6	6	6	2	446		0.194	29.346
	* JCT 238 AVE & W CITY LIMITS IN MCINTOSH																
012	131.12	0.000	Corson	04	Rural	2006	4251	24	4.5	6	6	6	2	446		0.068	29.414
	* JCT 3RD AVE W IN MCINTOSH																
012	131.15	0.000	Corson	04	Rural	2006	4251	24	4.5	6	6	6	2	446		0.072	29.486
	* JCT 2ND AVE W IN MCINTOSH																
012	131.22	0.000	Corson	04	Rural	2006	4251	24	4.5	6	6	6	2	446		0.071	29.557
	* JCT 1ST AVE W IN MCINTOSH																
012	131.29	0.000	Corson	04	Rural	2006	4251	24	4.5	6	6	6	2	446		0.122	29.679
	* JCT MAIN ST IN MCINTOSH																
012	131.42	0.000	Corson	04	Rural	2006	4251	24	4.5	6	6	6	2	446		0.289	29.968
	* JCT 1ST AVE E IN MCINTOSH																
012	131.71	0.000	Corson	04	Rural	2006	4251	24	4.5	6	6	6	2	446		0.384	30.352
	* NE CITY LIMITS IN MCINTOSH																
012	132.11	0.000	Corson	04	Rural	2006	4251	24	4.5	6	6	6	2	495		0.138	30.490
	* JCT SD 65 N																
012	132.25	0.000	Corson	04	Rural	2006	4251	24	4.5	6	6	6	2	495		0.199	30.689
	* JCT 12 EF ROADSIDE AREA																
012	132.45	0.000	Corson	04	Rural	2006	4251	24	4.5	7	7	6	2	495	16328018	0.094	30.783
012	132.45	0.094	Corson	04	Rural	2006	4251	24	4.5	7	7	6	2	495		0.106	30.889
012	132.64	0.000	Corson	04	Rural	2006	4251	24	4.5	7	7	6	2	428		3.107	33.996
	* JCT SD 65 S																

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
012	135.74	0.000	Corson	04	Rural	2006	4251	24	4.5	7	7	6	2	428	16361020	0.238	34.234
012	136.00	0.000	Corson	04	Rural	2006	4251	24	4.5	7	7	6	2	428		1.790	36.024
012	137.00	0.787	Corson	04	Rural	1992	7211	28	8.0	6	6	5	2	428		5.954	41.978
012	143.71	0.000	Corson	04	Rural	1992	7211	28	8.0	6	6	5	2	428		13.048	55.026
	* JCT 251 AVE																
012	156.79	0.000	Corson	04	Rural	1992	7211	28	8.0	6	6	5	2	428	16562082	0.211	55.237
012	157.00	0.000	Corson	04	Rural	1992	7211	28	8.0	6	6	5	2	428		0.585	55.822
012	157.00	0.585	Corson	04	Rural	2020	4251	24	7.5	6	6	6	2	428		1.028	56.850
012	158.64	0.000	Corson	04	Rural	2020	4251	24	7.5	6	6	6	2	428	16574090	0.178	57.028
012	158.64	0.178	Corson	04	Rural	2020	4251	24	7.5	6	6	6	2	428		0.198	57.226
012	159.03	0.000	Corson	04	Rural	2020	4251	24	7.5	6	6	6	2	428		0.077	57.303
	* W CITY LIMITS IN MCLAUGHLIN																
012	159.11	0.000	Corson	04	Rural	2020	4251	24	7.5	6	6	6	2	428		0.011	57.314
	* JCT 3RD AVE W IN MCLAUGHLIN																
012	159.11	0.011	Corson	04	Rural	2020	4251	48	6.0	2	2	7	4	428		0.061	57.375
012	159.18	0.000	Corson	04	Rural	2020	4251	48	6.0	2	2	7	4	428		0.073	57.448
	* JCT 2ND AVE W IN MCLAUGHLIN																
012	159.25	0.000	Corson	04	Rural	2020	4251	48	6.0	2	2	7	4	428		0.076	57.524
	* JCT 1ST AVE W IN MCLAUGHLIN																
012	159.32	0.000	Corson	04	Rural	2020	4251	48	6.0	2	2	7	4	436		0.076	57.600
	* JCT SD 63 IN MCLAUGHLIN																
012	159.63	0.000	Corson	04	Rural	2020	4251	48	6.0	2	2	7	4	436		0.073	57.673
	* JCT 1ST AVE E IN MCLAUGHLIN																
012	159.70	0.000	Corson	04	Rural	2020	4251	48	6.0	2	2	7	4	436		0.073	57.746
	* JCT 2ND AVE E IN MCLAUGHLIN																
012	159.78	0.000	Corson	04	Rural	2020	4251	48	6.0	2	2	7	4	436		0.020	57.766
	* JCT 3RD AVE E IN MCLAUGHLIN																
012	159.78	0.020	Corson	04	Rural	2020	4251	24	7.5	6	6	6	2	436		0.021	57.787
012	159.80	0.000	Corson	04	Rural	2020	4251	24	7.5	6	6	6	2	436		0.422	58.209
	* E CITY LIMITS IN MCLAUGHLIN																
012	160.01	0.000	Corson	04	Rural	2020	4251	24	7.5	6	6	6	2	436		3.467	61.676
	* JCT 6TH AVE E IN MCLAUGHLIN																

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
012	163.00	0.493	Corson	04	Rural	2020	4251	24	7.5	12	6	6	2	436		0.870	62.546
012	164.00	0.370	Corson	04	Rural	2020	4251	24	7.5	6	6	6	2	436		0.427	62.973
012	164.79	0.000	Corson	04	Rural	2020	4251	24	7.5	6	6	6	2	436	16617132	0.070	63.043
012	164.79	0.070	Corson	04	Rural	2020	4251	24	7.5	6	6	6	2	436		0.162	63.205
012	165.00	0.013	Corson	04	Rural	2020	4251	24	7.5	6	12	6	2	436		0.280	63.485
012	165.00	0.293	Corson	04	Rural	2020	4251	24	7.5	6	6	6	2	436		1.376	64.861
012	166.67	0.000	Corson	04	Rural	2020	4251	24	7.5	6	6	6	2	436		2.891	67.752
* JCT GRAND RIVER TR/BIA 44																	
012	169.00	0.586	Corson	04	Rural	2020	4251	40	7.5	0	2	6	3	436		2.093	69.845
012	171.00	0.690	Corson	04	Rural	2020	4251	24	7.5	6	6	6	2	436		0.205	70.050
012	171.00	0.895	Corson	04	Rural	2009	4251	24	7.0	2	2	6	2	436		1.404	71.454
012	173.00	0.298	Corson	04	Rural	2009	7999	24	6.0	0	0	1	2	436		0.105	71.559
012	173.40	0.000	Corson	04	Rural	2009	4251	24	7.0	2	2	6	2	436	16665200	0.183	71.742
012	173.40	0.183	Corson	04	Rural	2009	4251	24	7.0	2	2	6	2	436		0.063	71.805
012	173.64	0.000	Corson	04	Rural	2009	4251	24	7.0	2	2	6	2	436		0.164	71.969
* 12 EF ROADSIDE AREA																	
012	173.64	0.164	Corson	04	Rural	2009	4251	36	10.5	2	3	6	3	436		0.322	72.291
012	174.00	0.136	Corson	04	Rural	2009	4251	48	10.5	3	3	6	4	436		0.212	72.503
012	174.35	0.000	Corson	04	Rural	2009	4251	48	10.5	3	3	6	4	1002		0.034	72.537
* JCT BIA RD 10/121 ST																	
012	174.35	0.034	Corson	04	Rural	2009	4251	36	10.5	3	2	6	3	1002		0.321	72.858
012	174.35	0.355	Corson	04	Rural	2009	4251	24	10.5	2	2	6	2	1002		0.218	73.076
012	174.92	0.000	Corson	04	Rural	2009	4251	24	10.5	2	2	6	2	1002	16666216	0.079	73.155
012	175.00	0.000	Corson	04	Rural	2009	4251	24	10.5	2	2	6	2	1002		0.025	73.180
012	175.00	0.025	Corson	04	Rural	2009	4251	36	10.5	2	3	6	3	1002		0.284	73.464
012	175.00	0.309	Corson	04	Rural	2009	4251	48	10.5	3	3	6	4	1002		0.341	73.805
012	175.00	0.650	Corson	04	Rural	2009	4251	36	10.5	3	2	6	3	1002		0.417	74.222
012	176.00	0.070	Corson	04	Rural	2009	4251	24	10.5	2	2	6	2	1002		0.717	74.939
012	176.00	0.787	Corson	04	Rural	2009	4251	24	12.5	2	2	6	2	1002		0.937	75.876
012	177.00	0.725	Corson	04	Rural	2009	4251	24	10.5	2	2	6	2	1002		0.221	76.097

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
012	177.00	0.946	Corson	04	Rural	2009	4251	36	10.5	2	3	6	3	1002		0.455	76.552
012	178.00	0.406	Corson	04	Rural	2009	4251	24	10.5	2	2	6	2	1002		0.379	76.931
012	178.00	0.785	Corson	04	Rural	2009	4251	36	10.5	3	2	6	3	1002		0.710	77.641
012	179.00	0.506	Corson	04	Rural	2009	4251	24	10.5	2	2	6	2	1002		0.345	77.986
012	179.85	0.000	Corson	04	Rural	2009	4251	24	10.5	2	2	6	2	1002	16687258	0.145	78.131
012	180.00	0.000	Corson	04	Rural	2009	4251	24	10.5	2	2	6	2	1002		0.085	78.216
012	180.08	0.000	Corson	04	Rural	2009	4251	24	10.5	2	2	6	2	1002	16689259	0.029	78.245
012	180.08	0.029	Corson	04	Rural	2009	4251	24	10.5	2	2	6	2	1002		0.049	78.294
012	180.08	0.078	Corson	04	Rural	2009	4251	36	10.5	2	3	6	3	1002		1.079	79.373
012	181.00	0.245	Corson	04	Rural	2009	4251	48	12.0	3	3	6	2	1002		0.295	79.668
012	181.52	0.000	Corson	04	Rural	2009	4251	48	12.0	3	3	6	2	1263		0.021	79.689
* JCT SD 20 S																	
012	181.52	0.021	Corson	04	Rural	2009	4251	24	8.0	2	2	6	2	1263		1.011	80.700
012	182.00	0.463	Corson	04	Rural	2009	4251	36	7.5	2	2	6	3	1263		0.758	81.458
012	183.00	0.207	Corson	04	Rural	2009	4251	24	8.0	2	2	6	2	1263		0.587	82.045
012	183.82	0.000	Corson	04	Rural	2009	4251	24	8.0	2	2	6	2	1263	16725271	0.057	82.102
012	183.82	0.057	Corson	04	Rural	2009	4251	36	7.5	2	2	6	3	1263		0.590	82.692
012	184.00	0.467	Corson	04	Rural	2009	4251	24	8.0	2	2	6	2	1263		0.038	82.730
012	184.58	0.000	Corson	04	Rural	2009	4251	24	8.0	2	2	6	2	1715		0.841	83.571
* JCT SD 1806 S																	
012	185.00	0.360	Corson	04	Rural	2009	4251	48	13.5	3	3	6	3	1715		0.331	83.902
012	185.69	0.000	Corson	04	Rural	2009	4251	48	13.5	3	3	6	3	1897		0.039	83.941
* JCT SD 1806 N																	
012	185.69	0.039	Corson	04	Rural	2009	4251	24	6.5	2	2	6	2	1897		0.467	84.408
012	186.00	0.185	Corson	04	Rural		7999	24	6.0	0	0	1	2	1897		0.409	84.817
012	186.18	0.000	Walworth	04	Rural		7999	24	6.0	0	0	1	2	1897		0.549	85.366
* CORSON/WALWORTH COUNTY LINE & STANDING ROCK RESERVATION																	
012	187.15	0.000	Walworth	04	Rural	2014	4252	24	5.5	8	8	6	2	1897	65000020	0.187	85.553
012	187.15	0.187	Walworth	04	Rural	2014	4252	24	5.5	8	8	6	2	1897		0.022	85.575
012	187.36	0.000	Walworth	04	Rural	2014	4252	24	5.5	8	8	6	2	1897	65005025	0.089	85.664

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
012	187.36	0.089	Walworth	04	Rural	2014	4252	24	5.5	8	8	6	2	1897		0.135	85.799
012	187.36	0.224	Walworth	04	Rural	2014	4252	36	5.5	2	2	6	3	1897		0.407	86.206
012	187.99	0.000	Walworth	04	Rural	2014	4252	36	5.5	2	2	6	3	3252		0.203	86.409
	* JCT 20TH ST W & NW CITY LIMITS IN MOBRIDGE																
012	188.20	0.000	Walworth	04	Rural	2014	4252	36	5.5	2	2	6	3	3252		0.109	86.518
	* JCT 16TH ST W IN MOBRIDGE																
012	188.31	0.000	Walworth	04	Rural	2014	4252	36	5.5	2	2	6	3	3252		0.126	86.644
	* JCT 15TH ST W IN MOBRIDGE																
012	188.43	0.000	Walworth	04	Rural	2014	4252	36	5.5	2	2	6	3	3252		0.062	86.706
	* JCT 13TH ST W IN MOBRIDGE																
012	188.49	0.000	Walworth	04	Rural	2014	4252	36	5.5	2	2	6	3	3252		0.107	86.813
	* JCT 12TH ST W IN MOBRIDGE																
012	188.60	0.000	Walworth	04	Rural	2014	4252	36	5.5	2	2	6	3	3252		0.290	87.103
	* JCT 10TH ST W IN MOBRIDGE																
012	188.85	0.000	Walworth	04	Rural	2014	4252	36	5.5	2	2	6	3	3252		0.011	87.114
	* JCT 12 EF IN MOBRIDGE																
012	188.89	0.000	Walworth	04	Rural	2014	4252	36	5.5	2	2	6	3	3252		0.002	87.116
	* JCT 10TH AVE W IN MOBRIDGE																
012	188.89	0.002	Walworth	04	Rural	2014	4252	48	5.0	2	2	7	4	3252		0.093	87.209
012	189.00	0.000	Walworth	04	Rural	2014	4252	48	5.0	2	2	7	4	3710		0.016	87.225
012	189.02	0.000	Walworth	04	Rural	2014	4252	48	5.0	2	2	7	4	3710		0.105	87.330
	* JCT 9TH AVE W IN MOBRIDGE																
012	189.12	0.000	Walworth	04	Rural	2014	4252	48	5.0	2	2	7	4	3710		0.043	87.373
	* JCT VIADUCT RD IN MOBRIDGE																
012	189.16	0.000	Walworth	04	Rural	2014	4252	48	5.0	2	2	7	4	3710		0.007	87.380
	* JCT 10TH AVE W N IN MOBRIDGE																
012	189.16	0.007	Walworth	04	Rural	2014	4252	60	6.0	2	2	7	4	3710		0.005	87.385
012	189.18	0.000	Walworth	04	Rural	2014	4252	60	6.0	2	2	7	4	5519		0.056	87.441
	* JCT 10TH AVE W S IN MOBRIDGE																
012	189.23	0.000	Walworth	04	Rural	2014	4252	60	6.0	2	2	7	4	5519		0.069	87.510
	* JCT 6TH AVE W IN MOBRIDGE																
012	189.30	0.000	Walworth	04	Rural	2014	4252	60	6.0	2	2	7	4	5519		0.070	87.580

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			----Shoulder----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
012	189.37	0.000	Walworth	04	Rural	2014	4252	60	6.0	2	2	7	4	5519		0.070	87.650
* JCT 5TH AVE W IN MOBRIDGE																	
012	189.44	0.000	Walworth	04	Rural	2014	4252	60	6.0	2	2	7	4	4996		0.070	87.720
* JCT 4TH AVE W IN MOBRIDGE																	
012	189.51	0.000	Walworth	04	Rural	2014	4252	60	6.0	2	2	7	4	4996		0.069	87.789
* JCT 3RD AVE W IN MOBRIDGE																	
012	189.58	0.000	Walworth	04	Rural	2014	4252	60	6.0	2	2	7	4	4996		0.032	87.821
* JCT 2ND AVE W IN MOBRIDGE																	
012	189.58	0.032	Walworth	04	Rural	2003	7211	60	8.0	2	2	7	4	4996		0.042	87.863
012	189.65	0.000	Walworth	04	Rural	2003	7211	60	8.0	2	2	7	4	5395		0.046	87.909
* JCT 1ST AVE W IN MOBRIDGE																	
012	189.65	0.046	Walworth	04	Rural	2013	4252	60	6.0	2	2	7	4	5395		0.026	87.935
012	189.73	0.000	Walworth	04	Rural	2013	4252	60	6.0	2	2	7	4	5395		0.069	88.004
* JCT MAIN ST IN MOBRIDGE																	
012	189.80	0.000	Walworth	04	Rural	2013	4252	60	6.0	2	2	7	4	5395		0.069	88.073
* JCT 1ST AVE E IN MOBRIDGE																	
012	189.87	0.000	Walworth	04	Rural	2013	4252	60	6.0	2	2	7	4	5395		0.042	88.115
* JCT 2ND AVE E IN MOBRIDGE																	
012	189.87	0.042	Walworth	04	Rural	2003	7211	60	8.0	2	2	7	4	5395		0.028	88.143
012	189.92	0.000	Walworth	04	Rural	2003	7211	60	8.0	2	2	7	4	4768		0.039	88.182
* JCT 3RD AVE E IN MOBRIDGE																	
012	189.92	0.039	Walworth	04	Rural	2013	4252	60	6.0	2	2	7	4	4768		0.030	88.212
012	189.98	0.000	Walworth	04	Rural	2013	4252	60	6.0	2	2	7	4	4768		0.066	88.278
* JCT SD 1804 N/4TH AVE E IN MOBRIDGE																	
012	190.06	0.000	Walworth	04	Rural	2013	4252	60	6.0	2	2	7	4	4768		0.063	88.341
* JCT 5TH AVE E IN MOBRIDGE																	
012	190.12	0.000	Walworth	04	Rural	2013	4252	60	6.0	2	2	7	4	4768		0.009	88.350
* JCT 6TH AVE E IN MOBRIDGE																	
012	190.13	0.000	Walworth	04	Rural	2013	4252	60	6.0	2	2	7	4	4768		0.044	88.394
* JCT 7TH AVE E S IN MOBRIDGE																	
012	190.17	0.000	Walworth	04	Rural	2013	4252	60	6.0	2	2	7	4	4768		0.068	88.462
* JCT 7TH AVE E N IN MOBRIDGE																	

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
012	190.24	0.000	Walworth	04	Rural	2013	4252	60	6.0	2	2	7	4	4768		0.027	88.489
* JCT 8TH AVE E S IN MOBRIDGE																	
012	190.27	0.000	Walworth	04	Rural	2013	4252	60	6.0	2	2	7	4	4768		0.042	88.531
* JCT 9TH AVE E S IN MOBRIDGE																	
012	190.31	0.000	Walworth	04	Rural	2013	4252	60	6.0	2	2	7	4	4768		0.069	88.600
* JCT 9TH AVE E N IN MOBRIDGE																	
012	190.38	0.000	Walworth	04	Rural	2013	4252	60	6.0	2	2	7	4	4768		0.117	88.717
* JCT 10TH AVE E IN MOBRIDGE																	
012	190.50	0.000	Walworth	04	Rural	2013	4252	60	6.0	2	2	7	4	4768		0.133	88.850
* JCT 11TH AVE E IN MOBRIDGE																	
012	190.64	0.000	Walworth	04	Rural	2013	4252	60	6.0	2	2	7	4	4768		0.141	88.991
* JCT 13TH AVE E IN MOBRIDGE																	
012	190.78	0.000	Walworth	04	Rural	2013	4252	60	6.0	2	2	7	4	4768		0.037	89.028
* JCT 15TH AVE E IN MOBRIDGE																	
012	190.82	0.000	Walworth	04	Rural	2013	4252	60	6.0	2	2	7	4	4768		0.109	89.137
* JCT 17TH AVE E S IN MOBRIDGE																	
012	190.92	0.000	Walworth	04	Rural	2006	4252	48	7.0	7	7	6	4	4768		0.005	89.142
* JCT 17TH AVE E N IN MOBRIDGE																	
012	190.93	0.000	Walworth	04	Rural	2006	4252	48	7.0	7	7	6	4	2421		1.000	90.142
* E CITY LIMITS IN MOBRIDGE																	
012	191.93	0.000	Walworth	04	Rural	2006	4252	36	7.0	8	3	6	3	2421		1.575	91.717
* JCT AIRPORT RD/REVHEIM RD IN MOBRIDGE																	
012	193.00	0.499	Walworth	04	Rural	2006	4252	48	7.0	3	3	6	4	2421		0.304	92.021
* JCT 288 AVE																	
012	193.79	0.000	Walworth	04	Rural	2006	4252	48	7.0	3	3	6	4	1957		0.059	92.080
* JCT 1804 S																	
012	193.79	0.059	Walworth	04	Rural	2006	4252	36	7.0	3	8	6	3	1957		2.129	94.209
012	195.00	0.994	Walworth	04	Rural	2006	4252	24	7.0	8	8	6	2	1957		0.123	94.332
012	196.11	0.000	Walworth	04	Rural	2006	4252	24	7.0	8	8	6	2	1957	65082040	0.024	94.356
012	196.11	0.024	Walworth	04	Rural	2006	4252	24	7.0	8	8	6	2	1957		1.224	95.580
012	197.36	0.000	Walworth	04	Rural	2006	4252	24	7.0	8	8	6	2	1957		0.015	95.595
* JCT GLENHAM RD																	



# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
012	197.38	0.000	Walworth	04	Rural	2006	4252	24	7.0	8	8	6	2	1957		0.159	95.754
	* JCT HARRISON ST																
012	197.38	0.159	Walworth	04	Rural	2006	4252	36	7.0	8	3	6	3	1957		0.463	96.217
012	198.00	0.000	Walworth	04	Rural	2006	4252	24	7.0	8	8	6	2	1957		0.888	97.105
012	198.00	0.888	Walworth	04	Rural	2006	4251	24	7.0	10	10	6	2	1957		2.953	100.058
012	201.86	0.000	Walworth	04	Rural	2006	4251	24	7.0	10	10	6	2	1432		1.507	101.565
	* JCT 300 AVE																
012	203.36	0.000	Walworth	04	Rural	2006	4251	24	7.0	10	10	6	2	1432	65155040	0.194	101.759
012	203.36	0.194	Walworth	04	Rural	2006	4251	24	7.0	10	10	6	2	1432		3.278	105.037
012	206.00	0.862	Walworth	04	Rural	2009	4251	24	10.5	7	7	6	2	1432		0.072	105.109
012	206.94	0.000						0	0	0	0		0	0		0.000	105.109
	* JCT US 12 E/US 12 W																
012	207.83	0.000	Walworth	04	Rural	2009	4251	24	10.5	7	7	6	2	2005		2.024	107.133
	* JCT US 12 E/US 12 W																
012	209.45	0.000	Walworth	04	Rural	2009	4251	24	10.5	7	7	6	2	2005		0.099	107.232
	* N CITY LIMITS IN SELBY																
012	209.82	0.000	Walworth	04	Rural	2009	4251	24	10.5	7	7	6	2	2005		0.068	107.300
	* JCT TOWER ST IN SELBY																
012	209.89	0.000	Walworth	04	Rural	2009	4251	24	10.5	7	7	6	2	2005		0.070	107.370
	* JCT DAKOTA ST IN SELBY																
012	209.96	0.000	Walworth	04	Rural	2009	4251	48	9.0	2	2	7	4	2144		0.069	107.439
	* JCT SD 130 E IN SELBY																
012	210.06	0.000	Walworth	04	Rural	2009	4251	48	9.0	2	2	7	4	2144		0.070	107.509
	* JCT THEODORE ST IN SELBY																
012	210.13	0.000	Walworth	04	Rural	2009	4251	48	9.0	2	2	7	4	2144		0.170	107.679
	* JCT WALWORTH ST IN SELBY																
012	210.47	0.000	Walworth	04	Rural	2009	4251	24	10.5	7	7	6	2	2144	65210063	0.047	107.726
012	210.47	0.047	Walworth	04	Rural	2009	4251	24	10.5	7	7	6	2	2144		0.163	107.889
012	210.48	0.000	Walworth	04	Rural	2009	4251	24	10.5	7	7	6	2	2144		0.021	107.910
	* JCT S RAILWAY ST IN SELBY																
012	210.50	0.000	Walworth	04	Rural	2009	4251	24	10.5	7	7	6	2	2144	65210066	0.005	107.915
012	210.50	0.005	Walworth	04	Rural	2009	4251	24	10.5	7	7	6	2	2144		0.115	108.030

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
012	210.54	0.000	Walworth	04	Rural	2009	4251	24	10.5	7	7	6	2	2144		0.344	108.374
	* S CITY LIMITS IN SELBY																
012	211.10	0.000	Walworth	04	Rural	2009	4251	24	10.5	7	7	6	2	2144		1.500	109.874
	* JCT 131 ST																
012	212.00	0.613	Walworth	04	Rural	2016	4252	28	8.4	4	4	6	2	2144		0.795	110.669
012	213.43	0.000						0	0	0	0		0	0		0.000	110.669
	* JCT US 12 E/US 12 W																
012	214.68	0.000	Walworth	04	Rural	2016	4252	28	8.4	4	4	6	2	1165		6.307	116.976
	* JCT US 12 E/US 12 W																
012	220.94	0.000	Walworth	04	Rural	2016	4252	28	8.4	4	4	6	2	1221		2.151	119.127
	* JCT SD 271 N																
012	223.13	0.000	Walworth	04	Rural	2016	4252	28	8.4	4	4	6	2	1221	65302100	0.007	119.134
012	223.13	0.007	Walworth	04	Rural	2016	4252	28	8.4	4	4	6	2	1221		2.875	122.009
012	226.06	0.000	Walworth	04	Rural	2016	4252	28	8.4	4	4	6	2	1424		3.999	126.008
	* JCT SD 47 S																
012	230.02	0.000	Edmunds	04	Rural	2016	4251	28	8.4	2	2	6	2	1424		1.311	127.319
	* WALWORTH/EDMUNDS COUNTY LINE AND JCT 323 AVE																
012	231.00	0.317	Edmunds	04	Rural	2016	4251	28	8.4	2	14	6	3	1424		0.083	127.402
012	231.39	0.000	Edmunds	04	Rural	2016	4251	28	8.4	2	14	6	3	1424		0.137	127.539
	* ROADSIDE AREA (MERTZ)																
012	231.53	0.000						0	0	0	0		0	0		0.000	127.539
	* JCT US 12 E/US 12 W																

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
012 E	206.94	0.000	Walworth	04	Rural	2009	4251	24	10.5	3	7	6	2	879		0.363	0.363
	* JCT US 12 HWY BEGIN																
012 E	207.00	0.283	Walworth	04	Rural	2009	4251	36	10.5	1	7	6	3	879		0.089	0.452
012 E	207.36	0.000	Walworth	04	Rural	2009	4251	36	10.5	1	7	6	3	879		0.003	0.455
	* JCT US 83 SB N																
012 E	207.38	0.000	Walworth	04	Rural	2009	4251	36	10.5	1	7	6	3	879		0.003	0.458
	* INT US 83																
012 E	207.40	0.000	Walworth	04	Rural	2009	4251	24	10.5	3	7	6	2	961		0.467	0.925
	* JCT US 83 NB N																
012 E	207.83	0.000						0	0	0	0		0	0		0.000	0.925
	* JCT US 12																
012 E	213.43	0.000	Walworth	04	Rural	2016	4252	26	8.4	3	4	6	2	1088		0.538	1.463
	* JCT US 12																
012 E	213.95	0.000	Walworth	04	Rural	2016	4252	26	8.4	3	4	6	2	1088		0.084	1.547
	* JCT 12 E1																
012 E	214.06	0.000	Walworth	04	Rural	2016	4252	26	8.4	3	4	6	2	1088		0.007	1.554
	* JCT US 83 SB S																
012 E	214.08	0.000	Walworth	04	Rural	2016	4252	26	8.4	3	4	6	2	511		0.007	1.561
	* JCT US 83																
012 E	214.10	0.000	Walworth	04	Rural	2016	4252	26	8.4	3	4	6	2	511		0.056	1.617
	* JCT US 83 NB S																
012 E	214.13	0.000	Walworth	04	Rural	2016	4252	26	8.4	3	4	6	2	511		0.541	2.158
	* JCT 12 E2																
012 E	214.68	0.000						0	0	0	0		0	0		0.000	2.158
	* JCT US 12																
012 E	231.53	0.000	Edmunds	04	Rural	2016	4251	26	8.4	3	2	6	2	652		1.084	3.242
	* JCT US 12																
012 E	232.61	0.000	Edmunds	04	Rural	2016	4251	26	8.4	3	2	6	2	652		0.383	3.625
	* JCT 4TH AVE IN BOWDLE																

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	Type	-----Surfacing-----		-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
								Width	Thick ness	Width LT	RT	Type					
012 W	206.94	0.000	Walworth	04	Rural	2009	4251	24	10.5	7	3	6	2	879		0.424	0.424
	* JCT US 12 HWY BEGIN																
012 W	207.31	0.000	Walworth	04	Rural	2009	4251	24	10.5	7	3	6	2	879		0.028	0.452
	* JCT 12 W2																
012 W	207.36	0.000	Walworth	04	Rural	2009	4251	24	10.5	7	3	6	2	879		0.003	0.455
	* JCT US 83 SB N																
012 W	207.38	0.000	Walworth	04	Rural	2009	4251	24	10.5	7	3	6	2	879		0.003	0.458
	* INT US 83																
012 W	207.40	0.000	Walworth	04	Rural	2009	4251	24	10.5	7	3	6	2	961		0.060	0.518
	* JCT US 83 NB N																
012 W	207.44	0.000	Walworth	04	Rural	2009	4251	24	10.5	7	3	6	2	961		0.407	0.925
	* JCT 12 W1																
012 W	207.83	0.000						0	0	0	0		0	0		0.000	0.925
	* JCT US 12																
012 W	213.43	0.000	Walworth	04	Rural	2016	4252	26	8.4	4	3	6	2	1088		0.609	1.534
	* JCT US 12																
012 W	214.06	0.000	Walworth	04	Rural	2016	4252	26	8.4	4	3	6	2	1088		0.003	1.537
	* JCT US 83 SB S																
012 W	214.08	0.000	Walworth	04	Rural	2016	4252	26	8.4	4	3	6	2	511		0.010	1.547
	* JCT US 83																
012 W	214.10	0.000	Walworth	04	Rural	2016	4252	26	8.4	4	3	6	2	511		0.584	2.131
	* JCT US 83 NB S																
012 W	214.68	0.000						0	0	0	0		0	0		0.000	2.131
	* JCT US 12																
012 W	231.53	0.000	Edmunds	04	Rural	2016	4251	26	8.4	3	2	6	2	652		1.084	3.215
	* JCT US 12																
012 W	232.61	0.000	Edmunds	04	Rural	2016	4251	26	8.4	3	2	6	2	652		0.388	3.603
	* JCT 4TH AVE IN BOWDLE																

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
014	123.14	0.000	Jackson	04	Rural	2021	4251	28	9.5	4	4	6	2	995		0.696	0.696
	* PENINGTON/JACKSON COUNTY LINE																
014	123.83	0.000	Jackson	04	Rural	2021	4251	28	9.5	4	4	6	2	995	36067016	0.028	0.724
014	123.83	0.028	Jackson	04	Rural	2021	4251	28	9.5	4	4	6	2	995		4.582	5.306
014	128.44	0.000	Jackson	04	Rural	2021	4251	28	9.5	4	4	6	2	995	36112021	0.033	5.339
014	128.44	0.033	Jackson	04	Rural	2021	4251	28	9.5	4	4	6	2	995		0.187	5.526
014	128.68	0.000	Jackson	04	Rural	2021	4251	28	9.5	4	4	6	2	995		0.203	5.729
	* W CITY LIMITS IN COTTONWOOD																
014	128.88	0.000	Jackson	04	Rural	2021	4251	28	9.5	4	4	6	2	995		0.021	5.750
	* JCT D ST IN COTTONWOOD																
014	128.88	0.021	Jackson	04	Rural	2001	4251	28	8.3	6	6	4	2	995		0.031	5.781
014	128.91	0.000	Jackson	04	Rural	2001	4251	28	8.3	6	6	4	2	995		0.242	6.023
	* JCT MAIN ST IN COTTONWOOD																
014	129.15	0.000	Jackson	04	Rural	2001	4251	28	8.3	6	6	4	2	995		0.236	6.259
	* JCT 3RD AVE/COTTONWOOD RD IN COTTONWOOD																
014	129.39	0.000	Jackson	04	Rural	2001	4251	28	8.3	5	5	4	2	995		1.209	7.468
	* E CITY LIMITS IN COTTONWOOD																
014	130.60	0.000	Jackson	04	Rural	2001	4251	28	8.3	5	5	4	2	995		0.603	8.071
	* RR XING CN03 190026Y																
014	131.23	0.000	Jackson	04	Rural	2001	4251	28	8.3	5	5	4	2	995		0.737	8.808
	* JCT FAIRVIEW RD																
014	131.97	0.000	Jackson	04	Rural	2001	4251	28	8.3	5	5	4	2	995	36145015	0.017	8.825
014	131.97	0.017	Jackson	04	Rural	2001	4251	28	8.3	5	5	4	2	995		1.192	10.017
014	133.17	0.000	Jackson	04	Rural	2001	4251	28	8.3	5	5	4	2	995	36156007	0.071	10.088
014	133.17	0.071	Jackson	04	Rural	2001	4251	28	8.3	5	5	4	2	995		2.445	12.533
014	135.70	0.000	Haakon	04	Rural	2001	4251	28	7.1	5	5	4	2	1040		1.106	13.639
	* JACKSON/HAAKON COUNTY LINE																
014	136.81	0.000	Haakon	04	Rural	2001	4251	28	7.1	5	5	4	2	1040	28122513	0.151	13.790
014	136.81	0.151	Haakon	04	Rural	2001	4251	28	7.1	5	5	4	2	1040		1.237	15.027
014	138.20	0.000	Haakon	04	Rural	2001	4251	28	7.1	5	5	4	2	1040	28131503	0.045	15.072
014	138.20	0.045	Haakon	04	Rural	2001	4251	28	7.1	5	5	4	2	1040		1.004	16.076

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
014	139.24	0.000	Haakon	04	Rural	2001	4251	28	7.1	5	5	4	2	1040		2.039	18.115
	* JCT 218 AVE																
014	141.00	0.277	Haakon	04	Rural	2001	4251	28	6.0	8	8	6	2	1040		0.351	18.466
014	141.65	0.000	Haakon	04	Rural	2001	4251	28	6.0	8	8	6	2	1040	28162490	0.080	18.546
014	141.65	0.080	Haakon	04	Rural	2001	4251	28	6.0	8	8	6	2	1040		0.062	18.608
014	141.65	0.142	Haakon	04	Rural	2001	4251	28	7.6	5	5	6	2	1040		0.349	18.957
014	142.17	0.000	Haakon	04	Rural	2001	4251	28	7.6	5	5	6	2	1040		0.336	19.293
	* JCT STANLEY ST																
014	142.17	0.336	Haakon	04	Rural	2001	4251	48	7.6	8	8	6	4	1040		0.087	19.380
014	142.57	0.000	Haakon	04	Rural	2001	4251	48	7.1	5	5	4	3	1794		0.157	19.537
	* JCT SD 73/W CITY LIMITS IN PHILIP																
014	142.73	0.000	Haakon	04	Rural	2001	4251	48	7.1	5	5	4	2	1794		0.027	19.564
	* JCT HOAG AVE IN PHILIP																
014	142.73	0.027	Haakon	04	Rural	2001	4252	28	7.1	5	5	4	2	1794		0.044	19.608
014	142.83	0.000	Haakon	04	Rural	2001	4252	28	7.1	5	5	4	2	1794		0.139	19.747
	* JCT WOOD AVE IN PHILIP																
014	142.98	0.000	Haakon	04	Rural	2001	4252	28	7.1	5	5	4	2	1794		0.130	19.877
	* JCT N AUTO AVE IN PHILIP																
014	143.01	0.000	Haakon	04	Rural	2001	4252	28	7.1	5	5	4	2	775		1.197	21.074
	* JCT WRAY AVE & NE CITY LIMITS IN PHILIP																
014	144.27	0.000	Haakon	04	Rural	2001	4252	28	7.1	5	5	4	2	775	28186480	0.011	21.085
014	144.27	0.011	Haakon	04	Rural	2001	4252	28	7.1	5	5	4	2	775		0.880	21.965
014	145.16	0.000	Haakon	04	Rural	2001	4252	28	7.1	5	5	4	2	775	28195480	0.080	22.045
014	145.16	0.080	Haakon	04	Rural	2001	4252	28	7.1	5	5	4	2	775		1.633	23.678
014	146.88	0.000	Haakon	04	Rural	2001	4252	28	7.1	5	5	4	2	775	28212477	0.018	23.696
014	146.88	0.018	Haakon	04	Rural	2001	4252	28	7.1	5	5	4	2	775		2.120	25.816
014	149.03	0.000	Haakon	04	Rural	2001	4252	28	7.1	5	5	4	2	775	28234477	0.019	25.835
014	149.03	0.019	Haakon	04	Rural	2001	4252	28	7.1	5	5	4	2	775		2.092	27.927
014	151.00	0.123	Haakon	04	Rural	2010	4251	24	5.0	5	5	6	2	775		0.590	28.517
014	151.71	0.000	Haakon	04	Rural	2010	4251	24	5.0	5	5	6	2	775		0.201	28.718
	* JCT POWELL RD																

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
014	151.91	0.000	Haakon	04	Rural	2010	4251	24	5.0	5	5	6	2	775	28262481	0.086	28.804
014	152.00	0.000	Haakon	04	Rural	2010	4251	24	5.0	5	5	6	2	775		0.875	29.679
014	152.88	0.000	Haakon	04	Rural	2010	4251	24	5.0	5	5	6	2	775	28271480	0.097	29.776
014	152.88	0.097	Haakon	04	Rural	2010	4251	24	5.0	5	5	6	2	775		2.213	31.989
014	155.18	0.000	Haakon	04	Rural	2010	4251	24	5.0	5	5	6	2	775	28294480	0.020	32.009
014	155.18	0.020	Haakon	04	Rural	2010	4251	24	5.0	5	5	6	2	775		0.447	32.456
014	155.65	0.000	Haakon	04	Rural	2010	4251	24	5.0	5	5	6	2	775	28299479	0.122	32.578
014	155.65	0.122	Haakon	04	Rural	2010	4251	24	5.0	5	5	6	2	775		1.899	34.477
014	157.67	0.000	Haakon	04	Rural	2010	4251	24	5.0	5	5	6	2	775	28319477	0.080	34.557
014	157.67	0.080	Haakon	04	Rural	2010	4251	24	5.0	5	5	6	2	775		1.449	36.006
014	159.20	0.000	Haakon	04	Rural	2010	4251	24	5.0	5	5	6	2	775	28334471	0.295	36.301
014	159.20	0.295	Haakon	04	Rural	2010	4251	24	5.0	5	5	6	2	775		0.390	36.691
014	159.87	0.000	Haakon	04	Rural	2010	4251	24	5.0	5	5	6	2	775		0.870	37.561
* JCT OTTUMWA RD																	
014	160.75	0.000	Haakon	04	Rural	2010	4251	24	5.0	5	5	6	2	741		1.854	39.415
* JCT NOWLIN RD																	
014	162.61	0.000	Haakon	04	Rural	2010	4251	24	5.0	5	5	6	2	741	28368474	0.392	39.807
014	163.00	0.000	Haakon	04	Rural	2010	4251	24	5.0	5	5	6	2	741		1.401	41.208
014	164.40	0.000	Haakon	04	Rural	2010	4251	24	5.0	5	5	6	2	741	28386473	0.331	41.539
014	164.40	0.331	Haakon	04	Rural	2010	4251	24	5.0	5	5	6	2	741		0.170	41.709
014	165.00	0.021	Haakon	04	Rural	2010	4255	24	7.5	7	7	6	2	741		2.024	43.733
014	167.02	0.000	Haakon	04	Rural	2010	4255	24	7.5	7	7	6	2	741	28410472	0.184	43.917
014	167.02	0.184	Haakon	04	Rural	2010	4255	24	7.5	7	7	6	2	741		0.492	44.409
014	167.02	0.676	Haakon	04	Rural	2000	4252	24	7.5	7	7	6	2	741		0.413	44.822
014	168.00	0.115	Haakon	04	Rural	2000	4252	28	7.5	4	4	4	2	741		0.151	44.973
014	168.00	0.266	Haakon	04	Rural	2017	4252	24	8.5	7	7	6	2	741		0.095	45.068
014	168.37	0.000	Haakon	04	Rural	2017	4252	24	8.5	7	7	6	2	768		0.061	45.129
* JCT SD 63 S IN MIDLAND																	
014	168.41	0.000	Haakon	04	Rural	2017	4252	24	8.5	7	7	6	2	768		0.053	45.182
* W CITY LIMITS IN MIDLAND																	

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
014	168.41	0.053	Haakon	04	Rural	2000	4252	24	7.5	6	6	6	2	768		0.050	45.232
014	168.53	0.000	Haakon	04	Rural	2000	4252	24	7.5	6	6	6	2	768		0.179	45.411
	* JCT ELM ST IN MIDLAND																
014	168.69	0.000	Haakon	04	Rural	2000	4252	24	7.5	6	6	6	2	768		0.013	45.424
	* JCT BRIDGE ST IN MIDLAND																
014	168.82	0.000	Haakon	04	Rural	2000	4252	24	7.5	6	6	6	2	768		0.013	45.437
	* NE CITY LIMITS IN MIDLAND																
014	168.82	0.013	Haakon	04	Rural	2000	4252	28	7.5	4	4	4	2	768		0.523	45.960
014	169.26	0.000	Haakon	04	Rural	2000	4252	28	7.5	4	4	4	2	768	28430462	0.061	46.021
014	169.26	0.061	Haakon	04	Rural	2000	4252	28	7.5	4	4	4	2	768		0.089	46.110
014	169.26	0.150	Haakon	04	Rural	2000	4252	38	7.5	4	4	4	3	768		0.253	46.363
014	169.26	0.403	Haakon	04	Rural	2000	4252	36	7.5	6	6	6	3	768		0.339	46.702
014	170.00	0.000	Haakon	04	Rural	2000	4252	24	7.5	6	6	6	2	768		0.418	47.120
014	170.00	0.418	Haakon	04	Rural	2000	4252	28	7.5	4	4	4	2	768		2.621	49.741
014	173.06	0.000	Haakon	04	Rural	2000	4252	28	7.5	4	4	4	2	768	28437430	0.569	50.310
014	173.06	0.569	Haakon	04	Rural	2000	4252	28	7.5	4	4	4	2	768		0.685	50.995
014	174.00	0.302	Haakon	04	Rural	2000	4252	24	7.5	6	6	6	2	768		0.330	51.325
014	174.00	0.632	Haakon	04	Rural	2000	4252	28	7.5	4	4	4	2	768		0.328	51.653
014	174.00	0.960	Haakon	04	Rural	2000	4252	24	7.5	6	6	6	2	768		0.212	51.865
014	175.00	0.175	Haakon	04	Rural	2000	4252	28	7.5	4	4	4	2	768		0.760	52.625
014	175.97	0.000	Stanley	04	Rural	2000	4252	28	8.0	4	4	4	2	672		1.781	54.406
	* HAAKON/STANLEY COUNTY LINE																
014	177.73	0.000	Stanley	04	Rural	2000	4252	28	8.0	4	4	4	2	672	59020402	0.013	54.419
014	177.73	0.013	Stanley	04	Rural	2000	4252	28	8.0	4	4	4	2	672		0.211	54.630
014	177.94	0.000	Stanley	04	Rural	2000	4252	28	8.0	4	4	4	2	672		4.319	58.949
	* JCT BAD RIVER RD																
014	182.28	0.000	Stanley	04	Rural	2000	4252	28	8.0	4	4	4	2	672	59020358	0.108	59.057
014	182.28	0.108	Stanley	04	Rural	2000	4252	28	8.0	4	4	4	2	672		2.555	61.612
014	184.91	0.000	Stanley	04	Rural	2000	4252	28	8.0	4	4	4	2	672		0.059	61.671
	* JCT LONE TREE RD/214 ST																
014	185.00	0.000	Stanley	04	Rural	2000	4252	28	8.0	4	4	4	2	766		0.660	62.331



# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
014	185.67	0.000	Stanley	04	Rural	2000	4252	28	8.0	4	4	4	2	766	59020322	0.204	62.535
014	185.67	0.204	Stanley	04	Rural	2000	4252	28	8.0	4	4	4	2	766		2.270	64.805
014	188.15	0.000	Stanley	04	Rural	2000	4252	28	8.0	4	4	4	2	766	59023299	0.027	64.832
014	188.15	0.027	Stanley	04	Rural	2000	4252	28	8.0	4	4	4	2	766		0.077	64.909
014	188.15	0.104	Stanley	04	Rural	2000	4252	24	8.0	6	6	6	2	766		0.732	65.641
014	188.15	0.836	Stanley	04	Rural	2000	4252	28	8.0	4	4	4	2	766		0.461	66.102
014	189.45	0.000	Stanley	04	Rural	2000	4252	28	8.0	4	4	4	2	766	59025286	0.055	66.157
014	189.45	0.055	Stanley	04	Rural	2000	4252	28	8.0	4	4	4	2	766		0.243	66.400
014	189.45	0.298	Stanley	04	Rural	2010	4252	34	5.0	0	0	1	2	766		0.121	66.521
014	189.45	0.419	Stanley	04	Rural	2010	4252	24	9.0	5	5	6	2	766		0.153	66.674
014	190.03	0.000	Stanley	04	Rural	2020	4251	24	10.3	6	6	6	2	1106		0.276	66.950
	* JCT SD 34 E																
014	190.03	0.276	Stanley	04	Rural	2020	4251	24	8.3	6	6	6	2	1106		2.212	69.162
014	192.42	0.000	Stanley	04	Rural	2020	4251	24	8.3	6	6	6	2	1106		0.686	69.848
	* JCT BROWN CHURCH RD																
014	193.10	0.000	Stanley	04	Rural	2020	4251	24	8.3	6	6	6	2	1106	59057280	0.124	69.972
014	193.10	0.124	Stanley	04	Rural	2020	4251	24	8.3	6	6	6	2	1106		1.191	71.163
014	194.42	0.000	Stanley	04	Rural	2020	4251	24	8.3	6	6	6	2	1463		0.490	71.653
	* JCT HAYES RD																
014	194.92	0.000	Stanley	04	Rural	2020	4251	24	8.3	6	6	6	2	1463		0.313	71.966
	* JCT ROLLING GREEN PL AT HAYES																
014	195.21	0.000	Stanley	04	Rural	2020	4251	24	8.3	6	6	6	2	1463	59078280	0.101	72.067
014	195.21	0.101	Stanley	04	Rural	2020	4251	24	8.3	6	6	6	2	1463		0.187	72.254
014	195.92	0.000	Stanley	04	Rural	2020	4251	24	8.3	6	6	6	2	1463		7.264	79.518
	* JCT 14 EF ROADSIDE AREA AT HAYES																
014	202.00	0.775	Stanley	04	Rural	2018	4251	24	6.2	5	5	6	2	1463		0.146	79.664
014	202.00	0.921	Stanley	04	Rural	2018	4255	24	6.2	5	5	6	2	1463		0.467	80.131
014	203.40	0.000	Stanley	04	Rural	2018	4255	24	6.2	5	5	6	2	1463		0.342	80.473
	* SPECIAL MAINT UNIT CHANGE																
014	203.40	0.342	Stanley	04	Rural	2018	4251	34	6.0	0	0	1	2	1463		0.206	80.679
014	203.40	0.548	Stanley	04	Rural	2018	4255	24	6.2	5	5	6	2	1463		1.849	82.528

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
014	205.00	0.831	Stanley	04	Rural	2018	4251	34	6.0	0	0	1	2	1463		0.318	82.846
014	206.00	0.132	Stanley	04	Rural	2018	4255	24	6.2	5	5	6	2	1463		0.563	83.409
014	206.00	0.695	Stanley	04	Rural	2018	4251	34	6.0	0	0	1	2	1463		0.161	83.570
014	206.00	0.856	Stanley	04	Rural	2018	4255	24	6.2	5	5	6	2	1463		0.704	84.274
014	207.00	0.579	Stanley	04	Rural	2018	4251	34	6.0	0	0	1	2	1463		0.101	84.375
014	207.00	0.680	Stanley	04	Rural	2018	4255	24	6.2	5	5	6	2	1463		0.417	84.792
014	208.00	0.099	Stanley	04	Rural	2018	4251	34	6.0	0	0	1	2	1463		0.063	84.855
014	208.00	0.162	Stanley	04	Rural	2018	4255	24	6.2	5	5	6	2	1463		0.109	84.964
014	208.00	0.271	Stanley	04	Rural	2018	4251	34	6.0	0	0	1	2	1463		0.376	85.340
014	208.00	0.647	Stanley	04	Rural	2018	4255	24	6.2	5	5	6	2	1463		0.747	86.087
014	209.00	0.393	Stanley	04	Rural	2018	4251	34	6.0	0	0	1	2	1463		0.113	86.200
014	209.00	0.506	Stanley	04	Rural	2018	4255	24	6.2	5	5	6	2	1463		0.221	86.421
014	209.00	0.727	Stanley	04	Rural	2018	4251	34	6.0	0	0	1	2	1463		0.157	86.578
014	209.00	0.884	Stanley	04	Rural	2018	4255	24	6.2	5	5	6	2	1463		1.435	88.013
014	211.00	0.317	Stanley	04	Rural	2018	4251	34	6.0	0	0	1	2	1463		0.108	88.121
014	211.00	0.425	Stanley	04	Rural	2018	4255	24	6.2	5	5	6	2	1463		0.257	88.378
014	211.00	0.682	Stanley	04	Rural	2018	4251	34	6.0	0	0	1	2	1463		0.382	88.760
014	212.00	0.057	Stanley	04	Rural	2018	4255	24	6.2	5	5	6	2	1463		0.623	89.383
014	212.00	0.680	Stanley	04	Rural	2018	4251	34	6.0	0	0	1	2	1463		0.309	89.692
014	213.00	0.000	Stanley	04	Rural	2018	4255	24	6.2	5	5	6	2	1463		5.501	95.193
014	218.00	0.501	Stanley	04	Rural	2018	4251	34	6.0	0	0	1	2	1463		0.146	95.339
014	218.00	0.647	Stanley	04	Rural	2018	4255	24	6.2	5	5	6	2	1463		0.831	96.170
014	219.00	0.479	Stanley	04	Rural	2018	4251	34	6.0	0	0	1	2	1463		0.110	96.280
014	219.00	0.589	Stanley	04	Rural	2018	4255	24	6.2	5	5	6	2	1463		0.820	97.100
014	220.39	0.000	Stanley	04	Rural	2018	4255	24	6.2	5	5	6	2	1463	59328274	0.202	97.302
014	220.39	0.202	Stanley	04	Rural	2018	4255	24	6.2	5	5	6	2	1463		1.163	98.465
014	221.77	0.000	Stanley	04	Rural	2018	4255	24	6.2	5	5	6	2	1463		0.131	98.596
	* JCT CUT ACROSS RD																
014	221.77	0.131	Stanley	04	Rural	2018	4251	30	9.8	2	2	6	2	1463		0.405	99.001
014	222.00	0.313	Stanley	04	Rural	2018	4255	24	6.2	5	5	6	2	1463		4.276	103.277

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			----Shoulder----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
014	226.59	0.000	Stanley	14	Urban	2018	4255	24	6.2	5	5	6	2	1909		0.022	103.299
	* W CITY LIMITS IN FT PIERRE																
014	226.60	0.000	Stanley	14	Urban	2018	4255	24	6.2	5	5	6	2	1909		0.213	103.512
	* JCT LARAMIE TL IN FT PIERRE																
014	226.60	0.213	Stanley	14	Urban	1988	7211	48	9.0	2	2	7	4	1909		0.021	103.533
014	226.86	0.000	Stanley	14	Urban	1988	7211	48	9.0	2	2	7	4	6597		0.053	103.586
	* JCT SD 1806 N																
014	226.90	0.000	Stanley	14	Urban	1988	7211	48	9.0	2	2	7	4	6597		0.104	103.690
	* JCT BUFALO RD IN FT PIERRE																
014	227.01	0.000	Stanley	14	Urban	1988	7211	48	9.0	2	2	7	4	6597		0.071	103.761
	* JCT TECUMSEH ST IN FT PIERRE																
014	227.08	0.000	Stanley	14	Urban	1988	7211	48	9.0	2	2	7	4	6597		0.083	103.844
	* JCT BODMER ST IN FT PIERRE																
014	227.16	0.000	Stanley	14	Urban	1988	7211	48	9.0	2	2	7	4	6597		0.071	103.915
	* JCT HARNEY ST IN FT PIERRE																
014	227.23	0.000	Stanley	14	Urban	1988	7211	48	9.0	2	2	7	4	6597		0.071	103.986
	* JCT WALDRON ST IN FT PIERRE																
014	227.31	0.000	Stanley	14	Urban	1988	7211	48	9.0	2	2	7	4	6597		0.123	104.109
	* JCT CLARK ST IN FT PIERRE																
014	227.42	0.000	Stanley	14	Urban	1988	7211	48	9.0	2	2	7	4	6981		0.159	104.268
	* JCT SALE BARN RD S/LEWIS ST N IN FT PIERRE																
014	227.49	0.000	Stanley	14	Urban	1988	7211	48	9.0	2	2	7	4	6981		0.054	104.322
	* JCT SKERROLS ST IN FT PIERRE																
014	227.64	0.000	Stanley	14	Urban	1988	7211	48	9.0	2	2	7	4	6981		0.029	104.351
	* RR XING CN03 189856F																
014	227.64	0.029	Stanley	14	Urban	2002	7211	48	9.0	2	2	7	4	6981		0.008	104.359
014	227.67	0.000	Stanley	14	Urban	2002	7211	48	9.0	2	2	7	4	6981		0.038	104.397
	* JCT ROYAL CT IN FORT PIERRE																
014	227.72	0.000	Stanley	14	Urban	2002	7211	48	9.0	2	2	7	4	6981		0.022	104.419
	* JCT RAMP 14 1/14 2 IN FT PIERRE																
014	227.73	0.000	Stanley	14	Urban	2002	7211	48	9.0	2	2	7	4	6981		0.003	104.422
	* JCT US 14 WBL N/US 83 SBL S IN FT PIERRE																

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			----Shoulder----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
014	227.74	0.000	Stanley	14	Urban	2002	7211	48	9.0	2	2	7	4	6981		0.004	104.426
	* JCT US 83 NBL S/YELLOWSTONE ST E IN FT PIERRE																
014	227.75	0.000						0	0	0	0		0	0		0.000	104.426
	* JCT US 14 E/US 14 W IN FT PIERRE																
014	228.35	0.000	Hughes	14	Urban	1986	7201	52	9.0	2	2	7	4	14656		0.054	104.480
	* JCT US 14 E/US 14 W IN PIERRE																
014	228.44	0.000	Hughes	14	Urban	1986	7201	52	9.0	2	2	7	4	14656		0.011	104.491
	* JCT DAKOTA AVE IN PIERRE																
014	228.44	0.011	Hughes	14	Urban	1986	7201	60	9.0	2	2	7	5	14656		0.140	104.631
014	228.67	0.000	Hughes	14	Urban	1986	7201	60	9.0	2	2	7	5	14656		0.058	104.689
	* JCT JAMES ST IN PIERRE																
014	228.67	0.058	Hughes	14	Urban	2005	7211	60	10.0	2	2	7	5	14656		0.023	104.712
014	228.75	0.000	Hughes	14	Urban	2005	7211	60	10.0	2	2	7	5	14656		0.082	104.794
	* JCT CHARLES ST IN PIERRE																
014	228.81	0.000	Hughes	14	Urban	2005	7211	60	10.0	2	2	7	5	14813		0.082	104.876
	* JCT POPLAR ST IN PIERRE																
014	228.89	0.000	Hughes	14	Urban	2005	7211	60	10.0	2	2	7	5	14813		0.081	104.957
	* JCT ROBERTS ST IN PIERRE																
014	228.97	0.000	Hughes	14	Urban	2005	7211	60	10.0	2	2	7	5	14813		0.080	105.037
	* JCT HENRY ST IN PIERRE																
014	229.05	0.000	Hughes	14	Urban	2005	7211	60	10.0	2	2	7	5	15490		0.082	105.119
	* JCT CENTRAL ST IN PIERRE																
014	229.09	0.000	Hughes	14	Urban	2005	7211	60	10.0	2	2	7	5	15490		0.084	105.203
	* JCT FORT ST IN PIERRE																
014	229.13	0.000	Hughes	14	Urban	1996	4251	64	3.1	2	2	7	5	4620		0.011	105.214
	* JCT 14 B E/PIERRE ST IN PIERRE																
014	229.14	0.000	Hughes	14	Urban	1996	4251	64	3.1	2	2	7	4	4620		0.059	105.273
014	229.20	0.000	Hughes	14	Urban	1996	4251	64	3.1	2	2	7	4	4620	33108121	0.004	105.277
014	229.20	0.004	Hughes	14	Urban	1996	4391	64	3.1	2	2	7	4	4620		0.035	105.312
014	229.24	0.000	Hughes	14	Urban	1996	4391	58	3.1	2	2	7	4	4620		0.012	105.324
	* JCT PLEASANT DR W IN PIERRE																
014	229.24	0.012	Hughes	14	Urban	1996	4391	58	4.6	2	2	7	4	4620		0.036	105.360

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
014	229.29	0.000	Hughes	14	Urban	1996	4391	58	4.6	2	2	7	4	4620		0.080	105.440
014	229.37	0.000	Hughes	14	Urban	1996	4391	58	4.6	2	2	7	4	6057		0.079	105.519
014	229.45	0.000	Hughes	14	Urban	1996	4391	58	4.6	2	2	7	4	6057		0.082	105.601
014	229.55	0.000	Hughes	14	Urban	1996	4391	58	4.6	2	2	7	4	6378		0.077	105.678
014	229.60	0.000	Hughes	14	Urban	1996	4391	58	4.6	2	2	7	4	6378		0.011	105.689
014	229.60	0.011	Hughes	14	Urban	1996	4252	62	3.6	2	2	7	4	6378		0.092	105.781
014	229.71	0.000	Hughes	14	Urban	1996	4252	62	3.6	2	2	7	4	6378		0.073	105.854
014	229.78	0.000	Hughes	14	Urban	1996	4252	62	3.6	2	2	7	4	6378		0.073	105.927
014	229.86	0.000	Hughes	14	Urban	1996	4252	62	3.6	2	2	7	4	8055		0.060	105.987
014	229.91	0.000	Hughes	14	Urban	1996	4252	62	3.6	2	2	7	4	8055		0.061	106.048
014	229.98	0.000	Hughes	14	Urban	1996	4252	62	3.6	2	2	7	4	8055		0.062	106.110
014	229.99	0.000	Hughes	14	Urban	1996	4252	62	3.6	2	2	7	4	8055		0.050	106.160
014	230.00	0.046	Hughes	14	Urban	1996	4251	48	3.6	2	2	7	4	8055		0.039	106.199
014	230.10	0.000	Hughes	14	Urban	1996	4251	48	3.6	2	2	7	4	5337		0.063	106.262
014	230.16	0.000	Hughes	14	Urban	1996	4251	48	3.6	2	2	7	4	5337		0.063	106.325
014	230.22	0.000	Hughes	14	Urban	1996	4251	48	3.6	2	2	7	4	5337		0.062	106.387
014	230.29	0.000	Hughes	14	Urban	1996	4251	48	3.6	2	2	7	4	5337		0.088	106.475

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
014	230.37	0.000	Hughes	14	Urban	1996	4251	48	3.6	2	2	7	4	5337		0.012	106.487
	* JCT 8TH ST IN PIERRE																
014	230.39	0.000						0	0	0	0		0	0		0.000	106.487
	* JCT US 14 E/US 14 W IN PIERRE																
014	233.95	0.000	Hughes	04	Rural	2021	4736	30	5.0	6	6	6	2	3002		1.295	107.782
	* JCT US 14 E/US 14 W																
014	235.00	0.200	Hughes	04	Rural	2021	4736	30	5.0	6	6	6	3	3002		0.123	107.905
014	235.00	0.323	Hughes	04	Rural	2021	4736	42	5.0	6	3	6	3	3002		0.248	108.153
014	235.00	0.571	Hughes	04	Rural	2021	4736	30	5.0	6	6	6	3	3002		0.129	108.282
014	235.00	0.700	Hughes	04	Rural	2021	4736	30	5.0	6	6	6	2	3002		4.021	112.303
014	239.00	0.725	Hughes	04	Rural	2021	4736	28	4.5	7	7	6	2	3002		5.693	117.996
014	245.00	0.435	Hughes	04	Rural	1983	7203	28	7.5	7	7	9	2	3002		1.060	119.056
014	246.00	0.497	Hughes	04	Rural	1983	7201	28	7.5	7	7	9	2	3002		0.152	119.208
014	246.63	0.000	Hughes	04	Rural	1983	7201	28	7.5	7	7	9	2	1946		0.178	119.386
	* JCT US 83 N																
014	246.63	0.178	Hughes	04	Rural	1985	7211	30	8.0	7	7	4	2	1946		1.022	120.408
014	247.82	0.000	Hughes	04	Rural	1985	7211	30	8.0	7	7	4	2	1946		1.635	122.043
	* JCT 306 AVE																
014	249.00	0.467	Hughes	04	Rural	1985	7211	42	8.0	1	7	4	3	1946		0.745	122.788
014	250.00	0.213	Hughes	04	Rural	1985	7211	30	8.0	7	7	4	2	1946		0.129	122.917
014	250.35	0.000	Hughes	04	Rural	1985	7211	30	8.0	7	7	4	2	1946		0.065	122.982
	* RR XING CN16 189665V																
014	250.41	0.000	Hughes	04	Rural	1985	7211	30	8.0	7	7	4	2	1946		0.041	123.023
	* W CITY LIMITS IN BLUNT																
014	250.47	0.000	Hughes	04	Rural	1985	7211	30	8.0	7	7	4	2	1946	33286020	0.044	123.067
014	250.47	0.044	Hughes	04	Rural	1985	7211	30	8.0	7	7	4	2	1946		0.019	123.086
014	250.59	0.000	Hughes	04	Rural	1985	7211	30	8.0	7	7	4	2	1946		0.012	123.098
	* JCT FREELAND AVE IN BLUNT																
014	250.59	0.012	Hughes	04	Rural	1985	7211	44	8.0	2	2	7	3	1946		0.059	123.157
014	250.67	0.000	Hughes	04	Rural	1985	7211	44	8.0	2	2	7	3	1946		0.074	123.231
	* JCT CANFORD AVE IN BLUNT																

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
014	250.74	0.000	Hughes	04	Rural	1985	7211	44	8.0	2	2	7	3	1946		0.075	123.306
	* JCT COMMERCIAL AVE IN BLUNT																
014	250.82	0.000	Hughes	04	Rural	1985	7211	44	8.0	2	2	7	3	1946		0.074	123.380
	* JCT LONE TREE AVE IN BLUNT																
014	250.89	0.000	Hughes	04	Rural	1985	7211	44	8.0	2	2	7	3	1946		0.017	123.397
	* JCT BLUFF AVE IN BLUNT																
014	250.89	0.017	Hughes	04	Rural	1985	7211	44	8.0	2	7	7	3	1946		0.058	123.455
014	250.93	0.000	Hughes	04	Rural	1985	7211	44	8.0	2	7	7	3	1946		0.080	123.535
	* JCT MAIN ST IN BLUNT																
014	250.96	0.000	Hughes	04	Rural	1985	7211	30	8.0	7	7	4	2	1946		0.118	123.653
	* JCT HUGHES ST IN BLUNT																
014	251.11	0.000	Hughes	04	Rural	1985	7211	30	8.0	7	7	4	2	1838		1.260	124.913
	* E CITY LIMITS IN BLUNT																
014	252.35	0.000	Hughes	04	Rural	1985	7211	30	8.0	7	7	4	2	1838	33302015	0.122	125.035
014	252.35	0.122	Hughes	04	Rural	1985	7211	30	8.0	7	7	4	2	1838		0.563	125.598
014	253.03	0.000	Hughes	04	Rural	1985	7211	30	8.0	7	7	4	2	1838		1.001	126.599
	* JCT 311 AVE																
014	254.00	0.030	Hughes	04	Rural	2021	4251	24	7.3	7	7	6	2	1838		0.718	127.317
014	254.76	0.000	Hughes	04	Rural	2021	4251	24	7.3	7	7	6	2	1838	33327010	0.032	127.349
014	254.76	0.032	Hughes	04	Rural	2021	4251	24	7.3	7	7	6	2	1838		2.258	129.607
014	257.06	0.000	Hughes	04	Rural	2021	4251	24	7.3	7	7	6	2	1838		5.984	135.591
	* JCT 315 AVE																
014	263.05	0.000	Hughes	04	Rural	2021	4251	24	7.3	7	7	6	2	1330		0.003	135.594
	* JCT 321 AVE IN HARROLD																
014	263.05	0.003	Hughes	04	Rural	2021	4252	28	8.3	5	5	6	2	1330		0.253	135.847
014	263.29	0.000	Hughes	04	Rural	2021	4252	28	8.3	5	5	6	2	1330		0.782	136.629
	* JCT WYMAN AVE IN HARROLD																

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
014 B	229.13	0.000	Hughes	14	Urban	2006	7211	60	10.0	2	2	7	5	13814		0.084	0.084
	* JCT US 14 IN PIERRE BEGIN HWY																
014 B	229.21	0.000	Hughes	14	Urban	2006	7211	60	10.0	2	2	7	5	13814		0.045	0.129
	* JCT COTEAU ST IN PIERRE																
014 B	229.26	0.000	Hughes	14	Urban	2006	7211	60	10.0	2	2	7	5	14006		0.036	0.165
	* JCT HIGHLAND AVE IN PIERRE																
014 B	229.30	0.000	Hughes	14	Urban	2006	7211	60	10.0	2	2	7	5	14006		0.082	0.247
	* JCT CHAPELLE ST IN PIERRE																
014 B	229.38	0.000	Hughes	14	Urban	2006	7211	60	10.0	2	2	7	5	14006		0.069	0.316
	* JCT PAWNEE ST IN PIERRE																
014 B	229.38	0.069	Hughes	14	Urban	1988	7211	60	10.0	2	2	7	5	14006		0.012	0.328
014 B	229.46	0.000	Hughes	14	Urban	1988	7211	60	10.0	2	2	7	5	14006		0.081	0.409
	* JCT BRULE ST IN PIERRE																
014 B	229.54	0.000	Hughes	14	Urban	1988	7211	60	10.0	2	2	7	5	13798		0.081	0.490
	* JCT REE ST IN PIERRE																
014 B	229.62	0.000	Hughes	14	Urban	1988	7211	60	10.0	2	2	7	5	13798		0.082	0.572
	* JCT CROW ST IN PIERRE																
014 B	229.70	0.000	Hughes	14	Urban	1988	7211	60	10.0	2	2	7	5	13798	33113124	0.025	0.597
014 B	229.70	0.025	Hughes	14	Urban	1988	7211	60	10.0	2	2	7	5	13798		0.017	0.614
014 B	229.74	0.000	Hughes	14	Urban	1988	7211	60	10.0	2	2	7	5	13798		0.126	0.740
	* JCT TERRACE ST IN PIERRE																
014 B	229.74	0.126	Hughes	14	Urban	1981	7201	64	8.0	2	2	7	5	13798		0.021	0.761
014 B	229.89	0.000	Hughes	14	Urban	1981	7201	64	8.0	2	2	7	5	13798		0.067	0.828
	* JCT SIOUX AVE IN PIERRE																
014 B	229.96	0.000	Hughes	14	Urban	1981	7201	64	8.0	2	2	7	5	13798		0.014	0.842
	* RR XING CN03 189846A																
014 B	229.97	0.000	Hughes	14	Urban	1988	7211	60	10.0	2	2	7	5	13488		0.044	0.886
	* JCT WELLS AVE IN PIERRE																
014 B	230.02	0.000	Hughes	14	Urban	1988	7211	60	10.0	2	2	7	5	13488		0.077	0.963
	* JCT ADAMS ST IN PIERRE																
014 B	230.09	0.000	Hughes	14	Urban	1988	7211	60	10.0	2	2	7	5	13431		0.076	1.039
	* JCT JEFFERSON ST IN PIERRE																



# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			----Shoulder----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
014 B	230.17	0.000	Hughes	14	Urban	1988	7211	60	10.0	2	2	7	5	13431		0.069	1.108
	* JCT MADISON ST IN PIERRE																
014 B	230.24	0.000	Hughes	14	Urban	1988	7211	60	10.0	2	2	7	5	13431		0.077	1.185
	* JCT MONROE ST IN PIERRE																
014 B	230.32	0.000	Hughes	14	Urban	1988	7211	60	10.0	2	2	7	5	13431		0.071	1.256
	* JCT JACKSON ST IN PIERRE																
014 B	230.39	0.000	Hughes	14	Urban	1988	7211	60	10.0	2	2	7	5	13431		0.073	1.329
	* JCT VANBUREN ST IN PIERRE																
014 B	230.46	0.000	Hughes	14	Urban	1988	7211	60	10.0	2	2	7	5	12275		0.026	1.355
	* JCT HARRISON ST IN PIERRE																
014 B	230.49	0.000	Hughes	14	Urban	1988	7211	60	10.0	2	2	7	5	12275		0.042	1.397
	* JCT RAMP TO HARRISON AVE IN PIERRE																
014 B	230.53	0.000	Hughes	14	Urban	1988	7211	60	10.0	2	2	7	5	12275		0.071	1.468
	* JCT TYLER ST IN PIERRE																
014 B	230.60	0.000	Hughes	14	Urban	1988	7211	60	10.0	2	2	7	5	12275		0.071	1.539
	* JCT POLK ST IN PIERRE																
014 B	230.67	0.000	Hughes	14	Urban	1988	7211	60	10.0	2	2	7	5	12275		0.069	1.608
	* JCT TAYLOR ST IN PIERRE																
014 B	230.74	0.000	Hughes	14	Urban	1988	7211	60	10.0	2	2	7	5	12275		0.068	1.676
	* JCT FILMORE ST IN PIERRE																
014 B	230.81	0.000	Hughes	14	Urban	2004	7211	60	9.0	2	2	7	5	12275		0.109	1.785
	* JCT PIERCE AVE IN PIERRE																
014 B	230.92	0.000						0	0	0	0		0	0		0.000	1.785
	* JCT US 14 EB/US 14 WB IN PIERRE																
014 B	231.15	0.000	Hughes	14	Urban	2004	7211	42	9.0	2	2	7	3	9174		0.006	1.791
	* JCT US 14 EB/US 14 WB IN PIERRE																
014 B	231.16	0.000	Hughes	14	Urban	2004	7211	42	9.0	2	2	7	3	9174		0.005	1.796
	* JCT SD 34 EBL IN PIERRE																
014 B	231.17	0.000	Hughes	14	Urban	2004	7211	42	9.0	2	2	7	3	9174		0.022	1.818
	* JCT SD 34 WBL IN PIERRE																
014 B	231.19	0.000	Hughes	14	Urban	2004	7211	42	9.0	2	2	7	3	9174		0.074	1.892
	* JCT RAMP 34 W1 IN PIERRE																
014 B	231.26	0.000	Hughes	14	Urban	2012	4251	60	8.1	2	2	7	3	9174		0.048	1.940

South Dakota Department of Transportation  
Transportation Inventory Management & Research

Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
014 B	231.26	0.048	Hughes	14	Urban	2012	4251	60	8.1	2	2	7	5	9174		0.003	1.943
014 B	231.32	0.000	Hughes	14	Urban	2012	4251	60	8.1	2	2	7	5	9174		0.076	2.019
014 B	231.39	0.000	Hughes	14	Urban	2012	4251	60	8.1	2	2	7	5	9965		0.076	2.095
014 B	231.47	0.000	Hughes	14	Urban	2012	4251	60	8.1	2	2	7	5	9965		0.204	2.299
014 B	231.67	0.000	Hughes	14	Urban	2012	4251	60	8.1	2	2	7	5	10165		0.045	2.344
014 B	231.72	0.000	Hughes	14	Urban	2012	4251	60	8.1	2	2	7	5	10165		0.171	2.515
014 B	231.89	0.000	Hughes	14	Urban	2012	4251	60	8.1	2	2	7	5	10165		0.007	2.522
014 B	231.89	0.007	Hughes	14	Urban	2012	4251	68	8.1	0	0	1	5	10165		0.071	2.593
014 B	231.96	0.000	Hughes	14	Urban	2012	4251	68	8.1	0	0	1	5	10165		0.040	2.633
014 B	232.02	0.000	Hughes	14	Urban	2012	4251	68	8.1	0	0	1	5	10165		0.189	2.822
014 B	232.20	0.000	Hughes	14	Urban	2012	4251	68	8.1	0	0	1	5	10165		0.170	2.992
014 B	232.37	0.000	Hughes	14	Urban	2012	4251	64	8.1	2	0	8	5	10165		0.220	3.212
014 B	232.37	0.220	Hughes	14	Urban	2012	4251	60	8.1	2	2	7	5	10165		0.009	3.221
014 B	232.59	0.000	Hughes	14	Urban	2012	4251	60	8.1	2	2	7	5	9798		0.062	3.283
014 B	232.65	0.000	Hughes	14	Urban	2012	4251	60	8.1	2	2	7	5	9798		0.060	3.343
014 B	232.65	0.060	Hughes	14	Urban	2012	4251	68	8.1	0	0	1	5	9798		0.168	3.511
014 B	232.88	0.000						0	0	0	0		0	0		0.000	3.511
014 B	233.66	0.000	Hughes	14	Urban	2017	4251	24	9.1	7	7	6	2	5815		0.175	3.686

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	Type	-----Surfacing-----		-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
								Width	Thick ness	Width LT	RT	Type					
014 B	233.91	0.000	Hughes	14	Urban	2017	4251	24	9.1	7	7	6	2	5815		0.018	3.704
	* JCT US 14 EB/US 14 WB IN PIERRE																
014 B	233.92	0.000	Hughes	14	Urban	2017	4251	24	9.1	7	7	6	2	5815		0.030	3.734
	* JCT RAMP 14 E2 IN PIERRE																
014 B	233.97	0.000	Hughes	14	Urban	2017	4251	24	9.1	7	7	6	2	5815		0.008	3.742
	* JCT RAMP 14 E1 IN PIERRE																
014 B	233.98	0.000	Hughes	14	Urban	2017	4251	24	9.1	7	7	6	2	5815		0.008	3.750
	* JCT 14 E IN PIERRE																
014 B	233.99	0.000						0	0	0	0		0	0		0.000	3.750
	* CENTER OF INTERSECTION																
	* JCT US 14 W IN PIERRE																

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
014 E	227.74	0.000	Stanley	14	Urban	2002	7211	24	9.0	2	2	7	2	7293		0.146	0.146
	* JCT US 14/US 83 N/YELLOWSTONE ST IN FT PIERRE																
014 E	227.89	0.000	Stanley	14	Urban	2002	7211	24	9.0	2	2	7	2	7293		0.173	0.319
	* JCT MARION ST IN FT PIERRE																
014 E	228.00	0.060	Stanley	14	Urban	1991	7999	24	8.0	0	0	1	2	7293		0.029	0.348
014 E	228.02	0.000	Stanley	14	Urban	1991	7999	24	8.0	0	0	1	2	7299		0.136	0.484
	* E CITY LIMITS IN FT PIERRE																
014 E	228.03	0.000	Hughes	14	Urban	1991	7999	24	8.0	0	0	1	2	7299		0.108	0.592
	* STANLEY/HUGHES COUNTY LINE																
014 E	228.32	0.000	Hughes	14	Urban	1991	7999	24	8.0	0	0	1	2	7299		0.041	0.633
	* W CITY LIMITS IN PIERRE																
014 E	228.35	0.000						0	0	0	0		0	0		0.000	0.633
014 E	230.39	0.000	Hughes	14	Urban	2004	4251	24	6.3	4	7	6	2	2702		0.089	0.722
	* JCT US 14 IN PIERRE																
014 E	230.39	0.089	Hughes	14	Urban	2021	4251	24	8.3	3	7	6	2	2702		0.240	0.962
014 E	230.69	0.000	Hughes	14	Urban	2021	4251	24	9.3	3	7	6	2	1972		0.797	1.759
	* JCT SD 1804 N IN PIERRE																
014 E	231.51	0.000	Hughes	14	Urban	2021	4251	24	9.3	3	7	6	2	1972		0.144	1.903
	* JCT DULUTH AVE IN PIERRE																
014 E	231.66	0.000	Hughes	14	Urban	2021	4251	24	9.3	3	7	6	2	1972		0.675	2.578
	* JCT SAUNDERS AVE IN PIERRE																
014 E	232.34	0.000	Hughes	14	Urban	2021	4251	24	9.3	3	7	6	2	1972		0.033	2.611
	* JCT RAMP 14 E1 IN PIERRE																
014 E	232.38	0.000	Hughes	14	Urban	2021	4251	24	9.3	3	7	6	2	2034		0.048	2.659
	* JCT SD 14 B S																
014 E	232.43	0.000	Hughes	14	Urban	2021	4251	24	9.3	3	7	6	2	2034		0.060	2.719
	* JCT RAMP 14 E2 IN PIERRE																
014 E	232.49	0.000	Hughes	14	Urban	2021	4251	24	9.3	3	7	6	2	2034		0.093	2.812
	* JCT RAMP E1 IN PIERRE																
014 E	232.58	0.000	Hughes	04	Rural	2021	4251	24	9.3	3	7	6	2	2034		0.221	3.033
	* JCT AIRPORT RD S/KINGSWAY RD N & E CITY LIMITS IN PIERRE																
014 E	232.58	0.221	Hughes	04	Rural	2021	4736	30	5.0	14	6	6	3	2034		0.115	3.148

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
014 E	232.58	0.336	Hughes	04	Rural	2021	4736	30	5.0	1	6	6	2	2034		0.713	3.861
014 E	233.64	0.000	Hughes	04	Rural	2021	4736	30	5.0	1	6	6	2	2034		0.273	4.134
014 E	233.95	0.000						0	0	0	0		0	0		0.000	4.134

\* JCT 293 AVE

\* JCT US 14

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
014 EB	230.92	0.000	Hughes	14	Urban	2004	7211	24	9.0	2	8	8	2	5564		0.093	0.093
	* JCT US 14 B IN PIERRE HWY BEGIN																
014 EB	231.02	0.000	Hughes	14	Urban	2004	7211	24	9.0	2	8	8	2	5564		0.141	0.234
	* JCT GRANT AVE IN PIERRE																
014 EB	231.16	0.000						0	0	0	0		0	0		0.000	0.234
	* JCT US 14 B/SD 34 E IN PIERRE																
014 EB	232.88	0.000	Hughes	14	Urban	2017	4251	26	7.3	2	2	7	2	3502		0.115	0.349
	* JCT US 14 B/AIRPORT RD/4TH ST IN PIERRE																
014 EB	232.94	0.000	Hughes	14	Urban	2017	4251	26	7.3	2	2	7	2	3502		0.235	0.584
	* JCT SOUTHGATE DR IN PIERRE																
014 EB	233.24	0.000	Hughes	14	Urban	2017	4251	26	7.3	2	2	7	2	3502		0.436	1.020
	* JCT BROOKSTONE LP IN PIERRE																
014 EB	233.24	0.436	Hughes	14	Urban	2017	4251	12	9.1	0	9	6	1	3502		0.062	1.082
014 EB	233.66	0.000						0	0	0	0		0	0		0.000	1.082
	* JCT US 14 B IN PIERRE																

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
014 W	227.74	0.000	Stanley	14	Urban	2002	7211	24	9.0	2	2	7	2	7293		0.021	0.021
	* JCT US 14/US 83 S IN FT PIERRE																
014 W	227.76	0.000	Stanley	14	Urban	2002	7211	24	9.0	2	2	7	2	7293		0.117	0.138
	* JCT RAMP 14 2 IN FT PIERRE																
014 W	227.89	0.000	Stanley	14	Urban	2002	7211	24	9.0	2	2	7	2	7293		0.171	0.309
	* JCT MARION ST/14 WF IN FT PIERRE																
014 W	228.00	0.060	Stanley	14	Urban	1991	7999	24	8.0	0	0	1	2	7293		0.029	0.338
014 W	228.02	0.000	Stanley	14	Urban	1991	7999	24	8.0	0	0	1	2	7299		0.136	0.474
	* E CITY LIMITS IN FT PIERRE																
014 W	228.03	0.000	Hughes	14	Urban	1991	7999	24	8.0	0	0	1	2	7299		0.127	0.601
	* STANLEY/HUGHES COUNTY LINE																
014 W	228.32	0.000	Hughes	14	Urban	1991	7999	24	8.0	0	0	1	2	7299		0.022	0.623
	* W CITY LIMITS IN PIERRE																
014 W	228.35	0.000						0	0	0	0		0	0		0.000	0.623
014 W	230.39	0.000	Hughes	14	Urban	2004	4251	24	6.3	7	4	6	2	2702		0.089	0.712
	* JCT US 14 IN PIERRE																
014 W	230.39	0.089	Hughes	14	Urban	2021	4251	24	8.3	7	3	6	2	2702		0.193	0.905
014 W	230.64	0.000	Hughes	14	Urban	2021	4251	24	8.3	7	3	6	2	2702		0.048	0.953
	* JCT RAMP 14 W2 IN PIERRE																
014 W	230.69	0.000	Hughes	14	Urban	2021	4251	24	9.3	7	3	6	2	1972		0.027	0.980
	* JCT SD 1804 N IN PIERRE																
014 W	230.73	0.000	Hughes	14	Urban	2021	4251	24	9.3	7	3	6	2	1972		0.769	1.749
	* JCT RAMP 14 W1 IN PIERRE																
014 W	231.51	0.000	Hughes	14	Urban	2021	4251	24	9.3	7	3	6	2	1972		0.145	1.894
	* JCT DULUTH AVE IN PIERRE																
014 W	231.66	0.000	Hughes	14	Urban	2021	4251	24	9.3	7	3	6	2	1972		0.724	2.618
	* JCT SAUNDERS AVE IN PIERRE																
014 W	232.38	0.000	Hughes	14	Urban	2021	4251	24	9.3	7	3	6	2	2034		0.201	2.819
	* JCT SD 14 B S																
014 W	232.58	0.000	Hughes	04	Rural	2021	4251	24	9.3	7	3	6	2	2034		0.093	2.912
	* JCT KINGSWAY RD/14 E1 E CITY LIMITS IN PIERRE																
014 W	232.67	0.000	Hughes	04	Rural	2021	4251	24	9.3	7	3	6	2	2034		0.128	3.040

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			----Shoulder----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
* JCT RAMP 14 W1																	
014 W	232.67	0.128	Hughes	04	Rural	2021	4736	30	5.0	6	1	6	2	2034		0.829	3.869
014 W	233.64	0.000	Hughes	04	Rural	2021	4736	30	5.0	6	1	6	2	2034		0.266	4.135
* JCT 293 AVE																	
014 W	233.95	0.000						0	0	0	0		0	0		0.000	4.135
* JCT US 14																	



# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
014 WB	230.92	0.000	Hughes	14	Urban	2004	7211	32	9.0	2	2	7	2	3924		0.093	0.093
	* JCT US 14 B IN PIERRE HWY BEGIN																
014 WB	231.02	0.000	Hughes	14	Urban	2004	7211	32	9.0	2	2	7	2	3924		0.039	0.132
	* JCT GRANT AVE IN PIERRE																
014 WB	231.06	0.000	Hughes	14	Urban	2004	7211	32	9.0	2	2	7	2	3924		0.101	0.233
	* JCT RAMP 14 2 IN PIERRE																
014 WB	231.16	0.000						0	0	0	0		0	0		0.000	0.233
	* JCT US 14 B/SD 34 W IN PIERRE																
014 WB	232.88	0.000	Hughes	14	Urban	2017	4251	26	7.3	2	2	7	2	3502		0.115	0.348
	* JCT US 14 B/AIRPORT RD/4TH ST IN PIERRE																
014 WB	232.94	0.000	Hughes	14	Urban	2017	4251	26	7.3	2	2	7	2	3502		0.235	0.583
	* JCT SOUTHGATE DR IN PIERRE																
014 WB	233.24	0.000	Hughes	14	Urban	2017	4251	26	7.3	2	2	7	2	3502		0.436	1.019
	* JCT BROOKSTONE LP IN PIERRE																
014 WB	233.24	0.436	Hughes	14	Urban	2017	4251	12	9.1	9	0	6	1	3502		0.062	1.081
014 WB	233.66	0.000						0	0	0	0		0	0		0.000	1.081
	* JCT US 14 B IN PIERRE																

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
018	120.99	0.000	Oglala Lakota	04	Rural	2017	4251	26	6.0	7	7	6	2	976		0.234	0.234
			* JCT SD 391 S														
018	121.00	0.230	Oglala Lakota	04	Rural	2003	4251	26	6.0	1	1	6	2	976		4.502	4.736
018	125.74	0.000	Oglala Lakota	04	Rural	2003	4251	26	6.0	1	1	6	2	976	57430424	0.103	4.839
018	125.74	0.103	Oglala Lakota	04	Rural	2003	4251	26	6.0	1	1	6	2	976		0.160	4.999
018	126.00	0.000	Oglala Lakota	04	Rural	2003	4251	40	4.0	0	0	1	2	976		0.242	5.241
018	126.22	0.000	Oglala Lakota	04	Rural	2003	4251	40	4.0	0	0	1	2	976	57433421	0.068	5.309
018	126.29	0.000	Oglala Lakota	04	Rural	2003	4251	40	4.0	0	0	1	2	976	57434419	0.003	5.312
018	126.29	0.003	Oglala Lakota	04	Rural	2003	4251	40	4.0	0	0	1	2	976		0.121	5.433
018	126.29	0.124	Oglala Lakota	04	Rural	2003	4251	26	6.0	1	1	6	2	976		1.577	7.010
018	128.00	0.000	Oglala Lakota	04	Rural	2003	4251	26	6.0	1	1	6	2	856		0.902	7.912
018	128.92	0.000	Oglala Lakota	04	Rural	2003	4251	26	6.0	1	1	6	2	856		0.296	8.208
			* JCT WOUNDED KNEE RD														
018	129.19	0.000	Bennett	04	Rural	2003	4251	24	4.0	3	3	6	2	856		0.194	8.402
			* OGLALA LAKOTA/BENNETT COUNTY LINE														
018	129.41	0.000	Bennett	04	Rural	2003	4251	24	4.0	3	3	6	2	856		0.067	8.469
			* JCT DAKOTA ST IN BATESLAND														
018	129.47	0.000	Bennett	04	Rural	2003	4251	24	4.0	3	3	6	2	856		0.072	8.541
			* JCT CEDAR ST IN BATESLAND														
018	129.55	0.000	Bennett	04	Rural	2003	4251	24	4.0	3	3	6	2	856		0.072	8.613
			* JCT BEECH ST IN BATESLAND														
018	129.62	0.000	Bennett	04	Rural	2003	4251	24	4.0	3	3	6	2	856		0.072	8.685
			* JCT ASH ST IN BATESLAND														
018	129.69	0.000	Bennett	04	Rural	2003	4251	24	4.0	3	3	6	2	856		0.034	8.719
			* JCT SCHOOL ST IN BATESLAND														
018	129.72	0.000	Bennett	04	Rural	2003	4251	24	4.0	3	3	6	2	856		0.025	8.744
			* JCT UNKNOWN IN BATESLAND														
018	129.75	0.000	Bennett	04	Rural	2003	4251	24	4.0	3	3	6	2	856		3.278	12.022
			* JCT OAK ST IN BATESLAND														
018	133.01	0.000	Bennett	04	Rural	2003	4251	24	4.0	3	3	6	2	856	04037172	0.040	12.062
018	133.01	0.040	Bennett	04	Rural	2003	4251	24	4.0	3	3	6	2	856		6.850	18.912

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			----Shoulder----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
018	139.92	0.000	Bennett	04	Rural	2003	4251	24	4.0	3	3	6	2	1604		1.937	20.849
	* JCT 209TH AVE																
018	141.00	0.833	Bennett	04	Rural	1986	7201	30	7.5	8	9	4	2	1604		6.762	27.611
018	148.59	0.000	Bennett	04	Rural	1986	7201	30	7.5	8	9	4	2	1604		0.002	27.613
	* JCT 5TH AVE IN MARTIN																
018	148.59	0.002	Bennett	04	Rural	1986	7201	44	7.5	2	9	8	2	1604		0.084	27.697
018	148.68	0.000	Bennett	04	Rural	1986	7201	44	7.5	2	9	8	2	1604		0.124	27.821
	* JCT 4TH AVE IN MARTIN																
018	148.80	0.000	Bennett	04	Rural	1986	7201	44	7.5	2	9	8	2	1604		0.067	27.888
	* JCT 3RD AVE IN MARTIN																
018	148.88	0.000	Bennett	04	Rural	1986	7201	44	7.5	2	9	8	2	1604		0.024	27.912
	* W CITY LIMITS IN MARTIN																
018	148.88	0.024	Bennett	04	Rural	2021	4251	48	8.0	2	2	7	4	1604		0.038	27.950
018	148.94	0.000	Bennett	04	Rural	2021	4251	48	8.0	2	2	7	4	2478		0.096	28.046
	* JCT SD 73 S/1ST AVE IN MARTIN																
018	149.04	0.000	Bennett	04	Rural	2021	4251	48	8.0	2	2	7	4	2478		0.061	28.107
	* JCT AVE B IN MARTIN																
018	149.08	0.000	Bennett	04	Rural	2021	4251	48	8.0	2	2	7	4	2478		0.029	28.136
	* JCT AVE C IN MARTIN																
018	149.10	0.000	Bennett	04	Rural	2021	4251	48	8.0	2	2	7	4	2478		0.064	28.200
	* JCT AVE D IN MARTIN																
018	149.15	0.000	Bennett	04	Rural	2021	4251	48	8.0	2	2	7	4	2478		0.013	28.213
	* JCT E AVE N IN MARTIN																
018	149.17	0.000	Bennett	04	Rural	2021	4251	48	8.0	2	2	7	4	2478		0.136	28.349
	* JCT E AVE IN MARTIN AND E CITY LIMITS																
018	149.17	0.136	Bennett	04	Rural	2021	4251	28	5.0	4	4	6	2	2478		1.655	30.004
018	151.00	0.000	Bennett	04	Rural	2021	4251	28	5.0	4	4	6	2	958		0.780	30.784
018	151.78	0.000	Bennett	04	Rural	2021	4251	28	5.0	4	4	6	2	958		2.820	33.604
	* JCT 292 AVE																
018	154.00	0.586	Bennett	04	Rural	2021	4254	28	11.1	4	4	6	2	958		6.409	40.013
018	161.42	0.000	Bennett	04	Rural	2021	4254	28	11.1	4	4	6	2	537		0.469	40.482
	* JCT SD 73 N/230 AVE																

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
018	162.00	0.019	Bennett	04	Rural	2001	4251	24	6.8	2	2	6	2	537		0.512	40.994
018	162.53	0.000	Bennett	04	Rural	2001	4251	24	6.8	2	2	6	2	537		10.741	51.735
	* JCT 231 AVE																
018	173.00	0.282	Bennett	04	Rural	2021	4251	36	4.0	0	0	1	2	537		0.235	51.970
018	173.46	0.000	Bennett	04	Rural	2021	4251	36	4.0	0	0	1	2	537		2.008	53.978
	* JCT ANTELOPE RD/242 AVE																
018	175.54	0.000	Bennett	04	Rural	2021	4251	36	4.0	0	0	1	2	537	04435122	0.049	54.027
018	175.54	0.049	Bennett	04	Rural	2021	4251	36	4.0	0	0	1	2	537		0.238	54.265
018	175.54	0.287	Bennett	04	Rural	1988	7211	30	8.0	5	5	6	2	537		0.255	54.520
018	176.08	0.000	Todd	04	Rural	1988	7211	30	8.0	5	5	6	2	350		0.131	54.651
	* BENNETT/TODD COUNTY LINE																
018	176.08	0.131	Todd	04	Rural	1988	7211	30	8.0	7	7	4	2	350		1.258	55.909
018	177.00	0.476	Todd	04	Rural	1988	7211	30	8.0	5	5	6	2	350		0.667	56.576
018	178.00	0.147	Todd	04	Rural	1988	7211	30	8.0	7	7	4	2	350		2.023	58.599
018	180.00	0.176	Todd	04	Rural	1988	7211	30	8.0	5	5	6	2	350		0.397	58.996
018	180.00	0.573	Todd	04	Rural	1988	7211	30	8.0	7	7	4	2	350		1.917	60.913
018	182.00	0.495	Todd	04	Rural	1990	7211	28	8.0	8	8	4	2	350		0.824	61.737
018	183.00	0.298	Todd	04	Rural	1990	7211	28	8.0	6	6	6	2	350		0.825	62.562
018	184.00	0.125	Todd	04	Rural	1990	7211	28	8.0	8	8	4	2	350		0.544	63.106
018	184.00	0.669	Todd	04	Rural	1990	7211	28	8.0	6	6	6	2	350		0.327	63.433
018	185.00	0.000	Todd	04	Rural	1990	7211	28	8.0	6	6	6	2	604		0.091	63.524
018	185.00	0.091	Todd	04	Rural	1990	7211	28	8.0	8	8	4	2	604		3.656	67.180
018	188.76	0.000	Todd	04	Rural	1990	7211	28	8.0	8	8	4	2	604		1.219	68.399
	* JCT BIA 4																
018	189.98	0.000	Todd	04	Rural	1990	7211	28	8.0	8	8	4	2	1254		1.108	69.507
	* JCT SD 63 N																
018	191.00	0.088	Todd	04	Rural	1990	7211	28	8.0	6	6	6	2	1254		0.303	69.810
018	191.00	0.391	Todd	04	Rural	1990	7211	28	8.0	8	8	4	2	1254		0.125	69.935
018	191.52	0.000	Todd	04	Rural	1990	7211	28	8.0	8	8	4	2	1254		0.513	70.448
	* JCT BIA 7																
018	192.00	0.028	Todd	04	Rural	1990	7211	28	8.0	6	6	6	2	1254		0.302	70.750

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
018	192.00	0.330	Todd	04	Rural	1990	7211	28	8.0	8	8	4	2	1254		2.442	73.192
018	194.00	0.781	Todd	04	Rural	1990	7211	28	8.0	6	6	6	2	1254		1.046	74.238
018	195.00	0.829	Todd	04	Rural	1990	7211	28	8.0	8	8	4	2	1254		0.550	74.788
018	196.00	0.380	Todd	04	Rural	1989	7211	28	8.0	8	8	4	2	1254		0.845	75.633
018	197.24	0.000	Todd	04	Rural	1989	7211	28	8.0	8	8	4	2	1254		0.098	75.731
	* JCT BIA 9																
018	197.33	0.000	Todd	04	Rural	1989	7211	28	8.0	8	8	4	2	1512	61182044	0.017	75.748
018	197.33	0.017	Todd	04	Rural	1989	7211	28	8.0	8	8	4	2	1512		3.210	78.958
018	200.00	0.557	Todd	04	Rural	1989	7211	28	8.0	6	6	6	2	1512		0.446	79.404
018	201.00	0.010	Todd	04	Rural	1989	7211	28	8.0	8	8	4	2	1512		2.630	82.034
018	203.00	0.635	Todd	04	Rural	1989	7211	28	8.0	6	6	6	2	1512		0.257	82.291
018	203.90	0.000	Todd	04	Rural	1989	7211	28	8.0	6	6	6	2	1512		0.097	82.388
	* JCT BIA 1																
018	204.00	0.000	Todd	04	Rural	1989	7211	28	8.0	6	6	6	2	4531		0.368	82.756
018	204.36	0.000	Todd	04	Rural	1989	7211	28	8.0	6	6	6	2	4531		1.957	84.713
	* JCT LAKEVIEW RD																
018	206.32	0.000	Todd	04	Rural	1989	7211	28	8.0	6	6	6	2	4531		0.035	84.748
	* JCT RAMP 18 2																
018	206.35	0.000	Todd	04	Rural	1989	7211	28	8.0	6	6	6	2	5925		0.030	84.778
	* JCT US 83 N/271 AVE																
018	206.38	0.000	Todd	04	Rural	1989	7211	28	8.0	6	6	6	2	5925		1.176	85.954
	* JCT RAMP 18 1																
018	207.00	0.918	Todd	04	Rural	1989	7211	40	8.0	8	6	6	3	5925		0.394	86.348
018	208.00	0.313	Todd	04	Rural	1989	7211	28	8.0	6	6	6	2	5925		0.341	86.689
018	208.66	0.000	Todd	04	Rural	1989	7211	28	8.0	6	6	6	2	5925		0.013	86.702
	* JCT 273 AVE S																
018	208.68	0.000	Todd	04	Rural	1989	7211	28	8.0	6	6	6	2	9413		0.017	86.719
	* W CITY LIMITS IN MISSION																
018	208.70	0.000	Todd	04	Rural	1989	7211	28	8.0	6	6	6	2	9413		0.063	86.782
	* JCT 273 AVE N																
018	208.70	0.063	Todd	04	Rural	2018	7211	59	8.0	6	6	6	5	9413		0.151	86.933

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	Type	-----Surfacing-----		-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
								Width	Thick ness	Width LT	RT	Type					
018	208.70	0.214	Todd	04	Rural	2018	7211	55	8.0	2	2	7	5	9413		0.010	86.943
018	208.92	0.000	Todd	04	Rural	2018	7211	55	8.0	2	2	7	5	9413		0.190	87.133
	* JCT MARGE ST IN ST MISSION																
018	209.08	0.000	Todd	04	Rural	2018	7211	55	8.0	2	2	7	5	9413		0.028	87.161
	* JCT TAFT ST N IN MISSION																
018	209.11	0.000	Todd	04	Rural	2018	7211	55	8.0	2	2	7	5	9413		0.031	87.192
	* JCT TAFT ST S IN MISSION																
018	209.14	0.000	Todd	04	Rural	2018	7211	55	8.0	2	2	7	5	9413		0.052	87.244
	* JCT HARRISON ST IN MISSION																
018	209.14	0.052	Todd	04	Rural	2018	7211	75	8.0	2	2	7	5	9413		0.032	87.276
018	209.25	0.000	Todd	04	Rural	2018	7211	75	8.0	2	2	7	5	9413		0.068	87.344
	* JCT ROOSEVELT ST IN MISSION																
018	209.32	0.000	Todd	04	Rural	2018	7211	75	8.0	2	2	7	5	9413		0.032	87.376
	* JCT WASHINGTON ST IN MISSION																
018	209.32	0.032	Todd	04	Rural	2018	7211	55	8.0	2	2	7	5	9413		0.043	87.419
018	209.39	0.000	Todd	04	Rural	2018	7211	55	8.0	2	2	7	5	9413		0.075	87.494
	* JCT MAIN ST IN MISSION																
018	209.47	0.000	Todd	04	Rural	2018	7211	55	8.0	2	2	7	5	9413		0.074	87.568
	* JCT LINCOLN ST IN MISSION																
018	209.54	0.000	Todd	04	Rural	2018	7211	55	8.0	2	2	7	5	9413		0.076	87.644
	* JCT GRANT ST IN MISSION																
018	209.61	0.000	Todd	04	Rural	2018	7211	55	8.0	2	2	7	5	9413		0.075	87.719
	* JCT JEFFERSON ST IN MISSION																
018	209.69	0.000	Todd	04	Rural	2018	7211	47	8.0	2	2	7	3	5393		0.062	87.781
	* JCT US 83 S/ADAMS ST & E CITY LIMITS IN MISSION																
018	209.76	0.000	Todd	04	Rural	2018	7211	47	8.0	2	2	7	3	5393		0.058	87.839
	* JCT IOWA ST IN MISSION																
018	209.82	0.000	Todd	04	Rural	2018	7211	47	8.0	2	2	7	3	5393		0.020	87.859
	* JCT BLANCHE ST IN MISSION																
018	209.82	0.020	Todd	04	Rural	2018	7211	38	8.0	6	2	8	3	5393		0.071	87.930
018	209.82	0.091	Todd	04	Rural	1981	7205	26	7.5	8	12	8	3	5393		0.004	87.934
018	209.91	0.000	Todd	04	Rural	1981	7205	26	7.5	8	12	8	3	5393		0.046	87.980

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
* JCT ELSIE ST IN MISSION																	
018	209.96	0.000	Todd	04	Rural	1981	7205	26	7.5	8	12	8	3	5393		0.034	88.014
* JCT HILLSIDER DR																	
018	209.99	0.000	Todd	04	Rural	1981	7205	26	7.5	8	12	8	3	5393		0.004	88.018
* JCT RUTH ST																	
018	209.99	0.004	Todd	04	Rural	1993	7211	38	8.0	8	2	8	3	5393		0.079	88.097
018	210.07	0.000	Todd	04	Rural	1993	7211	38	8.0	8	2	8	3	5393		0.331	88.428
* JCT JANE ST																	
018	210.07	0.331	Todd	04	Rural	1993	7211	38	8.0	8	2	8	2	5393		0.185	88.613
018	210.07	0.516	Todd	04	Rural	1993	7211	28	8.0	6	6	6	2	5393		0.419	89.032
018	211.00	0.000	Todd	04	Rural	1993	7211	28	8.0	6	6	6	2	1567		1.276	90.308
018	212.00	0.276	Todd	04	Rural	1993	7211	28	8.0	8	8	4	2	1567		6.618	96.926
018	218.90	0.000	Todd	04	Rural	1993	7211	28	8.0	8	8	4	2	1567		4.336	101.262
* JCT 283 AVE																	
018	223.00	0.230	Todd	04	Rural	2006	7211	28	8.0	4	4	6	2	1567		0.359	101.621
018	223.00	0.589	Todd	04	Rural	2006	7211	28	8.0	5	5	4	2	1567		0.897	102.518
018	224.00	0.486	Todd	04	Rural	2006	7211	28	8.0	4	4	6	2	1567		0.335	102.853
018	224.79	0.000	Todd	04	Rural	2006	7211	28	8.0	4	4	6	2	1567	61431020	0.009	102.862
018	224.79	0.009	Todd	04	Rural	2006	7211	28	8.0	4	4	6	2	1567		0.044	102.906
018	224.83	0.000	Todd	04	Rural	2006	7211	28	8.0	4	4	6	2	1567		0.039	102.945
* JCT SCHOOL ST IN OKREEK																	
018	224.89	0.000	Todd	04	Rural	2006	7211	28	8.0	4	4	6	2	1567		0.015	102.960
* JCT WRIGHT ST/WASHINGTON HWY IN OKREEK																	
018	224.89	0.015	Todd	04	Rural	2006	7211	28	8.0	5	5	4	2	1567		0.129	103.089
018	225.09	0.000	Todd	04	Rural	2006	7211	28	8.0	5	5	4	2	1567		0.931	104.020
* JCT ELM ST IN OKREEK																	
018	225.09	0.931	Todd	04	Rural	2006	7211	28	8.0	4	4	6	2	1567		0.554	104.574
018	226.00	0.542	Todd	04	Rural	2006	7211	28	8.0	5	5	4	2	1567		0.242	104.816
018	226.00	0.784	Todd	04	Rural	2006	7211	28	8.0	4	4	6	2	1567		0.216	105.032
018	227.00	0.000	Todd	04	Rural	2006	7211	28	8.0	5	5	4	2	1567		0.295	105.327
018	227.00	0.295	Todd	04	Rural	2006	7211	28	8.0	4	4	6	2	1567		0.495	105.822

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----				-----Shoulder-----			ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type	Lanes				
018	227.00	0.790	Todd	04	Rural	2006	7211	28	8.0	5	5	4	2	1567		1.292	107.114
018	229.00	0.082	Todd	04	Rural	2006	7211	28	8.0	4	4	6	2	1567		0.446	107.560
018	229.00	0.528	Todd	04	Rural	2006	7211	28	8.0	5	5	4	2	1567		0.413	107.973
018	229.94	0.000	Todd	04	Rural	2006	7211	28	8.0	5	5	4	2	1567		0.160	108.133
* JCT 292 AVE																	
018	230.00	0.101	Todd	04	Rural	2006	7211	28	8.0	4	4	6	2	1567		0.031	108.164
018	230.00	0.132	Todd	04	Rural	2016	7211	28	8.0	4	4	7	2	1567		0.300	108.464
018	230.43	0.000	Todd	04	Rural	2016	7211	28	8.0	4	4	7	2	1567	61485010	0.089	108.553
018	230.43	0.089	Todd	04	Rural	2016	7211	28	8.0	4	4	7	2	1567		0.113	108.666
018	230.43	0.202	Todd	04	Rural	2006	7211	28	8.0	5	5	4	2	1567		0.813	109.479
018	231.00	0.447	Todd	04	Rural	2006	7211	28	8.0	4	4	6	2	1567		0.740	110.219
018	232.00	0.183	Todd	04	Rural	2006	7211	28	8.0	5	5	4	2	1567		1.169	111.388
018	233.00	0.356	Todd	04	Rural	2006	7211	28	8.0	4	4	6	2	1567		0.424	111.812
018	233.00	0.780	Todd	04	Rural	2006	7211	28	8.0	5	5	4	2	1567		0.139	111.951
018	233.00	0.919	Todd	04	Rural	2006	7211	28	8.0	4	4	6	2	1567		0.210	112.161
018	234.14	0.000	Tripp	04	Rural	2006	7211	28	8.0	4	4	6	2	1224		0.209	112.370
* TODD/TRIPP COUNTY LINE																	
018	234.14	0.209	Tripp	04	Rural	2006	7211	28	8.0	5	5	4	2	1224		0.140	112.510
018	234.14	0.349	Tripp	04	Rural	1989	7211	28	8.0	8	8	5	2	1224		0.903	113.413
018	235.38	0.000	Tripp	04	Rural	1989	7211	28	8.0	8	8	5	2	1224	62028270	0.165	113.578
018	235.38	0.165	Tripp	04	Rural	1989	7211	28	8.0	8	8	5	2	1224		4.455	118.033
018	240.01	0.000	Tripp	04	Rural	1989	7211	28	8.0	8	8	5	2	1224	62075270	0.028	118.061
018	240.01	0.028	Tripp	04	Rural	1989	7211	28	8.0	8	8	5	2	1224		0.632	118.693
018	240.68	0.000	Tripp	04	Rural	1989	7211	28	8.0	8	8	5	2	1224	62081270	0.224	118.917
018	240.68	0.224	Tripp	04	Rural	1989	7211	28	8.0	8	8	5	2	1224		1.199	120.116
018	242.00	0.083	Tripp	04	Rural	2013	7213	24	8.0	2	2	7	2	1224		0.337	120.453
018	242.00	0.420	Tripp	04	Rural	2013	7213	48	8.0	2	2	7	3	1224		0.056	120.509
018	242.49	0.000	Tripp	04	Rural	2013	7213	48	8.0	2	2	7	3	1224	62098270	0.038	120.547
018	242.49	0.038	Tripp	04	Rural	2013	7213	48	8.0	2	2	7	3	1224		0.013	120.560
018	242.54	0.000	Tripp	04	Rural	2013	7213	48	8.0	2	2	7	3	1448		0.075	120.635



# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	Type	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
								Width	Thick ness		Width LT	RT	Type					
* JCT SD 53 S																		
018	242.54	0.075	Tripp	04	Rural	2013	7213	24	8.0	2	2	7	2	1448			0.854	121.489
018	243.00	0.465	Tripp	04	Rural	2013	7213	48	8.0	2	2	7	3	1448			0.071	121.560
018	243.54	0.000	Tripp	04	Rural	2013	7213	48	8.0	2	2	7	3	1883			0.090	121.650
* JCT US 183 N AT JORDON JCT																		
018	243.54	0.090	Tripp	04	Rural	2013	7213	24	8.0	2	2	7	2	1883			0.423	122.073
018	244.06	0.000	Tripp	04	Rural	2013	7213	24	8.0	2	2	7	2	1883	62115270		0.083	122.156
018	244.06	0.083	Tripp	04	Rural	2013	7213	24	8.0	2	2	7	2	1883			0.392	122.548
018	244.06	0.475	Tripp	04	Rural	2013	7213	40	8.0	6	6	6	3	1883			0.466	123.014
018	245.00	0.000	Tripp	04	Rural	2013	7213	52	8.0	6	6	6	4	1883			0.240	123.254
018	245.00	0.240	Tripp	04	Rural	2013	7213	40	8.0	6	6	6	3	1883			0.205	123.459
018	245.00	0.445	Tripp	04	Rural	2013	7213	24	8.0	2	2	7	2	1883			1.988	125.447
018	247.43	0.000	Tripp	04	Rural	2013	7213	24	8.0	2	2	7	2	1883	62149270		0.212	125.659
018	247.43	0.212	Tripp	04	Rural	2013	7213	24	8.0	2	2	7	2	1883			1.691	127.350
018	249.33	0.000						0	0	0	0		0	0			0.000	127.350
* JCT US 18 E/US 18 W																		
018	250.73	0.000	Tripp	04	Rural	2013	7211	50	8.0	6	2	8	4	3622			0.005	127.355
* JCT US 18 E/US 18 W																		
018	250.75	0.000	Tripp	04	Rural	2013	7211	50	8.0	6	2	8	4	3622			0.030	127.385
* JCT KELLY DR IN WINNER																		
018	250.77	0.000	Tripp	04	Rural	2013	7211	50	8.0	6	2	8	4	3622			0.063	127.448
* JCT US 18 EF W																		
018	250.84	0.000	Tripp	04	Rural	2013	7211	50	8.0	6	2	8	4	3622			0.024	127.472
* EXIT CITY LIMITS IN WINNER																		
018	250.86	0.000	Tripp	04	Rural	1994	4251	50	5.0	8	2	8	4	3622	62183274		0.048	127.520
018	250.86	0.048	Tripp	04	Rural	1994	4251	50	5.0	8	2	8	4	3622			0.093	127.613
018	250.86	0.141	Tripp	04	Rural	1994	4251	58	5.0	8	2	8	4	3622			0.262	127.875
018	251.25	0.000	Tripp	04	Rural	1994	4251	58	5.0	8	2	8	4	3622			0.024	127.899
* JCT IOWA ST IN WINNER																		
018	251.25	0.024	Tripp	04	Rural	1994	4251	50	5.0	2	2	7	4	3622			0.034	127.933
018	251.31	0.000	Tripp	04	Rural	1994	4251	50	5.0	2	2	7	4	3622			0.049	127.982

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
* ENTER CITY LIMITS IN WINNER																	
018	251.31	0.049	Tripp	04	Rural	1994	4251	50	8.0	2	2	7	4	3622		0.008	127.990
018	251.37	0.000	Tripp	04	Rural	1994	4251	50	8.0	2	2	7	4	3622		0.087	128.077
* JCT 1ST ST IN WINNER																	
018	251.37	0.087	Tripp	04	Rural	1994	4251	50	5.0	2	2	7	4	3622		0.101	128.178
018	251.37	0.188	Tripp	04	Rural	1994	4251	62	7.0	2	2	7	5	3622		0.012	128.190
018	251.57	0.000	Tripp	04	Rural	1994	4251	62	7.0	2	2	7	5	3622		0.009	128.199
* JCT SOUTH COUNTY RD IN WINNER																	
018	251.57	0.009	Tripp	04	Rural	1994	4251	70	7.0	2	2	7	5	3622		0.091	128.290
018	251.67	0.000	Tripp	04	Rural	1994	4251	70	7.0	2	2	7	5	3622		0.017	128.307
* JCT LIBERTY ST S IN WINNER																	
018	251.69	0.000	Tripp	04	Rural	1994	4251	70	7.0	2	2	7	5	7704		0.069	128.376
* JCT LIBERTY ST N IN WINNER																	
018	251.76	0.000	Tripp	04	Rural	1994	4251	70	7.0	2	2	7	5	7704		0.118	128.494
* JCT PARK ST S IN WINNER																	
018	251.87	0.000	Tripp	04	Rural	1994	4251	70	7.0	2	2	7	5	8284		0.071	128.565
* JCT TAFT ST IN WINNER																	
018	251.94	0.000	Tripp	04	Rural	1994	4251	70	7.0	2	2	7	5	8284		0.075	128.640
* JCT LAMRO ST IN WINNER																	
018	252.02	0.000	Tripp	04	Rural	1994	4251	70	7.0	2	2	7	5	8284		0.073	128.713
* JCT POLK ST IN WINNER																	
018	252.09	0.000	Tripp	04	Rural	1994	4251	70	7.0	2	2	7	5	8284		0.018	128.731
* JCT VAN BUREN ST IN WINNER																	
018	252.09	0.018	Tripp	04	Rural	2021	7213	71	8.5	3	3	7	5	8284		0.056	128.787
018	252.17	0.000	Tripp	04	Rural	2021	7213	71	8.5	3	3	7	5	8284		0.076	128.863
* JCT MONROE ST IN WINNER																	
018	252.24	0.000	Tripp	04	Rural	2021	7213	71	8.5	3	3	7	5	7923		0.074	128.937
* JCT MAIN ST IN WINNER																	
018	252.32	0.000	Tripp	04	Rural	2021	7213	71	8.5	3	3	7	5	7923		0.074	129.011
* JCT MADISON ST IN WINNER																	
018	252.39	0.000	Tripp	04	Rural	2021	7213	71	8.5	3	3	7	5	7923		0.075	129.086
* JCT JEFFERSON ST IN WINNER																	

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			----Shoulder----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
018	252.47	0.000	Tripp	04	Rural	2021	7213	71	8.5	3	3	7	5	7923		0.073	129.159
	* JCT ADAMS ST IN WINNER																
018	252.54	0.000	Tripp	04	Rural	2021	7213	71	8.5	3	3	7	5	7923		0.030	129.189
	* JCT WASHINGTON ST IN WINNER																
018	252.57	0.000	Tripp	04	Rural	2021	7213	71	8.5	3	3	7	5	7898		0.043	129.232
	* JCT CEMETARY ST IN WINNER																
018	252.61	0.000	Tripp	04	Rural	2021	7213	71	8.5	3	3	7	5	7898		0.029	129.261
	* JCT LINCOLN ST IN WINNER																
018	252.61	0.029	Tripp	04	Rural	2021	7213	55	8.5	3	3	7	5	7898		0.078	129.339
018	252.70	0.000	Tripp	04	Rural	2021	7213	55	8.5	3	3	7	5	4927		0.066	129.405
	* JCT HWY 044 IN WINNER																
018	252.77	0.000	Tripp	04	Rural	2021	7213	55	8.5	3	3	7	5	4927		0.018	129.423
	* JCT 3RD ST IN WINNER																
018	252.79	0.000	Tripp	04	Rural	2021	7213	55	8.5	3	3	7	5	4927		0.086	129.509
	* EXIT CITY LIMITS IN WINNER																
018	252.88	0.000	Tripp	04	Rural	2021	7213	55	8.5	3	3	7	5	4927		0.015	129.524
	* JCT 4TH ST IN WINNER																
018	252.90	0.000	Tripp	04	Rural	2021	7213	55	8.5	3	3	7	5	4927		0.087	129.611
	* ENTER CITY LIMITS IN WINNER																
018	253.01	0.000	Tripp	04	Rural	2021	7213	55	8.5	3	3	7	5	4927		0.023	129.634
	* JCT 5TH ST W IN WINNER																
018	253.03	0.000	Tripp	04	Rural	2021	7213	55	8.5	3	3	7	5	4927		0.010	129.644
	* JCT 5TH ST E IN WINNER																
018	253.04	0.000	Tripp	04	Rural	2021	7213	55	8.5	3	3	7	5	4927		0.063	129.707
	* SE CITY LIMITS IN WINNER																
018	253.09	0.000	Tripp	04	Rural	2021	7213	55	8.5	3	3	7	5	4927		0.013	129.720
	* JCT 6TH ST IN WINNER																
018	253.09	0.013	Tripp	04	Rural	2001	7215	48	8.0	9	2	7	5	4927		0.033	129.753
018	253.14	0.000	Tripp	04	Rural	2001	7215	48	8.0	9	2	7	5	4927		0.152	129.905
	* JCT 7TH ST IN WINNER																
018	253.14	0.152	Tripp	04	Rural	2001	7215	48	8.0	2	2	7	4	4927		0.272	130.177
018	253.56	0.000	Tripp	04	Rural	2001	7215	48	8.0	2	2	7	4	4927		0.020	130.197

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			----Shoulder----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
018	253.58	0.000	Tripp	04	Rural	2001	7215	48	8.0	2	2	7	4	4927		0.020	130.217
* JCT LIVESTOCK BARN RD W IN WINNER																	
018	253.60	0.000	Tripp	04	Rural	2001	7215	48	8.0	2	2	7	4	4927		0.190	130.407
* JCT LIVESTOCK BARN RD E IN WINNER																	
018	253.79	0.000	Tripp	04	Rural	2001	7215	48	8.0	4	4	4	4	2092		0.264	130.671
* JCT E 12TH ST IN WINNER																	
018	254.00	0.067	Tripp	04	Rural	2001	7215	26	8.0	6	6	4	2	2092		0.667	131.338
* JCT GOLDEN PRAIRIE DR IN WINNER																	
018	254.73	0.000	Tripp	04	Rural	2001	7215	26	8.0	6	6	4	2	2092	62215291	0.266	131.604
018	255.00	0.000	Tripp	04	Rural	2001	7215	26	8.0	6	6	4	2	2092		1.966	133.570
018	257.00	0.000	Tripp	04	Rural	2001	7215	26	8.0	6	6	4	2	1838		0.692	134.262
018	257.65	0.000	Tripp	04	Rural	2001	7215	26	8.0	6	6	4	2	1838	62233315	0.159	134.421
018	257.65	0.159	Tripp	04	Rural	2001	7215	26	8.0	6	6	4	2	1838		5.117	139.538
018	262.00	0.923	Tripp	04	Rural	2001	7215	48	8.0	2	2	7	4	1838		0.167	139.705
018	263.10	0.000	Tripp	04	Rural	2001	7215	48	8.0	2	2	7	4	1838		0.031	139.736
* JCT MAIN ST IN COLOME																	
018	263.14	0.000	Tripp	04	Rural	2001	7215	48	8.0	2	2	7	4	1838		0.059	139.795
* N CITY LIMITS IN COLOME																	
018	263.19	0.000	Tripp	04	Rural	2001	7215	48	8.0	2	2	7	4	1838		0.019	139.814
* JCT 1ST ST IN COLOME																	
018	263.20	0.000	Tripp	04	Rural	2001	7215	48	8.0	2	2	7	4	1838		0.081	139.895
* JCT PONCA ST IN COLOME																	
018	263.29	0.000	Tripp	04	Rural	2001	7215	48	8.0	2	2	7	4	1838		0.052	139.947
* JCT 2ND ST IN COLOME																	
018	263.34	0.000	Tripp	04	Rural	2001	7215	48	8.0	2	2	7	4	1197		0.550	140.497
* JCT US 183 S/SD 49 N																	
018	263.34	0.550	Tripp	04	Rural	1985	7201	30	8.0	7	7	4	2	1197		5.913	146.410
018	269.89	0.000	Tripp	04	Rural	1985	7201	30	8.0	7	7	4	2	1197		3.003	149.413
* JCT 329 AVE																	
018	272.90	0.000	Gregory	04	Rural	1985	7201	30	8.0	7	7	4	2	1197		0.511	149.924
* TRIPP/GREGORY COUNTY LINE																	
018	273.45	0.000	Gregory	04	Rural	1985	7201	30	8.0	7	7	4	2	1197		0.222	150.146

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length	
							Type	Width	Thick ness	Width LT	RT	Type						
018	273.64	0.000	Gregory	04	Rural	1985	7201	30	8.0	7	7	4	2	1197		0.043	150.189	
018	273.64	0.043	Gregory	04	Rural	2000	7113	48	8.0	2	2	4	2	1197		0.043	150.232	

\* W CITY LIMITS IN DALLAS

\* S CITY LIMITS IN DALLAS

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
018 E	249.33	0.000	Tripp	04	Rural	2013	7213	26	8.0	4	6	6	2	1277		1.060	1.060
	* JCT US 18																
018 E	250.40	0.000	Tripp	04	Rural	2013	7213	26	8.0	4	6	6	2	1277	62179273	0.095	1.155
018 E	250.40	0.095	Tripp	04	Rural	2013	7213	26	8.0	4	6	6	2	1277		0.019	1.174
018 E	250.68	0.000	Tripp	04	Rural	2013	7213	26	8.0	4	6	6	2	1277		0.229	1.403
	* JCT 314 AVE W CITY LIMITS WINNER																
018 E	250.73	0.000						0	0	0	0		0	0		0.000	1.403
	* JCT US 18																

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
018 W	249.33	0.000	Tripp	04	Rural	2013	7213	26	8.0	6	4	6	2	1277		1.059	1.059
	* JCT US 18																
018 W	250.40	0.000	Tripp	04	Rural	2013	7213	26	8.0	6	4	6	2	1277	62179273	0.096	1.155
018 W	250.40	0.096	Tripp	04	Rural	2013	7213	26	8.0	6	4	6	2	1277		0.016	1.171
018 W	250.68	0.000	Tripp	04	Rural	2013	7213	26	8.0	6	4	6	2	1277		0.232	1.403
	* JCT 314 AVE W CITY LIMITS WINNER																
018 W	250.73	0.000						0	0	0	0		0	0		0.000	1.403
	* JCT US 18																

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			----Shoulder----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
020	111.25	0.000	Ziebach	06	Rural	2011	4255	30	4.2	0	0	1	2	123		9.706	9.706
	* PERKINS/ZIEBACH COUNTY LINE																
020	121.06	0.000	Ziebach	06	Rural	2011	4255	30	4.2	0	0	1	2	123		9.564	19.270
	* JCT THUNDER BUTTE RD																
020	130.58	0.000	Ziebach	06	Rural	2011	4255	30	4.2	0	0	1	2	123	69195060	0.024	19.294
020	130.58	0.024	Ziebach	06	Rural	2011	4255	30	4.2	0	0	1	2	123		2.310	21.604
020	133.00	0.000	Ziebach	06	Rural	2011	4255	30	4.2	0	0	1	2	204		4.303	25.907
020	137.00	0.315	Ziebach	06	Rural	2012	4255	36	6.8	6	6	6	3	204		0.131	26.038
020	137.44	0.000	Ziebach	06	Rural	2012	4255	36	6.8	6	6	6	3	668		0.170	26.208
	* JCT SD 65 S																
020	137.44	0.170	Ziebach	06	Rural	2012	4251	34	5.0	0	0	1	2	668		0.606	26.814
020	138.22	0.000	Dewey	06	Rural	2012	4251	34	5.0	0	0	1	2	668		2.122	28.936
	* ZIEBACH/DEWEY COUNTY LINE																
020	140.00	0.336	Dewey	06	Rural	2012	4251	36	5.0	2	2	7	2	668		0.066	29.002
020	140.00	0.402	Dewey	06	Rural	2012	4251	34	5.0	0	0	1	2	668		0.017	29.019
020	140.50	0.000	Dewey	06	Rural	2012	4251	34	5.0	0	0	1	2	942		0.171	29.190
	* S CITY LIMITS IN ISABEL																
020	140.58	0.000	Dewey	06	Rural	2012	4251	80	5.0	2	2	7	2	942		0.070	29.260
	* JCT DAKOTA ST IN ISABEL																
020	140.66	0.000	Dewey	06	Rural	2012	4251	80	5.0	2	2	7	2	942		0.070	29.330
	* JCT KANSAS ST IN ISABEL																
020	140.72	0.000	Dewey	06	Rural	2012	4251	80	5.0	2	2	7	2	942		0.068	29.398
	* JCT IDAHO ST IN ISABEL																
020	140.79	0.000	Dewey	06	Rural	2012	4251	40	5.0	2	2	7	2	942		0.070	29.468
	* JCT OHIO ST IN ISABEL																
020	140.86	0.000	Dewey	06	Rural	2012	4251	40	5.0	2	2	7	2	942		0.068	29.536
	* JCT UTAH ST IN ISABEL																
020	140.93	0.000	Dewey	06	Rural	2012	4251	38	5.0	0	0	1	2	942		0.068	29.604
	* JCT TEXAS ST IN ISABEL																
020	141.00	0.000	Dewey	06	Rural	2012	4251	38	5.0	0	0	1	2	942		0.019	29.623
	* JCT OREGON ST IN ISABEL																
020	141.00	0.019	Dewey	06	Rural	2012	4251	34	5.0	0	0	1	2	942		0.073	29.696



# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
020	141.10	0.000	Dewey	06	Rural	2012	4251	34	5.0	0	0	1	2	622		0.135	29.831
	* JCT SD 65 N IN ISABEL																
020	141.23	0.000	Dewey	06	Rural	2012	4251	34	5.0	0	0	1	2	622		8.504	38.335
	* N CITY LIMITS IN ISABEL																
020	149.70	0.000	Dewey	06	Rural	2012	4251	34	5.0	0	0	1	2	622		3.044	41.379
	* JCT STEEL AVE IN FIRESTEEL																
020	152.73	0.000	Dewey	06	Rural	2012	4251	34	5.0	0	0	1	2	622	21139030	0.060	41.439
020	152.73	0.060	Dewey	06	Rural	2012	4251	34	5.0	0	0	1	2	622		0.023	41.462
020	152.82	0.000	Dewey	06	Rural	2012	4251	34	5.0	0	0	1	2	860		0.077	41.539
	* JCT SD 63 S/243 AVE																
020	152.82	0.077	Dewey	06	Rural	2002	4251	28	3.0	4	4	4	2	860		3.261	44.800
020	156.16	0.000	Dewey	06	Rural	2002	4251	28	3.0	4	4	4	2	860	21174030	0.063	44.863
020	156.16	0.063	Dewey	06	Rural	2002	4251	28	3.0	4	4	4	2	860		1.294	46.157
020	157.00	0.514	Dewey	06	Rural	2002	4251	36	3.0	0	0	1	2	860		0.349	46.506
020	157.00	0.863	Dewey	06	Rural	2002	4251	28	3.0	4	4	4	2	860		0.164	46.670
020	158.03	0.000	Dewey	06	Rural	2002	4251	28	3.0	4	4	4	2	860	21191029	0.028	46.698
020	158.03	0.028	Dewey	06	Rural	2002	4251	36	3.0	0	0	1	2	860		0.303	47.001
020	158.03	0.331	Dewey	06	Rural	2002	4251	28	3.0	4	4	4	2	860		0.892	47.893
020	159.00	0.250	Dewey	06	Rural	2002	4251	36	3.0	0	0	1	2	860		0.587	48.480
020	159.84	0.000	Dewey	06	Rural	2002	4251	36	3.0	0	0	1	2	860		0.005	48.485
	* JCT H ST IN TIMBER LAKE																
020	159.84	0.005	Dewey	06	Rural	2002	4251	36	3.0	2	2	7	2	860		0.068	48.553
020	159.91	0.000	Dewey	06	Rural	2002	4251	36	3.0	2	2	7	2	860		0.074	48.627
	* JCT G ST IN TIMBER LAKE																
020	159.98	0.000	Dewey	06	Rural	2002	4251	36	3.0	2	2	7	2	860		0.072	48.699
	* JCT F ST IN TIMBER LAKE																
020	160.06	0.000	Dewey	06	Rural	2002	4251	36	3.0	2	2	7	2	860		0.079	48.778
	* JCT E ST IN TIMBER LAKE																
020	160.13	0.000	Dewey	06	Rural	2002	4251	36	3.0	2	2	7	2	860		0.102	48.880
	* JCT MAIN ST IN TIMBER LAKE																
020	160.13	0.102	Dewey	06	Rural	2002	4251	36	3.0	0	0	1	2	860		0.142	49.022

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			----Shoulder----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
020	160.35	0.000	Dewey	06	Rural	2002	4251	36	3.0	0	0	1	2	1005		0.552	49.574
	* N CITY LIMITS IN TIMBER LAKE																
020	160.35	0.552	Dewey	06	Rural	2002	4251	28	3.0	4	4	4	2	1005		0.368	49.942
020	161.00	0.303	Dewey	06	Rural	2002	4251	36	3.0	0	0	1	2	1005		0.408	50.350
020	161.00	0.711	Dewey	06	Rural	2002	4251	28	3.0	4	4	4	2	1005		1.249	51.599
020	162.00	0.960	Dewey	06	Rural	2005	4251	36	2.5	0	0	1	2	1005		0.272	51.871
020	163.22	0.000	Dewey	06	Rural	2005	4251	36	2.5	0	0	1	2	1005		0.058	51.929
	* JCT 133 ST																
020	163.28	0.000	Dewey	06	Rural	2005	4251	36	2.5	0	0	1	2	1005		6.853	58.782
	* EXIT CHEYENNE RIVER RESERVATION																
020	170.13	0.000	Dewey	06	Rural	2005	4251	36	2.5	0	0	1	2	1005		0.623	59.405
	* JCT 260 AVE/UNKNOWN																
020	170.76	0.000	Dewey	06	Rural	2005	4251	36	2.5	0	0	1	2	1005	16537330	0.064	59.469
020	170.76	0.064	Dewey	06	Rural	2005	4251	36	2.5	0	0	1	2	1005		4.305	63.774
020	175.12	0.000	Dewey	06	Rural	2005	4251	36	2.5	0	0	1	2	687		4.003	67.777
	* JCT SD 63 N																
020	179.20	0.000	Dewey	06	Rural	2005	4251	36	2.5	0	0	1	2	687		0.069	67.846
	* JCT 2ND AVE W IN TRAIL CITY																
020	179.27	0.000	Dewey	06	Rural	2005	4251	40	2.5	2	2	7	2	687		0.074	67.920
	* JCT 1ST AVE W IN TRAIL CITY																
020	179.34	0.000	Dewey	06	Rural	2005	4251	40	2.5	2	2	7	2	687		0.073	67.993
	* JCT MAIN ST IN TRAIL CITY																
020	179.41	0.000	Dewey	06	Rural	2005	4251	40	2.5	0	2	8	2	687		0.068	68.061
	* JCT 1ST AVE E IN TRAIL CITY																
020	179.47	0.000	Dewey	06	Rural	2005	4251	36	2.5	0	0	1	2	687		1.793	69.854
	* JCT 2ND AVE E IN TRAIL CITY																
020	181.00	0.204	Dewey	06	Rural	2005	4251	26	4.0	3	3	6	2	687		0.230	70.084
020	182.56	0.000	Corson	06	Rural	2005	4251	26	4.0	3	3	6	2	687		3.848	73.932
	* DEWEY/CORSON COUNTY LINE																
020	186.69	0.000	Corson	06	Rural	2005	4251	26	4.0	3	3	6	2	687		0.721	74.653
	* JCT PROMISE ROAD																
020	187.00	0.377	Corson	06	Rural	2005	4251	26	6.0	4	4	6	2	687		0.324	74.977

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			----Shoulder----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
020	187.74	0.000	Corson	06	Rural	2005	4251	26	6.0	4	4	6	2	687		5.867	80.844
	* JCT 132 ST/COUNTY 330																
020	193.61	0.000						0	0	0	0		0	0		0.000	80.844
	* JCT US 12																
020	240.83	0.000	Walworth	06	Rural	2019	4251	28	5.0	4	4	4	2	67		0.134	80.978
	* JCT US 83																
020	240.85	0.103	Walworth	06	Rural	2019	4251	23	3.8	1	1	6	2	67		3.872	84.850
020	244.86	0.000	Walworth	06	Rural	2019	4251	23	3.8	1	1	6	2	67		1.136	85.986
	* JCT 310 AVE																
020	246.00	0.000	Walworth	06	Rural	2019	4251	23	3.8	1	1	6	2	142		0.639	86.625
020	246.64	0.000	Walworth	06	Rural	2019	4251	23	3.8	1	1	6	2	142		5.473	92.098
	* JCT 311 AVE																
020	252.11	0.000	Walworth	06	Rural	2019	4251	23	3.8	1	1	6	2	142	54285000	0.055	92.153
020	252.11	0.055	Walworth	06	Rural	2019	4251	23	3.8	1	1	6	2	142		0.309	92.462
020	252.47	0.000	Walworth	06	Rural	2019	4251	23	3.8	1	1	6	2	142	54288000	0.013	92.475
020	252.47	0.013	Walworth	06	Rural	2019	4251	23	3.8	1	1	6	2	142		0.512	92.987
020	253.00	0.000	Walworth	06	Rural	2019	4251	23	3.8	1	1	6	2	498		0.870	93.857
020	253.87	0.000	Walworth	06	Rural	2019	4251	23	6.3	1	1	6	2	535		0.475	94.332
	* JCT SD 47 N																
020	254.35	0.000	Walworth	06	Rural	2019	4251	23	6.3	1	1	6	2	535		0.194	94.526
	* JCT COMMERCIAL AVE S IN HOVEN																
020	254.52	0.000	Walworth	06	Rural	2016	4251	48	4.0	2	2	7	2	535		0.001	94.527
	* JCT 148 ST IN HOVEN																
020	254.54	0.000	Potter	06	Rural	2016	4251	48	4.0	2	2	7	2	956		0.042	94.569
	* WALWORTH/POTTER COUNTY LINE & N CITY LIMITS IN HOVEN																
020	254.59	0.000	Potter	06	Rural	2016	4251	48	4.0	2	2	7	2	956		0.013	94.582
	* JCT COMMERCIAL AVE E IN HOVEN																
020	254.61	0.000	Potter	06	Rural	2016	4251	48	4.0	2	2	7	2	956		0.065	94.647
	* JCT COMMERCIAL AVE W IN HOVEN																
020	254.66	0.000	Potter	06	Rural	2016	4251	48	4.0	2	2	7	2	956		0.067	94.714
	* JCT 1ST AVE IN HOVEN																
020	254.73	0.000	Potter	06	Rural	2016	4251	48	4.0	2	2	7	2	956		0.067	94.781

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
020	254.79	0.000	Potter	06	Rural	2016	4251	48	4.0	2	2	7	2	956		0.069	94.850
020	254.86	0.000	Potter	06	Rural	2016	4251	48	4.0	2	2	7	2	956		0.070	94.920
020	254.93	0.000	Potter	06	Rural	2016	4251	48	4.0	2	2	7	2	956		0.115	95.035
020	255.05	0.000	Potter	06	Rural	2016	4251	48	4.0	2	2	7	2	956		0.062	95.097
020	255.11	0.000	Potter	06	Rural	2016	4251	40	4.0	2	2	7	2	956		0.017	95.114
020	255.13	0.000	Potter	06	Rural	2016	4251	40	4.0	2	2	7	2	956		0.051	95.165
020	255.17	0.000	Potter	06	Rural	2016	4251	40	4.0	2	2	7	2	528		0.034	95.199
020	255.17	0.034	Potter	06	Rural	2009	4251	32	4.2	0	0	1	2	528		2.349	97.548
020	257.56	0.000	Potter	06	Rural	2009	4251	32	4.2	0	0	1	2	239		0.098	97.646
020	257.59	0.065	Potter	06	Rural	2011	4251	24	5.5	4	4	6	2	239		7.845	105.491
020	265.51	0.000	Potter	06	Rural	2011	4251	24	5.5	4	4	6	2	239		1.814	107.305
020	267.00	0.323	Potter	06	Rural	1998	4251	24	4.5	6	6	6	2	239		0.607	107.912

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
034	115.67	0.000	Ziebach	04	Rural	2007	4252	24	6.0	4	4	6	2	522		1.700	1.700
			* MEADE/ZIEBACH COUNTY LINE														
034	117.33	0.000	Ziebach	04	Rural	2007	4252	24	6.0	4	4	6	2	522		6.344	8.044
			* JCT BIA 11														
034	123.64	0.000	Haakon	04	Rural	2007	4252	24	6.0	4	4	6	2	522		0.004	8.048
			* ZIEBACH/HAAKON COUNTY LINE & EXIT CHEYENNE RIVER RESERVATION														
034	123.64	0.004	Haakon	04	Rural	1963	7999	24	8.0	0	0	1	2	522		0.132	8.180
034	123.87	0.000	Haakon	04	Rural	2007	4252	24	6.0	4	4	6	2	522	28035151	0.084	8.264
034	123.87	0.084	Haakon	04	Rural	2007	4252	24	6.0	4	4	6	2	522		2.441	10.705
034	126.00	0.395	Haakon	04	Rural	2009	4252	24	4.8	4	4	6	2	522		7.901	18.606
034	134.28	0.000	Haakon	04	Rural	2009	4252	24	4.8	4	4	6	2	522		6.660	25.266
			* JCT ASH CREEK RD														
034	141.00	0.000	Haakon	04	Rural	2009	4252	24	4.8	4	4	6	2	646		0.418	25.684
034	141.00	0.418	Haakon	04	Rural	2006	4251	26	7.1	3	3	6	2	646		0.274	25.958
034	141.65	0.000	Haakon	04	Rural	2006	4251	26	7.1	3	3	6	2	434		7.104	33.062
			* JCT SD 73 S/MILESVILLE RD														
034	148.77	0.000	Haakon	04	Rural	2006	4251	26	7.1	3	3	6	2	434	28231240	0.231	33.293
034	149.00	0.000	Haakon	04	Rural	2006	4251	26	7.1	3	3	6	2	434		4.652	37.945
034	153.65	0.000	Haakon	04	Rural	2006	4251	26	7.1	3	3	6	2	434		4.172	42.117
			* JCT QUINN RD														
034	157.83	0.000	Haakon	04	Rural	2006	4251	26	7.1	3	3	6	2	434		0.167	42.284
			* JCT MANILLA RD														
034	158.00	0.000	Haakon	04	Rural	2006	4251	26	7.1	3	3	6	2	360		1.911	44.195
034	159.92	0.000	Haakon	04	Rural	2006	4251	26	7.1	3	3	6	2	360	28331260	0.030	44.225
034	159.92	0.030	Haakon	04	Rural	2006	4251	26	7.1	3	3	6	2	360		8.531	52.756
034	168.50	0.000	Haakon	04	Rural	2006	4251	26	7.1	3	3	6	2	360	28415260	0.027	52.783
034	168.50	0.027	Haakon	04	Rural	2006	4251	26	7.1	3	3	6	2	360		0.446	53.229
034	168.95	0.000	Stanley	04	Rural	2006	4251	26	7.1	3	3	6	2	457		0.987	54.216
			* HAAKON/STANLEY COUNTY LINE														
034	169.95	0.000	Stanley	04	Rural	2006	4251	26	7.1	3	3	6	2	866		0.094	54.310
			* JCT SD 63 N														

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
034	170.00	0.054	Stanley	04	Rural	2006	4251	26	8.3	3	3	6	2	866		0.322	54.632
034	170.00	0.376	Stanley	04	Rural	2020	4251	24	10.3	6	6	6	2	866		0.084	54.716
034	170.45	0.000						0	0	0	0		0	0		0.000	54.716
	* JCT US 14																
034	212.52	0.000	Hughes	16	Urban	2004	4251	24	4.5	14	14	6	2	1479		0.088	54.804
	* JCT SD 34 E/SD 34 W IN PIERRE																
034	212.61	0.000	Hughes	16	Urban	2004	4251	24	4.5	14	14	6	2	1479		0.118	54.922
	* JCT SANDWEDGE DR IN PIERRE																
034	212.61	0.118	Hughes	16	Urban	2004	4251	24	4.5	6	6	6	2	1479		0.322	55.244
034	213.05	0.000	Hughes	06	Rural	2004	4251	24	4.5	6	6	6	2	1479		0.522	55.766
	* JCT UPS RD & E URBAN BOUNDARY IN PIERRE																
034	213.05	0.522	Hughes	06	Rural	2009	4251	24	4.2	4	4	6	2	1479		1.184	56.950
034	214.76	0.000	Hughes	06	Rural	2009	4251	24	4.2	4	4	6	2	1479	33156135	0.075	57.025
034	214.76	0.075	Hughes	06	Rural	2009	4251	24	4.2	4	4	6	2	1479		2.206	59.231
034	217.04	0.000	Hughes	06	Rural	2009	4251	24	4.2	4	4	6	2	1479	33178141	0.044	59.275
034	217.04	0.044	Hughes	06	Rural	2009	4251	24	4.2	4	4	6	2	1479		2.119	61.394
034	219.19	0.000	Hughes	06	Rural	2009	4251	24	4.2	4	4	6	2	1479		4.156	65.550
	* JCT 300 AVE																
034	223.00	0.332	Hughes	06	Rural	2009	4251	24	4.7	6	6	6	2	1479		0.498	66.048
034	223.87	0.000	Hughes	06	Rural	2009	4251	24	4.7	6	6	6	2	1479	33245152	0.111	66.159
034	223.87	0.111	Hughes	06	Rural	2009	4251	24	4.7	6	6	6	2	1479		0.037	66.196
034	223.98	0.000	Hughes	06	Rural	2009	4251	24	4.7	6	6	6	2	1479	33246153	0.022	66.218
034	224.00	0.000	Hughes	06	Rural	2009	4251	24	4.7	6	6	6	2	1479		0.215	66.433
034	224.00	0.215	Hughes	06	Rural	2009	4251	24	4.2	4	4	6	2	1479		0.946	67.379
034	225.00	0.216	Hughes	06	Rural	2009	4251	24	4.7	6	6	6	2	1479		0.720	68.099
034	226.00	0.000	Hughes	06	Rural	2009	4251	24	4.7	6	6	6	2	650		0.447	68.546
034	226.00	0.447	Hughes	06	Rural	2009	4251	24	8.2	4	4	6	2	650		0.946	69.492
034	227.00	0.384	Hughes	06	Rural	2015	4251	24	6.0	2	2	6	2	650		0.596	70.088
034	227.98	0.000	Hughes	06	Rural	2015	4251	24	6.0	2	2	6	2	650		0.827	70.915
	* JCT 308 AVE																
034	228.00	0.812	Hughes	06	Rural	2015	4251	28	5.0	0	0	1	2	650		0.172	71.087

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
034	228.93	0.000	Hughes	06	Rural	2015	4251	28	5.0	0	0	1	2	650	33289170	0.018	71.105
034	229.00	0.000	Hughes	06	Rural	2015	4251	28	5.0	0	0	1	2	650		0.142	71.247
034	229.09	0.000	Hughes	06	Rural	2015	4251	28	5.0	0	0	1	2	650	33292170	0.015	71.262
034	229.09	0.015	Hughes	06	Rural	2015	4251	28	5.0	0	0	1	2	650		0.111	71.373
034	229.09	0.126	Hughes	06	Rural	2015	4251	24	6.0	2	2	6	2	650		1.225	72.598
034	230.00	0.444	Hughes	06	Rural	2015	4251	28	5.0	0	0	1	2	650		0.160	72.758
034	230.00	0.604	Hughes	06	Rural	2015	4251	24	6.0	2	2	6	2	650		1.243	74.001
034	231.00	0.847	Hughes	06	Rural	2015	4251	28	5.0	0	0	1	2	650		0.276	74.277
034	232.00	0.119	Hughes	06	Rural	2015	4251	24	6.0	2	2	6	2	650		0.102	74.379
034	232.23	0.000	Hughes	06	Rural	2015	4251	24	6.0	2	2	6	2	650	33322176	0.036	74.415
034	232.23	0.036	Hughes	06	Rural	2015	4251	28	5.0	0	0	1	2	650		0.668	75.083
034	232.23	0.704	Hughes	06	Rural	2015	4251	24	6.0	2	2	6	2	650		1.268	76.351
034	234.00	0.205	Hughes	06	Rural	2015	4251	28	5.0	0	0	1	2	650		0.495	76.846
034	234.00	0.700	Hughes	06	Rural	2015	4251	24	6.0	2	2	6	2	650		1.574	78.420
034	236.28	0.000	Hughes	06	Rural	2015	4251	24	6.0	2	2	6	2	650		0.735	79.155
* JCT 316 AVE																	
034	237.00	0.000	Hughes	06	Rural	2015	4251	24	6.0	2	2	6	2	568		1.268	80.423
034	238.26	0.000	Hughes	06	Rural	2015	4251	24	6.0	2	2	6	2	568		0.994	81.417
* JCT 318 AVE																	
034	239.27	0.000	Hughes	06	Rural	2015	4251	24	6.0	2	2	6	2	568		1.012	82.429
* ENTER CROW CREEK RESERVATION																	
034	240.00	0.303	Hughes	06	Rural	2015	4251	28	5.0	0	0	1	2	568		0.350	82.779
034	240.00	0.653	Hughes	06	Rural	2015	4251	24	6.0	2	2	6	2	568		0.278	83.057
034	240.00	0.931	Hughes	06	Rural	2015	4251	28	5.0	0	0	1	2	568		0.486	83.543
034	241.00	0.415	Hughes	06	Rural	2015	4251	24	6.0	2	2	6	2	568		0.181	83.724
034	241.00	0.596	Hughes	06	Rural	2015	4251	28	5.0	0	0	1	2	568		0.293	84.017
034	241.00	0.889	Hughes	06	Rural	2015	4251	24	6.0	2	2	6	2	568		0.552	84.569
034	242.00	0.441	Hughes	06	Rural	2015	4251	28	5.0	0	0	1	2	568		0.327	84.896
034	242.00	0.768	Hughes	06	Rural	2015	4251	24	6.0	2	2	6	2	568		0.037	84.933
034	242.72	0.000	Hughes	06	Rural	2015	4251	24	6.0	2	2	6	2	568		2.324	87.257

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
* EXIT CROW CREEK RESERVATION																	
034	245.00	0.138	Hughes	06	Rural	2015	4251	28	5.0	0	0	1	2	568		0.360	87.617
034	245.00	0.498	Hughes	06	Rural	2004	4251	26	4.0	3	3	9	2	568		0.080	87.697
034	245.56	0.000	Hyde	06	Rural	2004	4251	26	4.0	3	3	9	2	568		0.127	87.824
* HUGHES/HYDE COUNTY LINE																	
034	245.56	0.127	Hyde	06	Rural	2004	4251	35	4.0	0	0	1	2	568		0.447	88.271
034	246.00	0.152	Hyde	06	Rural	2004	4251	26	4.0	3	3	9	2	568		1.193	89.464
034	247.00	0.345	Hyde	06	Rural	2004	4251	35	4.0	0	0	1	2	568		0.360	89.824
034	247.00	0.705	Hyde	06	Rural	2004	4251	26	4.0	3	3	9	2	568		0.229	90.053
034	247.00	0.934	Hyde	06	Rural	2004	4251	35	4.0	0	0	1	2	568		0.450	90.503
034	248.38	0.000	Hyde	06	Rural	2004	4251	35	4.0	0	0	1	2	568		0.118	90.621
* ENTER CROW CREEK RESERVATION																	
034	248.38	0.118	Hyde	06	Rural	2004	4251	26	4.0	3	3	9	2	568		0.348	90.969
034	248.85	0.000	Hyde	06	Rural	2004	4251	26	4.0	3	3	9	2	568		0.864	91.833
* JCT 328 AVE																	
034	249.00	0.714	Hyde	06	Rural	2004	4251	35	4.0	0	0	1	2	568		0.241	92.074
034	249.00	0.955	Hyde	06	Rural	2004	4251	26	4.0	3	3	9	2	568		1.927	94.001
034	251.00	0.882	Hyde	06	Rural	2004	4251	35	4.0	0	0	1	2	568		0.293	94.294
034	252.18	0.000	Hyde	06	Rural	2004	4251	35	4.0	0	0	1	2	568	35062427	0.075	94.369
034	252.18	0.075	Hyde	06	Rural	2004	4251	35	4.0	0	0	1	2	568		0.487	94.856
034	252.18	0.562	Hyde	06	Rural	2004	4251	26	4.0	3	3	9	2	568		0.709	95.565
034	253.00	0.446	Hyde	06	Rural	2004	4251	35	4.0	0	0	1	2	568		0.176	95.741
034	253.00	0.622	Hyde	06	Rural	2004	4251	26	4.0	3	3	9	2	568		0.245	95.986
034	253.00	0.867	Hyde	06	Rural	2004	4251	35	4.0	0	0	1	2	568		0.260	96.246
034	254.00	0.127	Hyde	06	Rural	2004	4251	26	4.0	3	3	9	2	568		1.623	97.869
034	255.75	0.000	Hyde	06	Rural	2004	4251	26	4.0	3	3	9	2	568	35097434	0.250	98.119
034	256.00	0.000	Hyde	06	Rural	2004	4251	26	4.0	3	3	9	2	568		0.701	98.820
034	256.00	0.701	Hyde	06	Rural	2004	4251	35	4.0	0	0	1	2	568		0.303	99.123
034	257.02	0.000	Hyde	06	Rural	2004	4251	35	4.0	0	0	1	2	568		0.040	99.163

\* JCT RAMP 34 1



# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
034 E	211.69	0.000	Hughes	16	Urban	2004	7211	24	9.0	2	8	8	2	3492		0.128	0.128
	* JCT US 14 B/US 14 EB IN PIERRE																
034 E	211.79	0.000	Hughes	16	Urban	2004	4251	32	6.0	2	0	8	2	3492		0.133	0.261
	* JCT CLEVELAND AVE IN PIERRE																
034 E	211.93	0.000	Hughes	16	Urban	2004	4251	32	6.0	2	0	8	2	3492		0.084	0.345
	* JCT ROOSEVELT AVE IN PIERRE																
034 E	212.02	0.000	Hughes	16	Urban	2004	4252	24	6.5	2	8	6	2	3492		0.130	0.475
	* JCT LOWELL AVE IN PIERRE																
034 E	212.15	0.000	Hughes	16	Urban	2004	4252	24	6.5	2	8	6	2	3492		0.028	0.503
	* JCT VICKMARK RD IN PIERRE																
034 E	212.15	0.028	Hughes	16	Urban	2004	4252	24	6.5	2	8	6	1	3492		0.345	0.848
034 E	212.52	0.000						0	0	0	0		0	0		0.000	0.848
	* JCT SD 34 IN PIERRE																

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
034 W	211.69	0.000	Hughes	16	Urban	2004	7211	32	9.0	2	2	7	2	3492		0.030	0.030
	* JCT US 14 B/US 14 WB IN PIERRE																
034 W	211.72	0.000	Hughes	16	Urban	2004	7211	32	9.0	2	2	7	2	3492		0.095	0.125
	* JCT RAMP 34 W1 IN PIERRE																
034 W	211.79	0.000	Hughes	16	Urban	2004	4251	32	6.0	2	0	8	2	3492		0.133	0.258
	* JCT CLEVELAND AVE IN PIERRE																
034 W	211.93	0.000	Hughes	16	Urban	2004	4251	32	6.0	2	0	8	2	3492		0.087	0.345
	* JCT ROOSEVELT AVE IN PIERRE																
034 W	212.02	0.000	Hughes	16	Urban	2004	4252	24	6.5	8	2	6	2	3492		0.135	0.480
	* JCT LOWELL AVE IN PIERRE																
034 W	212.15	0.000	Hughes	16	Urban	2004	4252	24	6.5	8	2	6	2	3492		0.157	0.637
	* JCT VICKMARK RD IN PIERRE																
034 W	212.15	0.157	Hughes	16	Urban	2004	4252	24	6.5	8	2	6	1	3492		0.073	0.710
034 W	212.15	0.230	Hughes	16	Urban	2004	4251	20	6.5	0	0	1	1	3492		0.138	0.848
034 W	212.52	0.000						0	0	0	0		0	0		0.000	0.848
	* JCT SD 34 IN PIERRE																

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length	
							Type	Width	Thick ness	Width LT	RT	Type						
044	107.53	0.000	Pennington	06	Rural	2010	4251	32	4.7	0	0	1	2	562		8.948	8.948	
044	117.41	0.000	Jackson	06	Rural	2010	4251	24	6.7	3	3	6	2	562		0.999	9.947	
044	118.41	0.000	Jackson	06	Rural	2010	4251	24	6.7	3	3	6	2	562		0.508	10.455	
044	118.92	0.000	Jackson	06	Rural	2010	4251	24	6.7	3	3	6	2	562		0.226	10.681	
044	119.15	0.000	Jackson	06	Rural	2010	4251	24	6.7	3	3	6	2	562		0.022	10.703	
044	119.18	0.000	Jackson	06	Rural	2010	4251	24	6.7	3	3	6	2	562		0.079	10.782	
044	119.26	0.000	Jackson	06	Rural	2010	4251	24	6.7	3	3	6	2	562		0.085	10.867	
044	119.34	0.000	Jackson	06	Rural	2010	4251	24	6.7	3	3	6	2	562		0.196	11.063	
044	119.53	0.000	Jackson	06	Rural	2019	4251	24	6.0	0	0	1	2	558		0.012	11.075	
044	119.54	0.000	Jackson	06	Rural	2019	4251	24	6.0	0	0	1	2	558		0.698	11.773	
044	120.23	0.000	Jackson	06	Rural	2019	4251	24	6.0	0	0	1	2	558		0.250	12.023	
044	120.50	0.000	Jackson	06	Rural	2019	4251	24	6.0	0	0	1	2	558	36088190	0.177	12.200	
044	120.50	0.177	Jackson	06	Rural	2019	4251	24	6.0	0	0	1	2	558		2.322	14.522	
044	123.00	0.000	Jackson	06	Rural	2019	4251	24	4.0	6	6	6	2	558		0.504	15.026	
044	123.68	0.000	Jackson	06	Rural	2019	4251	24	4.0	6	6	6	2	558	36105210	0.045	15.071	
044	123.68	0.045	Jackson	06	Rural	2019	4251	24	4.0	6	6	6	2	558		0.050	15.121	
044	123.68	0.095	Jackson	06	Rural	2019	4251	36	5.0	0	0	1	2	558		0.114	15.235	
044	123.89	0.000	Jackson	06	Rural	2019	4251	36	5.0	0	0	1	2	558	36105212	0.046	15.281	
044	123.89	0.046	Jackson	06	Rural	2019	4251	36	5.0	0	0	1	2	558		0.112	15.393	
044	123.89	0.158	Jackson	06	Rural	2019	4251	24	6.0	0	0	1	2	558		10.139	25.532	
044	133.00	0.953	Jackson	06	Rural	2008	4251	28	5.5	0	0	1	2	558		0.016	25.548	

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
044	133.96	0.000	Jackson	06	Rural	2008	4251	28	5.5	0	0	1	2	540		5.122	30.670
	* JCT BIA 2																
044	139.00	0.086	Jackson	06	Rural	2012	4251	36	4.0	0	0	1	2	540		0.178	30.848
044	139.26	0.000	Jackson	06	Rural	2012	4251	36	4.0	0	0	1	2	540	36171317	0.155	31.003
044	139.26	0.155	Jackson	06	Rural	2012	4251	36	4.0	0	0	1	2	540		0.009	31.012
044	139.26	0.164	Jackson	06	Rural	2008	4251	28	5.5	0	0	1	2	540		3.090	34.102
044	142.51	0.000	Jackson	06	Rural	2008	4251	28	5.5	0	0	1	2	540		3.375	37.477
	* JCT HISLE RD																
044	145.00	0.881	Jackson	06	Rural	2009	4251	24	4.0	6	6	6	2	540		1.365	38.842
044	147.25	0.000	Jackson	06	Rural	2009	4251	24	4.0	6	6	6	2	540	36240301	0.173	39.015
044	147.25	0.173	Jackson	06	Rural	2009	4251	24	4.0	6	6	6	2	540		0.001	39.016
044	147.42	0.000	Jackson	06	Rural	2009	4251	24	4.0	6	6	6	2	701		0.157	39.173
	* JCT 1ST ST IN WANBLEE																
044	147.42	0.157	Jackson	06	Rural	2009	4251	32	4.0	6	2	8	2	701		0.066	39.239
044	147.42	0.223	Jackson	06	Rural	2009	4251	40	4.0	2	2	7	2	701		0.058	39.297
044	147.68	0.000	Jackson	06	Rural	2009	4251	40	4.0	2	2	7	2	701		0.088	39.385
	* JCT 2ND ST IN WANBLEE																
044	147.86	0.000	Jackson	06	Rural	2009	4251	40	4.0	2	2	7	2	701		0.091	39.476
	* JCT 3RD ST IN WANBLEE																
044	147.88	0.000	Jackson	06	Rural	2009	4251	40	4.0	2	2	7	2	701		0.142	39.618
	* JCT 4TH ST IN WANBLEE																
044	148.01	0.000	Jackson	06	Rural	2009	4251	40	4.0	2	2	7	2	701		0.017	39.635
	* JCT CRAZY HORSE SCHOOL DR IN WANBLEE																
044	148.06	0.000	Jackson	06	Rural	2009	4251	40	4.0	2	2	7	2	701		0.004	39.639
	* JCT WASHABAUGH AVE IN WANBLEE																
044	148.06	0.004	Jackson	06	Rural	2009	4251	24	4.0	6	6	6	2	701		0.681	40.320
044	148.06	0.685	Jackson	06	Rural	2009	4251	24	4.0	1	1	6	2	701		6.554	46.874
044	155.35	0.000	Jackson	06	Rural	2011	4255	32	4.5	0	0	1	2	495		5.170	52.044
	* JCT SD 73																
044	160.52	0.000	Jackson	06	Rural	2011	4255	32	4.5	0	0	1	2	495	36361298	0.005	52.049
044	160.52	0.005	Jackson	06	Rural	2011	4255	32	4.5	0	0	1	2	495		0.527	52.576

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
044	161.05	0.000	Jackson	06	Rural	2011	4255	32	4.5	0	0	1	2	495	36366300	0.385	52.961
044	161.05	0.385	Jackson	06	Rural	2011	4255	32	4.5	0	0	1	2	495		2.054	55.015
044	163.49	0.000	Jackson	06	Rural	2011	4255	32	4.5	0	0	1	2	495		6.732	61.747
	* JCT FISH CREEK RD																
044	170.24	0.000	Mellette	06	Rural	2011	4255	32	4.5	0	0	1	2	495		0.794	62.541
	* JACKSON/MELLETTTE COUNTY LINE																
044	171.99	0.000	Mellette	06	Rural	2011	4255	32	4.5	0	0	1	2	495	48013210	0.010	62.551
044	172.00	0.000	Mellette	06	Rural	2011	4255	32	4.5	0	0	1	2	495		0.533	63.084
044	172.54	0.000	Mellette	06	Rural	2011	4255	32	4.5	0	0	1	2	312		0.099	63.183
	* JCT SD 63																
044	172.54	0.099	Mellette	06	Rural	2002	4251	24	5.0	3	3	6	2	312		0.175	63.358
044	172.81	0.000	Mellette	06	Rural	2002	4251	24	5.0	3	3	6	2	312	48022211	0.182	63.540
044	173.00	0.000	Mellette	06	Rural	2002	4251	24	5.0	3	3	6	2	312		7.866	71.406
044	181.00	0.097	Mellette	06	Rural	2002	4255	24	7.8	4	4	6	2	312		7.588	78.994
044	190.00	0.097	Mellette	06	Rural	1988	4255	24	7.8	5	5	6	2	312		4.796	83.790
044	194.90	0.000	Mellette	06	Rural	1988	4255	24	7.8	5	5	6	2	312	48227205	0.105	83.895
044	194.90	0.105	Mellette	06	Rural	1988	4255	24	7.8	5	5	6	2	312		1.392	85.287
044	196.40	0.000	Mellette	06	Rural	1988	4255	24	7.8	5	5	6	2	760		0.106	85.393
	* JC T RING THUNDER RD																
044	196.51	0.000	Mellette	06	Rural	1988	4255	24	7.8	5	5	6	2	760	48243210	0.138	85.531
044	196.51	0.138	Mellette	06	Rural	1988	4255	24	7.8	5	5	6	2	760		0.599	86.130
044	197.21	0.000						0	0	0	0		0	0		0.000	86.130
	* JCT US 83/RODEO RD IN WHITE RIVER																
044	200.74	0.000	Mellette	06	Rural	1999	4251	24	7.8	3	3	6	2	316		12.214	98.344
	* JCT US 83																
044	212.97	0.000	Mellette	06	Rural	1999	4251	24	7.8	3	3	6	2	316	48371255	0.031	98.375
044	212.97	0.031	Mellette	06	Rural	1999	4251	24	7.8	3	3	6	2	316		0.561	98.936
044	213.00	0.548	Mellette	06	Rural	1999	4251	24	4.8	3	3	6	2	316		0.579	99.515
044	214.18	0.000	Mellette	06	Rural	1999	4251	24	4.8	3	3	6	2	316		0.450	99.965
	* W CITY LIMITS IN WOOD																
044	214.58	0.000	Mellette	06	Rural	1999	4251	24	4.8	3	3	6	2	316		0.140	100.105

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
* JCT S 1ST ST IN WOOD																	
044	214.72	0.000	Mellette	06	Rural	1999	4251	24	4.8	3	3	6	2	316		0.164	100.269
* SE CITY LIMITS IN WOOD																	
044	215.00	0.125	Mellette	06	Rural	2010	4251	20	3.9	2	2	6	2	316		0.141	100.410
044	215.27	0.000	Mellette	06	Rural	2010	4251	20	3.9	2	2	6	2	316		3.440	103.850
* JCT 283 AVE																	
044	219.00	0.082	Mellette	06	Rural	2010	4251	24	3.2	1	1	6	2	316		0.114	103.964
044	219.00	0.196	Mellette	06	Rural	2010	4251	20	3.9	2	2	6	2	316		0.152	104.116
044	219.00	0.348	Mellette	06	Rural	2010	4251	24	3.2	1	1	6	2	316		0.114	104.230
044	219.00	0.462	Mellette	06	Rural	2010	4251	20	3.9	2	2	6	2	316		0.341	104.571
044	219.00	0.803	Mellette	06	Rural	2010	4251	24	3.2	1	1	6	2	316		0.114	104.685
044	219.00	0.917	Mellette	06	Rural	2010	4251	20	3.9	2	2	6	2	316		0.693	105.378
044	220.60	0.000	Mellette	06	Rural	2010	4251	20	3.9	2	2	6	2	372		2.846	108.224
* JCT SD 53 N/288 AVE																	
044	223.00	0.452	Mellette	06	Rural	2010	4251	28	5.2	2	2	6	2	372		0.379	108.603
044	223.00	0.831	Mellette	06	Rural	2010	4251	20	3.9	2	2	6	2	372		0.793	109.396
044	224.63	0.000	Mellette	06	Rural	2010	4251	20	3.9	2	2	6	2	372		0.523	109.919
* JCT MOSHER RD																	
044	225.00	0.148	Mellette	06	Rural	2010	4252	26	5.2	2	2	6	2	372		0.285	110.204
044	225.44	0.000	Mellette	06	Rural	2010	4252	26	5.2	2	2	6	2	372	48485271	0.007	110.211
044	225.44	0.007	Mellette	06	Rural	2010	4252	26	5.2	2	2	6	2	372		0.293	110.504
044	225.44	0.300	Mellette	06	Rural	2010	4251	20	3.9	2	2	6	2	372		1.040	111.544
044	226.00	0.773	Mellette	06	Rural	2010	4251	24	3.2	1	1	6	2	372		0.133	111.677
044	226.00	0.906	Mellette	06	Rural	2010	4251	20	3.9	2	2	6	2	372		0.272	111.949
044	227.00	0.190	Mellette	06	Rural	2010	4251	24	3.2	1	1	6	2	372		0.133	112.082
044	227.00	0.323	Mellette	06	Rural	2010	4251	20	3.9	2	2	6	2	372		0.825	112.907
044	228.00	0.140	Mellette	06	Rural	2010	4251	24	3.2	1	1	6	2	372		0.114	113.021
044	228.00	0.254	Mellette	06	Rural	2010	4251	20	6.2	2	2	6	2	372		0.407	113.428
044	228.00	0.661	Mellette	06	Rural	2010	4251	24	3.2	1	1	6	2	372		0.095	113.523
044	228.00	0.756	Mellette	06	Rural	2010	4251	20	6.2	2	2	6	2	372		0.234	113.757

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----				-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type						
044	228.99	0.000	Tripp	06	Rural	2010	4251	20	6.2	2	2	6	2	372		3.900	117.657	
	* MELLETTE/TRIPP COUNTY LINE																	
044	232.00	0.881	Tripp	06	Rural	2010	4251	24	3.2	1	1	6	2	372		0.114	117.771	
044	232.00	0.995	Tripp	06	Rural	2010	4251	20	6.2	2	2	6	2	372		1.734	119.505	
044	234.00	0.718	Tripp	06	Rural	2010	4251	24	3.2	1	1	6	2	372		0.076	119.581	
044	234.00	0.794	Tripp	06	Rural	2010	4251	20	3.2	2	2	6	2	372		0.703	120.284	
044	235.51	0.000	Tripp	06	Rural	2010	4251	20	3.2	2	2	6	2	372		1.484	121.768	
	* JCT 304 AVE																	
044	237.00	0.000	Tripp	06	Rural	2010	4251	20	3.2	2	2	6	2	404		0.362	122.130	
044	237.36	0.000	Tripp	06	Rural	2010	4251	20	3.2	2	2	6	2	404		0.109	122.239	
	* JCT 304 AVE IN WITTEN																	
044	237.47	0.000	Tripp	06	Rural	2010	4251	20	3.2	2	2	6	2	404		0.089	122.328	
	* JCT FOREST ST IN WITTEN																	
044	237.56	0.000	Tripp	06	Rural	2010	4251	20	3.2	2	2	6	2	404		0.148	122.476	
	* JCT DOGWOOD ST IN WITTEN																	
044	237.67	0.000	Tripp	06	Rural	2010	4251	20	3.2	2	2	6	2	404		0.174	122.650	
	* JCT MAIN ST IN WITTEN																	
044	237.88	0.000	Tripp	06	Rural	2010	4251	20	3.2	2	2	6	2	404		0.692	123.342	
	* JCT APPLE ST IN WITTEN																	
044	238.00	0.571	Tripp	06	Rural	2010	4251	28	5.2	2	2	6	2	404		0.078	123.420	
044	238.67	0.000	Tripp	06	Rural	2010	4251	28	5.2	2	2	6	2	404	62093230	0.118	123.538	
044	238.67	0.118	Tripp	06	Rural	2010	4251	20	6.2	2	2	6	2	404		1.613	125.151	
044	240.40	0.000						0	0	0	0		0	0		0.000	125.151	
	* JCT US 183/273 ST																	
044	253.56	0.000	Tripp	06	Rural	2021	7213	36	8.5	2	2	7	3	2711		0.084	125.235	
	* JCT US 18 IN WINNER																	
044	253.64	0.000	Tripp	06	Rural	2021	7213	36	8.5	2	2	7	3	2711		0.011	125.246	
	* JCT PLUM ST IN WINNER																	
044	253.64	0.011	Tripp	06	Rural	2000	4255	36	10.3	4	4	4	3	2711		0.191	125.437	
044	253.85	0.000	Tripp	06	Rural	2000	4255	36	10.3	4	4	4	3	2711		0.212	125.649	
	* JCT CHERRY ST IN WINNER																	
044	254.08	0.000	Tripp	06	Rural	2000	4255	36	10.3	4	4	4	3	2711		0.125	125.774	

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
* JCT LEAHY ST IN WINNER																	
044	254.20	0.000	Tripp	06	Rural	2000	4255	36	10.3	4	4	4	3	2711		0.032	125.806
* JCT JOHNSON ST IN WINNER																	
044	254.23	0.000	Tripp	06	Rural	2000	4255	36	10.3	4	4	4	3	1404		0.031	125.837
* E CITY LIMITS WINNER																	
044	254.23	0.031	Tripp	06	Rural	2000	4255	28	10.3	4	4	4	2	1404		0.303	126.140
044	254.23	0.334	Tripp	06	Rural	2019	4253	28	4.0	4	4	6	2	1404		0.497	126.637
044	255.07	0.000	Tripp	06	Rural	2019	4253	28	4.0	4	4	6	2	1404	62215274	0.675	127.312
044	255.07	0.675	Tripp	06	Rural	2019	4253	28	4.0	4	4	6	2	1404		1.651	128.963
044	257.40	0.000	Tripp	06	Rural	2019	4253	28	4.0	4	4	6	2	1404	62238270	0.231	129.194
044	257.40	0.231	Tripp	06	Rural	2019	4253	28	4.0	4	4	6	2	1404		3.904	133.098
044	261.54	0.000	Tripp	06	Rural	2019	4253	28	4.0	4	4	6	2	640		3.010	136.108
* JCT SD 49																	
044	264.53	0.000	Tripp	06	Rural	2019	4253	28	4.0	4	4	6	2	640	62310270	0.262	136.370
044	264.53	0.262	Tripp	06	Rural	2019	4253	28	4.0	4	4	6	2	640		0.213	136.583
044	265.03	0.000	Tripp	06	Rural	2019	4253	28	4.0	4	4	6	2	640	62315270	0.192	136.775
044	265.03	0.192	Tripp	06	Rural	2019	4253	28	4.0	4	4	6	2	640		0.297	137.072
044	265.52	0.000	Tripp	06	Rural	2019	4253	28	4.0	4	4	6	2	640		2.690	139.762
* JCT 328 AVE																	
044	268.22	0.000	Tripp	06	Rural	2019	4253	28	4.0	4	4	6	2	640	62346270	0.395	140.157
044	268.22	0.395	Tripp	06	Rural	2019	4253	28	4.0	4	4	6	2	640		0.900	141.057
044	269.52	0.000	Gregory	06	Rural	2019	4253	28	4.0	4	4	6	2	640		0.972	142.029
* TRIPP/GREGORY COUNTY LINE & 332ND AVE																	
044	270.50	0.000	Gregory	06	Rural	2019	4253	28	4.0	4	4	6	2	640		0.474	142.503
* JCT 333 AVE																	
044	270.97	0.000	Gregory	06	Rural	2019	4253	28	4.0	4	4	6	2	640	27015080	0.025	142.528
044	270.97	0.025	Gregory	06	Rural	2019	4253	28	4.0	4	4	6	2	640		1.447	143.975
044	272.44	0.000	Gregory	06	Rural	2019	4253	28	4.0	4	4	6	2	640	27029080	0.055	144.030
044	272.44	0.055	Gregory	06	Rural	2019	4253	28	4.0	4	4	6	2	640		0.100	144.130
044	272.60	0.000	Gregory	06	Rural	2019	4253	28	4.0	4	4	6	2	640	27032080	0.241	144.371
044	272.60	0.241	Gregory	06	Rural	2019	4253	28	4.0	4	4	6	2	640		0.311	144.682



South Dakota Department of Transportation  
 Transportation Inventory Management & Research

Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
044	273.14	0.000	Gregory	06	Rural	2019	4253	28	4.0	4	4	6	2	640	27038080	0.125	144.807
044	273.14	0.125	Gregory	06	Rural	2019	4253	28	4.0	4	4	6	2	640		1.190	145.997

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			----Shoulder----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
047	31.67	0.000	Gregory	06	Rural	2011	4252	24	5.2	4	4	6	2	326		7.851	7.851
	* JCT SD 44																
047	39.53	0.000	Lyman	06	Rural	2011	4252	24	5.2	4	4	6	2	326		2.463	10.314
	* GREGORY/LYMAN COUNTY LINE & 269TH ST																
047	42.00	0.030	Lyman	06	Rural	2006	4251	26	7.0	2	2	6	2	326		0.821	11.135
047	42.85	0.000	Lyman	06	Rural	2006	4251	26	7.0	2	2	6	2	202		1.564	12.699
	* JCT 266 ST																
047	44.00	0.415	Lyman	06	Rural	2018	4251	36	6.0	0	0	1	2	202		0.145	12.844
047	44.56	0.000	Lyman	06	Rural	2018	4251	36	6.0	0	0	1	2	202	43453439	0.005	12.849
047	44.56	0.005	Lyman	06	Rural	2018	4251	36	6.0	0	0	1	2	202		0.136	12.985
047	44.56	0.141	Lyman	06	Rural	2006	4251	26	7.0	2	2	6	2	202		6.848	19.833
047	51.00	0.514	Lyman	06	Rural	2006	4251	26	4.5	3	3	6	2	202		0.265	20.098
047	51.00	0.779	Lyman	06	Rural	2006	4251	26	7.0	2	2	6	2	202		0.898	20.996
047	52.73	0.000	Lyman	06	Rural	2006	4251	26	7.0	2	2	6	2	202	43422370	0.038	21.034
047	52.73	0.038	Lyman	06	Rural	2006	4251	26	7.0	2	2	6	2	202		4.879	25.913
047	57.00	0.609	Lyman	06	Rural	2006	4251	26	8.5	2	2	6	2	202		0.286	26.199
047	57.89	0.000	Lyman	06	Rural	2006	4251	26	9.0	2	2	6	2	603		0.149	26.348
	* JCT SD 49																
047	58.00	0.039	Lyman	06	Rural	2009	4251	26	8.0	1	1	6	2	603		2.393	28.741
047	60.44	0.000	Lyman	06	Rural	2009	4251	26	8.0	1	1	6	2	603	43403308	0.040	28.781
047	60.44	0.040	Lyman	06	Rural	2009	4251	26	8.0	1	1	6	2	603		7.220	36.001
047	67.68	0.000	Lyman	06	Rural	2009	4251	26	8.0	1	1	6	2	603		0.004	36.005
	* JCT RAMPS 90 E1/90 E2 EXIT 251																
047	67.68	0.004	Lyman	06	Rural	2000	4251	24	3.0	10	10	6	2	603		0.047	36.052
047	67.75	0.000	Lyman	06	Rural	2000	4251	24	3.0	10	10	6	2	603		0.003	36.055
	* UNDER PASS I 90 E EXIT 251																
047	67.76	0.000	Lyman	06	Rural	2000	4251	24	3.0	10	10	6	2	603	43401238	0.007	36.062
047	67.76	0.007	Lyman	06	Rural	2000	4251	24	3.0	10	10	6	2	603		0.001	36.063
047	67.77	0.000	Lyman	06	Rural	2000	4251	24	3.0	10	10	6	2	603		0.012	36.075
	* INT I 90																
047	67.78	0.000	Lyman	06	Rural	2000	4251	24	3.0	10	10	6	2	265		0.004	36.079

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
* UNDER PASS I 90 W EXIT 251																	
047	67.79	0.000	Lyman	06	Rural	2000	4251	24	3.0	10	10	6	2	265	43401237	0.026	36.105
047	67.79	0.026	Lyman	06	Rural	2000	4251	24	3.0	10	10	6	2	265		0.019	36.124
047	67.79	0.045	Lyman	06	Rural	1972	4255	24	5.0	8	8	6	2	265		0.001	36.125
047	67.81	0.000	Lyman	06	Rural	1972	4255	24	5.0	8	8	6	2	265		0.017	36.142
* JCT RAMPS 90 W 1/90 W2 EXIT 251																	
047	67.81	0.017	Lyman	06	Rural	2005	4252	32	9.0	0	0	1	2	265		0.750	36.892
047	68.00	0.575	Lyman	06	Rural	2005	4251	28	5.0	4	4	4	2	265		1.666	38.558
047	70.24	0.000	Lyman	06	Rural	2005	4251	28	5.0	4	4	4	2	265		0.178	38.736
* S CITY LIMITS IN RELIANCE																	
047	70.24	0.178	Lyman	06	Rural	2005	4251	48	5.0	11	11	6	3	265		0.134	38.870
047	70.83	0.000	Lyman	06	Rural	2005	4252	28	5.0	4	4	4	2	1003		0.063	38.933
* JCT SD 248																	
047	70.89	0.000	Lyman	06	Rural	2005	4252	28	5.0	4	4	4	2	1003		0.092	39.025
* JCT RELIANCE ALMUNI ST IN RELIANCE																	
047	70.98	0.000	Lyman	06	Rural	2005	4252	28	5.0	4	4	4	2	1003		0.024	39.049
* RR XING SD08 386126Y																	
047	71.01	0.000	Lyman	06	Rural	2005	4252	28	5.0	4	4	4	2	1003		0.069	39.118
* JCT RAILWAY ST IN RELIANCE																	
047	71.08	0.000	Lyman	06	Rural	2005	4252	28	5.0	4	4	4	2	1003		0.069	39.187
* JCT LYMAN ST IN RELIANCE																	
047	71.15	0.000	Lyman	06	Rural	2005	4252	28	5.0	4	4	4	2	1003		0.069	39.256
* JCT CHAMBERLAIN ST IN RELIANCE																	
047	71.26	0.000	Lyman	06	Rural	2005	4252	28	5.0	4	4	4	2	1003		0.177	39.433
* JCT DIRKS ST IN RELIANCE																	
047	71.39	0.000	Lyman	06	Rural	2005	4252	28	5.0	4	4	4	2	1003		0.253	39.686
* JCT CALDWELL ST IN RELIANCE																	
047	71.64	0.000	Lyman	06	Rural	2005	4252	28	5.0	4	4	4	2	880		0.252	39.938
* N CITY LIMITS IN RELIANCE																	
047	71.95	0.000	Lyman	06	Rural	2005	4252	28	5.0	4	4	4	2	880		4.345	44.283
* JCT 242 STREET																	
047	76.00	0.243	Lyman	06	Rural	2005	4252	28	5.0	9	9	6	2	880		0.138	44.421

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
047	76.00	0.381	Lyman	06	Rural	2005	4252	28	5.0	4	4	4	2	880		0.622	45.043
047	77.00	0.008	Lyman	06	Rural	2005	4252	28	5.0	9	9	6	2	880		0.343	45.386
047	77.00	0.351	Lyman	06	Rural	2005	4252	28	5.0	4	4	4	2	880		0.118	45.504
047	77.50	0.000	Lyman	06	Rural	2005	4252	28	5.0	4	4	4	2	389		3.160	48.664
* JCT 329 AVE																	
047	80.46	0.000	Lyman	06	Rural	2005	4252	28	5.0	4	4	4	2	389		0.064	48.728
* ENTER LOWER BRULE RESERVATION																	
047	80.46	0.064	Lyman	06	Rural	2005	4252	28	5.0	9	9	6	2	389		0.297	49.025
047	80.46	0.361	Lyman	06	Rural	2005	4252	28	5.0	4	4	4	2	389		2.248	51.273
047	83.00	0.239	Lyman	06	Rural	2005	4534	28	3.0	9	9	6	2	389		0.473	51.746
047	83.00	0.712	Lyman	06	Rural	2005	4252	28	5.0	4	4	4	2	389		0.326	52.072
047	84.00	0.035	Lyman	06	Rural	2005	4534	28	3.0	4	4	4	2	389		0.516	52.588
047	84.58	0.000	Lyman	06	Rural	2005	4534	28	3.0	4	4	4	2	476		0.043	52.631
* JCT MEDICINE BULL MEMORIAL HWY																	
047	84.58	0.043	Lyman	06	Rural	2005	4252	28	5.0	4	4	4	2	476		1.047	53.678
047	85.00	0.643	Lyman	06	Rural	2005	4252	28	5.0	9	9	6	2	476		1.681	55.359
047	87.00	0.325	Lyman	06	Rural	2021	4252	26	7.0	5	5	6	2	476		0.155	55.514
047	87.00	0.480	Lyman	06	Rural	2000	7999	26	6.0	0	0	1	2	476		0.151	55.665
047	87.62	0.000	Lyman	06	Rural	2021	4251	24	7.0	5	5	6	2	476	09061107	0.324	55.989
047	87.62	0.324	Lyman	06	Rural	2021	4251	24	7.0	5	5	6	2	476		0.046	56.035
047	88.00	0.000	Lyman	06	Rural	2021	4251	24	7.0	5	5	6	2	709		58.398	114.433
047	189.91	0.000	Potter	06	Rural	2009	4251	32	4.2	0	0	1	2	415		0.729	115.162
* JCT US 212/319 AVE																	
047	190.64	0.000	Potter	06	Rural	2009	4251	32	4.2	0	0	1	2	415		0.141	115.303
* JCT RAILWAY ST IN LEBANON																	
047	190.78	0.000	Potter	06	Rural	2009	4251	32	4.2	0	0	1	2	415		0.071	115.374
* JCT 2ND ST IN LEBANON																	
047	190.85	0.000	Potter	06	Rural	2009	4251	32	4.2	0	0	1	2	415		0.064	115.438
* JCT 3RD ST IN LEBANON																	
047	190.91	0.000	Potter	06	Rural	2009	4251	32	4.2	0	0	1	2	415		9.006	124.444
* JCT 160TH ST																	

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
047	199.94	0.000					0	0	0	0		0	0		0.000	124.444	
	* JCT SD 20/151 ST																
047	203.62	0.000	Walworth	06	Rural	2004	4252	22	4.7	0	0	1	2	359		3.952	128.396
	* JCT SD 20																
047	207.57	0.000	Walworth	06	Rural	2004	4252	22	4.7	0	0	1	2	359	65330201	0.062	128.458
047	207.57	0.062	Walworth	06	Rural	2004	4252	22	4.7	0	0	1	2	359		3.982	132.440
047	211.62	0.000	Walworth	06	Rural	2004	4252	22	4.7	0	0	1	2	359		1.203	133.643
	* JCT 140 ST																
047	212.82	0.000	Walworth	06	Rural	2004	4252	22	4.7	0	0	1	2	359	65330148	0.078	133.721
047	212.82	0.078	Walworth	06	Rural	2004	4252	22	4.7	0	0	1	2	359		4.081	137.802
047	217.00	0.000	Walworth	06	Rural	2004	4252	22	4.7	0	0	1	2	374		0.417	138.219
047	217.00	0.417	Walworth	06	Rural	2004	4252	23	4.0	5	5	6	2	374		0.223	138.442
047	217.63	0.000	Walworth	06	Rural	2004	4252	23	4.0	5	5	6	2	0		10.447	148.889
	* JCT US 12																
047	235.14	0.000	McPherson	06	Rural	2014	4252	28	7.5	2	2	6	2	264		2.183	151.072
	* EDMUNDS/MCPHERSON COUNTY LINE																
047	237.22	0.000	McPherson	06	Rural	2014	4252	28	7.5	2	2	6	2	264		2.997	154.069
	* JCT MCPHERSON COUNTY 16																
047	240.21	0.000	McPherson	06	Rural	2014	4252	28	7.5	2	2	6	2	264		1.788	155.857
	* JCT 119 ST																
047	242.00	0.000	McPherson	06	Rural	2014	4252	28	7.5	2	2	6	2	346		5.156	161.013
047	247.21	0.000	McPherson	06	Rural	2014	4252	28	7.5	2	2	6	2	346		0.069	161.082
	* JCT K AVE IN EUREKA																
047	247.27	0.000						0	0	0	0		0	0		0.000	161.082
	* JCT SD 10/327 AVE IN EUREKA																
047	248.28	0.000	McPherson	07	Rural	1996	4251	24	2.0	2	2	6	2	130		0.022	161.104
	* JCT SD 10/3RD ST IN EUREKA																
047	248.30	0.000	McPherson	07	Rural	1996	4251	24	2.0	2	2	6	2	130		0.069	161.173
	* JCT I AVE IN EUREKA																
047	248.37	0.000	McPherson	07	Rural	1996	4251	24	2.0	2	2	6	2	130		0.073	161.246
	* JCT H AVE IN EUREKA																
047	248.45	0.000	McPherson	07	Rural	1996	4251	24	2.0	2	2	6	2	130		0.075	161.321

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
047	248.52	0.000	McPherson	07	Rural	1996	4251	24	2.0	2	2	6	2	130		0.019	161.340
* JCT G AVE IN EUREKA																	
047	248.54	0.000	McPherson	07	Rural	1996	4251	24	2.0	2	2	6	2	130		0.055	161.395
* JCT F AVE W IN EUREKA																	
047	248.60	0.000	McPherson	07	Rural	1996	4251	24	2.0	2	2	6	2	130		0.138	161.533
* JCT F AVE E IN EUREKA																	
047	248.74	0.000	McPherson	07	Rural	1996	4251	24	2.0	2	2	6	2	130		0.055	161.588
* JCT E AVE IN EUREKA																	
047	248.79	0.000	McPherson	07	Rural	1996	4251	24	2.0	2	2	6	2	130		0.048	161.636
* JCT C AVE IN EUREKA																	
047	248.85	0.000	McPherson	07	Rural	1996	4251	24	2.0	2	2	6	2	130		1.193	162.829
* JCT B AVE IN EUREKA																	
* N CITY LIMITS IN EUREKA																	
047	250.00	0.020	McPherson	07	Rural	1996	4251	24	4.0	6	6	6	2	130		0.180	163.009
047	250.00	0.200	McPherson	07	Rural	1996	4251	24	2.0	2	2	6	2	130		2.949	165.958
047	253.16	0.000	McPherson	07	Rural	1996	4251	24	2.0	2	2	6	2	130	45050073	0.080	166.038
047	253.16	0.080	McPherson	07	Rural	1996	4251	24	2.0	2	2	6	2	130		0.762	166.800
047	254.00	0.000	McPherson	07	Rural	1996	4251	24	2.0	2	2	6	2	60		0.285	167.085
047	254.25	0.000	McPherson	07	Rural	1996	4251	24	2.0	2	2	6	2	60		2.002	169.087
* JCT MCPHERSON COUNTY 8																	
047	256.27	0.000	McPherson	07	Rural	1996	4251	24	2.0	2	2	6	2	60		0.158	169.245
* JCT 104 ST																	
047	256.45	0.000	McPherson	07	Rural	1996	4251	24	2.0	2	2	6	2	60	45050039	0.075	169.320
047	256.45	0.075	McPherson	07	Rural	1996	4251	24	2.0	2	2	6	2	60		3.856	173.176
047	260.38	0.000						0	0	0	0		0	0		0.000	173.176
* SD/ND BORDER HWY END																	

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
049	18.14	0.000	Tripp	07	Rural	2010	4251	22	2.5	0	0	1	2	262		0.148	0.148
	* JCT US 18/US 183 IN COLOME BEGIN HWY																
049	18.20	0.000	Tripp	07	Rural	2010	4251	22	2.5	0	0	1	2	262		8.834	8.982
	* N CITY LIMITS COLOME																
049	27.00	0.000	Tripp	07	Rural	2010	4251	22	2.5	0	0	1	2	232		0.500	9.482
049	27.50	0.000	Tripp	07	Rural	1998	4255	26	8.3	2	2	6	2	635		5.991	15.473
	* JCT SD 44																
049	33.49	0.000	Tripp	07	Rural	1998	4255	26	8.3	2	2	6	2	635		1.818	17.291
	* JCT 271 ST																
049	35.32	0.000	Tripp	07	Rural	1998	4255	26	8.3	2	2	6	2	635	62283191	0.110	17.401
049	35.32	0.110	Tripp	07	Rural	1998	4255	26	8.3	2	2	6	2	635		2.058	19.459
049	37.49	0.000	Tripp	07	Rural	1998	4255	26	8.3	2	2	6	2	635		0.997	20.456
	* JCT 267 ST																
049	38.49	0.000	Tripp	07	Rural	1998	4255	26	8.3	2	2	6	2	635		2.600	23.056
	* JCT 266 ST																
049	41.10	0.000	Tripp	07	Rural	1998	4255	26	8.3	2	2	6	2	635	62280133	0.096	23.152
049	41.10	0.096	Tripp	07	Rural	1998	4255	26	8.3	2	2	6	2	635		0.310	23.462
049	41.10	0.406	Tripp	07	Rural	2000	4255	24	7.3	4	4	6	2	635		0.190	23.652
049	42.00	0.000	Tripp	07	Rural	2000	4255	24	7.3	4	4	6	2	469		0.316	23.968
049	42.01	0.000	Tripp	07	Rural	2000	4255	24	7.3	4	4	6	2	469		0.215	24.183
	* JCT A ST																
049	42.23	0.000	Tripp	07	Rural	2000	4255	24	7.3	4	4	6	2	469	62283124	0.223	24.406
049	42.23	0.223	Tripp	07	Rural	2000	4255	24	7.3	4	4	6	2	469		3.805	28.211
049	46.56	0.000	Tripp	07	Rural	2000	4255	24	7.3	4	4	6	2	469	62308092	0.029	28.240
049	46.56	0.029	Tripp	07	Rural	2000	4255	24	7.3	4	4	6	2	469		0.256	28.496
049	46.84	0.000	Lyman	07	Rural	2000	4255	24	7.3	4	4	6	2	469		6.256	34.752
	* TRIPP/LYMAN COUNTY LINE																
049	53.00	0.102	Lyman	07	Rural	2000	4251	24	6.8	4	4	6	2	469		0.404	35.156
049	53.52	0.000						0	0	0	0		0	0		0.000	35.156
	* JCT SD 47 END HWY																

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
053	10.98	0.000	Tripp	07	Rural	1997	4254	24	3.0	1	1	6	2	155		1.000	1.000
	* JCT 293 ST BEGIN HWY																
053	11.98	0.000	Tripp	07	Rural	1997	4254	24	3.0	1	1	6	2	155		2.110	3.110
	* JCT 292 ST																
053	14.09	0.000	Tripp	07	Rural	1997	4254	24	3.0	1	1	6	2	155	62100399	0.095	3.205
053	14.09	0.095	Tripp	07	Rural	1997	4254	24	3.0	1	1	6	2	155		0.788	3.993
053	14.97	0.000	Tripp	07	Rural	1997	4254	24	3.0	1	1	6	2	155		0.007	4.000
	* JCT 289 ST																
053	14.97	0.007	Tripp	07	Rural	1997	4251	24	2.7	1	1	6	2	155		1.000	5.000
053	15.00	0.980	Tripp	07	Rural	1997	4251	24	2.5	2	2	6	2	155		5.998	10.998
053	21.00	0.970	Tripp	07	Rural	1966	4251	22	3.5	1	1	6	2	155		4.028	15.026
053	26.00	0.000	Tripp	07	Rural	1966	4251	22	3.5	1	1	6	2	204		0.946	15.972
053	26.98	0.000						0	0	0	0		0	0		0.000	15.972
	* JCT US 18/306 AVE																
053	49.98	0.000	Mellette	07	Rural	2004	4241	40	2.0	0	0	1	2	155		0.095	16.067
	* JCT SD 44/288 AVE																
053	50.00	0.075	Mellette	07	Rural	2014	2010	40	10.0	0	0	1	2	155		0.325	16.392
053	50.00	0.400	Mellette	07	Rural	2010	2010	40	11.0	0	0	1	2	155		0.305	16.697
053	50.71	0.000	Mellette	07	Rural	2010	2010	40	11.0	0	0	1	2	155	48440253	0.078	16.775
053	50.71	0.078	Mellette	07	Rural	2010	2010	40	11.0	0	0	1	2	155		0.055	16.830
053	50.71	0.133	Mellette	07	Rural	2014	2010	40	10.0	0	0	1	2	155		1.079	17.909
053	51.92	0.000	Mellette	07	Rural	2014	2010	40	10.0	0	0	1	2	155	48440241	0.062	17.971
053	51.92	0.062	Mellette	07	Rural	2014	2010	40	10.0	0	0	1	2	155		5.021	22.992
053	57.00	0.000	Mellette	07	Rural	2014	2010	40	10.0	0	0	1	2	90		4.124	27.116
053	61.00	0.124	Mellette	07	Rural	2014	2012	34	10.0	0	0	1	2	90		6.424	33.540
053	67.00	0.792	Mellette	07	Rural	2014	2010	34	14.0	0	0	1	2	90		1.106	34.646
053	68.93	0.000	Lyman	07	Rural	2014	2010	34	14.0	0	0	1	2	90		0.060	34.706
	* MELLETTE/LYMAN COUNTY LINE																
053	68.97	0.000	Lyman	07	Rural	2014	2010	34	14.0	0	0	1	2	90	43018330	0.029	34.735
053	69.00	0.000	Lyman	07	Rural	2014	2010	34	14.0	0	0	1	2	90		1.213	35.948
053	70.20	0.000	Lyman	07	Rural	2014	2010	34	14.0	0	0	1	2	90	43025323	0.276	36.224



# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	-----Surfacing-----				-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
						Year	Type	Width	Thick ness	Width LT	RT	Type					
053	70.20	0.276	Lyman	07	Rural	2014	2010	34	14.0	0	0	1	2	90		0.657	36.881
053	71.00	0.141	Lyman	07	Rural	2014	2012	24	12.5	0	0	1	2	90		0.128	37.009
053	71.00	0.269	Lyman	07	Rural	2014	2012	24	8.5	0	0	1	2	90		3.832	40.841
053	75.00	0.274	Lyman	07	Rural	2009	4251	28	2.6	0	0	1	2	90		0.536	41.377
053	75.81	0.000	Lyman	07	Rural	2009	4251	28	2.6	0	0	1	2	90		7.190	48.567
	* JCT 248 ST																
053	83.00	0.000	Lyman	07	Rural	2009	4251	28	2.6	0	0	1	2	192		0.283	48.850
053	83.00	0.283	Lyman	07	Rural	1981	4251	24	6.0	2	2	6	2	192		0.038	48.888
053	83.32	0.000						0	0	0	0		0	0		0.000	48.888
	* JCT US 83/90 E1/90 E2 END HWY																

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
063	26.71	0.000	Todd	07	Rural	2006	4251	24	5.0	0	0	1	2	1038		0.047	0.047
	* JCT US 18 BEGIN HWY																
063	26.73	0.022	Todd	07	Rural	2006	4251	24	3.9	0	0	1	2	1038		2.085	2.132
063	28.87	0.000	Todd	07	Rural	2006	4251	24	3.9	0	0	1	2	1038		0.230	2.362
	* JCT BIA 7																
063	29.10	0.000	Todd	07	Rural	2006	4251	24	3.9	0	0	1	2	1038		0.109	2.471
	* JCT FIFTH ST IN PARMELEE																
063	29.21	0.000	Todd	07	Rural	2006	4251	24	3.9	0	0	1	2	1038		0.068	2.539
	* JCT THIRD ST IN PARMELEE																
063	29.28	0.000	Todd	07	Rural	2006	4251	24	3.9	0	0	1	2	1038		0.070	2.609
	* JCT SECOND ST IN PARMELEE																
063	29.35	0.000	Todd	07	Rural	2006	4251	24	3.9	0	0	1	2	596		0.298	2.907
	* JCT FIRST ST IN PARMELEE																
063	29.63	0.000	Todd	07	Rural	2006	4251	24	3.9	0	0	1	2	596	61102045	0.290	3.197
063	29.63	0.290	Todd	07	Rural	2006	4251	24	3.9	0	0	1	2	596		3.055	6.252
063	33.00	0.000	Todd	07	Rural	2006	4251	24	3.9	0	0	1	2	280		3.140	9.392
063	36.13	0.000	Mellette	07	Rural	2006	4251	22	2.7	0	0	1	2	280		9.445	18.837
	* TODD/MELLETT COUNTY LINE & EXIT ROSEBUD RESERVATION																
063	45.60	0.000	Mellette	07	Rural	2006	4251	22	2.7	0	0	1	2	280	48035280	0.046	18.883
063	45.60	0.046	Mellette	07	Rural	2006	4251	22	2.7	0	0	1	2	280		1.246	20.129
063	46.90	0.000	Mellette	07	Rural	2006	4251	22	2.7	0	0	1	2	280		0.229	20.358
	* JCT 272 ST																
063	47.13	0.000	Mellette	07	Rural	2006	4251	22	2.7	0	0	1	2	280		0.468	20.826
	* JCT 246 AVE																
063	47.69	0.000						0	0	0	0		0	0		0.000	20.826
063	54.00	0.000	Mellette	07	Rural	2011	4255	26	5.0	1	1	6	2	171		0.210	21.036
	* JCT SD 44/OLD SD 63																
063	54.03	0.182	Mellette	07	Rural	2011	4251	26	5.0	1	1	6	2	171		0.468	21.504
063	54.66	0.000	Mellette	07	Rural	2011	4251	26	5.0	1	1	6	2	171	48020205	0.050	21.554
063	54.66	0.050	Mellette	07	Rural	2011	4251	26	5.0	1	1	6	2	171		0.092	21.646
063	54.66	0.142	Mellette	07	Rural	2016	2010	28	10.0	0	0	1	2	171		1.535	23.181

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			----Shoulder----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
063	56.33	0.000	Mellette	07	Rural	2016	2010	28	10.0	0	0	1	2	171	48023189	0.033	23.214
063	56.33	0.033	Mellette	07	Rural	2016	2010	28	10.0	0	0	1	2	171		3.057	26.271
063	59.46	0.000	Mellette	07	Rural	2016	2010	28	10.0	0	0	1	2	171	48020162	0.026	26.297
063	59.46	0.026	Mellette	07	Rural	2016	2010	28	10.0	0	0	1	2	171		4.382	30.679
063	64.15	0.000	Mellette	07	Rural	2016	2010	28	10.0	0	0	1	2	171	48021125	0.064	30.743
063	64.15	0.064	Mellette	07	Rural	2016	2010	28	10.0	0	0	1	2	171		4.091	34.834
063	68.00	0.322	Mellette	07	Rural	2016	2012	32	13.7	0	0	1	2	171		1.303	36.137
063	69.71	0.000	Mellette	07	Rural	2016	2012	32	13.7	0	0	1	2	171	48000077	0.063	36.200
063	69.71	0.063	Mellette	07	Rural	2016	2012	32	13.7	0	0	1	2	171		0.094	36.294
063	69.90	0.000	Jackson	07	Rural	2016	2012	32	13.7	0	0	1	2	171		2.855	39.149
* MELLETTE/JACKSON COUNTY LINE																	
063	72.00	0.733	Jackson	07	Rural	1970	7999	32	6.0	0	0	1	2	171		0.038	39.187
063	72.76	0.000	Jackson	07	Rural	1970	7999	32	6.0	0	0	1	2	171		0.072	39.259
* EXIT PINE RIDGE RESERVATION																	
063	72.84	0.000	Jackson	07	Rural	2016	2012	32	13.7	0	0	1	2	171	36447138	0.073	39.332
063	72.84	0.073	Jackson	07	Rural	2016	2012	32	13.7	0	0	1	2	171		1.086	40.418
063	74.00	0.000	Jackson	07	Rural	2016	2012	32	13.7	0	0	1	2	102		0.867	41.285
063	74.90	0.000	Jackson	07	Rural	2016	2012	32	13.7	0	0	1	2	102		0.569	41.854
* S CITY LIMITS IN BELVIDERE																	
063	75.44	0.000	Jackson	07	Rural	2021	4251	36	5.5	0	0	1	2	102		0.070	41.924
* JCT D ST IN BELVIDERE																	
063	75.51	0.000	Jackson	07	Rural	2021	4251	36	5.5	0	0	1	2	102		0.068	41.992
* JCT C ST IN BELVIDERE																	
063	75.58	0.000	Jackson	07	Rural	2021	4251	36	5.5	0	0	1	2	102		0.071	42.063
* JCT B ST IN BELVIDERE																	
063	75.65	0.000	Jackson	07	Rural	2021	4251	36	5.5	0	0	1	2	102		0.026	42.089
* JCT C ST IN BELVIDERE																	
063	75.65	0.026	Jackson	07	Rural	2021	4251	36	4.5	2	2	7	2	102		0.035	42.124
063	75.71	0.000	Jackson	07	Rural	2021	4251	36	4.5	2	2	7	2	102		0.077	42.201
* JCT RAILWAY ST IN BELVIDERE																	
063	75.71	0.077	Jackson	07	Rural	2021	4251	24	3.5	2	2	6	2	102		0.014	42.215

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
063	75.80	0.000	Jackson	07	Rural	2021	4251	24	3.5	2	2	6	2	102	36436111	0.075	42.290
063	75.80	0.075	Jackson	07	Rural	2021	4251	24	3.5	2	2	6	2	102		0.178	42.468
063	76.03	0.000	Jackson	07	Rural	2021	4251	44	4.5	2	2	7	2	102		0.201	42.669
	* JCT SD 248 IN BELVIDERE																
063	76.09	0.000	Jackson	07	Rural	2021	4251	44	4.5	2	2	7	2	102		0.017	42.686
	* N CITY LIMITS IN BELVIDERE																
063	76.28	0.000	Jackson	07	Rural	2021	4251	44	4.5	2	2	7	2	102		0.018	42.704
	* JCT RAMPS 90 E1/90 E2 EXIT 163																
063	76.28	0.018	Jackson	07	Rural	2021	4251	24	8.0	5	5	6	2	102		0.045	42.749
063	76.30	0.000	Jackson	07	Rural	2021	4251	24	8.0	5	5	6	2	102		0.003	42.752
	* INT I 90 E EXIT 163																
063	76.31	0.000	Jackson	07	Rural	2021	4251	24	8.0	5	5	6	2	102	36436106	0.005	42.757
063	76.32	0.000	Jackson	07	Rural	2021	4251	24	8.0	5	5	6	2	102		0.010	42.767
	* INT I 90																
063	76.33	0.000	Jackson	07	Rural	2021	4251	24	8.0	5	5	6	2	102		0.003	42.770
	* INT I 90 W EXIT 163																
063	76.34	0.000	Jackson	07	Rural	2021	4251	24	8.0	5	5	6	2	102	36436105	0.019	42.789
063	76.34	0.019	Jackson	07	Rural	1990	4251	24	8.0	5	5	6	2	102		0.043	42.832
063	76.42	0.000						0	0	0	0		0	0		0.000	42.832
	* JCT RAMPS 90 W1/90 W2 EXIT 163																
063	83.36	0.000	Jackson	07	Rural	2021	4252	24	3.5	5	5	6	2	297		0.060	42.892
	* JCT SD 248																
063	83.42	0.000	Jackson	07	Rural	2021	4252	24	3.5	5	5	6	2	297		0.041	42.933
	* JCT RAMPS 90 E1/90 E2 EXIT 170																
063	83.46	0.000	Jackson	07	Rural	2021	4252	24	3.5	5	5	6	2	297		0.003	42.936
	* INT I 90 E EXIT 170																
063	83.47	0.000	Jackson	07	Rural	2021	4252	24	3.5	5	5	6	2	297	36501079	0.004	42.940
063	83.48	0.000	Jackson	07	Rural	2021	4252	24	3.5	5	5	6	2	297		0.011	42.951
	* INT I 90																
063	83.49	0.000	Jackson	07	Rural	2021	4252	24	3.5	5	5	6	2	297		0.003	42.954
	* INT I 90 W EXIT 170																
063	83.50	0.000	Jackson	07	Rural	2021	4252	24	3.5	5	5	6	2	297	36501078	0.045	42.999

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
063	83.53	0.000	Jackson	06	Rural	2021	4252	24	3.5	5	5	6	2	297		0.051	43.050
	* JCT RAMPS 90 W1/90 W2 EXIT 170																
063	83.53	0.051	Jackson	06	Rural	2017	4252	28	4.0	2	2	6	2	297		5.797	48.847
063	89.37	0.000	Jackson	06	Rural	2017	4252	28	4.0	2	2	6	2	297		2.093	50.940
	* JCT CHURCH RD																
063	91.59	0.000	Haakon	06	Rural	2017	4252	28	4.0	2	2	6	2	251		3.645	54.585
	* JACKSON/HAAKON COUNTY LINE																
063	95.00	0.107	Haakon	06	Rural	2017	4252	24	7.3	4	4	6	2	251		1.346	55.931
063	96.00	0.454	Haakon	06	Rural	2017	4252	28	7.3	4	4	6	2	251		0.106	56.037
063	96.57	0.000	Haakon	06	Rural	2017	4252	24	8.3	4	4	6	2	251	28423469	0.035	56.072
063	96.57	0.035	Haakon	06	Rural	2017	4252	24	8.3	4	4	6	2	251		0.080	56.152
063	96.67	0.000	Haakon	06	Rural	2017	4252	24	8.3	4	4	6	2	251		0.013	56.165
	* RR XING CN03 189932W																
063	96.70	0.000	Haakon	06	Rural	2017	4252	24	8.3	4	4	6	2	251		0.057	56.222
	* JCT NORTHWESTERN ST IN MIDLAND																
063	96.76	0.000	Haakon	06	Rural	2017	4252	24	8.3	4	4	6	2	251		0.040	56.262
	* JCT PARK ST & SW CITY LIMITS IN MIDLAND																
063	96.80	0.000	Haakon	06	Rural	2017	4252	24	8.3	4	4	6	2	251		0.137	56.399
	* JCT MAIN ST IN MIDLAND																
063	96.93	0.000						0	0	0	0		0	0		0.000	56.399
	* JCT US 14/DUSTY RIDGE RD IN MIDLAND																
063	119.12	0.000	Stanley	06	Rural	2010	4251	32	4.7	0	0	1	2	414		10.508	66.907
	* JCT SD 34																
063	129.54	0.000	Stanley	06	Rural	2010	4251	32	4.7	0	0	1	2	414		2.501	69.408
	* JCT KIRLEY RD/SANSARC RD																
063	132.05	0.000	Stanley	06	Rural	2010	4251	32	4.7	0	0	1	2	414		0.013	69.421
	* JCT 196 ST																
063	132.05	0.013	Stanley	06	Rural	2010	4255	24	6.1	3	3	6	2	414		8.405	77.826
063	140.48	0.000	Stanley	06	Rural	2010	4255	24	6.1	3	3	6	2	414		0.503	78.329
	* JCT FOSTERS BAY RD																
063	140.97	0.000	Haakon	06	Rural	2010	4255	24	6.1	3	3	6	2	414		0.010	78.339
	* STANLEY/HAAKON COUNTY LINE																

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
063	140.97	0.010	Haakon	06	Rural	2010	4252	28	3.2	0	0	1	2	414		0.012	78.351
063	141.00	0.000	Haakon	06	Rural	2010	4252	28	3.2	0	0	1	2	408		3.339	81.690
063	144.32	0.000	Haakon	06	Rural	2010	4252	28	3.2	0	0	1	2	408	28392038	0.060	81.750
063	144.38	0.000	Haakon	06	Rural	2010	4252	28	3.2	0	0	1	2	408		0.051	81.801
* JCT ROBBS FLAT RD																	
063	144.38	0.051	Haakon	06	Rural	1981	7999	32	6.0	0	0	1	2	408		0.157	81.958
063	144.60	0.000	Ziebach	06	Rural	1981	7999	32	6.0	0	0	1	2	408		0.242	82.200
* HAAKON/ZIEBACH COUNTY LINE																	
063	144.83	0.000	Ziebach	06	Rural	2010	4252	24	3.0	2	2	6	2	408	69390535	0.116	82.316
063	145.00	0.000	Ziebach	06	Rural	2010	4252	24	3.0	2	2	6	2	408		0.662	82.978
063	145.00	0.662	Ziebach	06	Rural	2010	4252	24	4.5	4	4	6	2	408		0.678	83.656
063	146.38	0.000	Ziebach	06	Rural	2010	4252	24	4.5	4	4	6	2	408		0.087	83.743
* JCT BIA 12																	
063	146.47	0.000	Ziebach	06	Rural	2010	4252	24	4.5	4	4	6	2	654	69383519	0.289	84.032
063	146.47	0.289	Ziebach	06	Rural	2010	4252	24	4.5	4	4	6	2	654		1.376	85.408
063	148.00	0.374	Ziebach	06	Rural	2010	4251	30	4.0	0	0	1	2	654		4.269	89.677
063	152.00	0.639	Ziebach	06	Rural	2010	4252	24	4.5	4	4	6	2	654		0.204	89.881
063	152.00	0.843	Ziebach	06	Rural	2010	4251	26	5.0	3	3	6	2	654		2.315	92.196
063	155.14	0.000	Ziebach	06	Rural	2010	4251	26	5.0	3	3	6	2	654	69360444	0.091	92.287
063	155.14	0.091	Ziebach	06	Rural	2010	4251	26	5.0	3	3	6	2	654		1.845	94.132
063	157.09	0.000	Ziebach	06	Rural	2010	4251	26	5.0	3	3	6	2	654	69360425	0.445	94.577
063	157.54	0.000	Ziebach	06	Rural	2010	4251	26	5.0	3	3	6	2	654		5.998	100.575
* JCT BIA 9																	
063	163.54	0.000	Ziebach	06	Rural	2010	4251	26	5.0	3	3	6	2	654		3.008	103.583
* JCT 169 ST																	
063	166.54	0.000	Dewey	06	Rural	2010	4251	26	5.0	3	3	6	2	718		0.997	104.580
* ZIEBACH/DEWEY COUNTY LINE & 166TH ST																	
063	167.54	0.000						0	0	0	0		0	0		0.000	104.580
* JCT US 212																	
063	173.67	0.000	Dewey	06	Rural	2005	4255	26	4.0	2	2	6	2	885		11.250	115.830
* JCT US 212																	

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
063	184.00	0.932	Dewey	06	Rural	2005	4255	26	3.9	2	2	6	2	885		0.747	116.577
063	185.00	0.674	Dewey	06	Rural	2005	4255	26	4.8	3	3	6	2	885		0.699	117.276
063	186.38	0.000	Dewey	06	Rural	2005	4255	26	4.8	3	3	6	2	885	21148201	0.413	117.689
063	186.38	0.413	Dewey	06	Rural	2005	4255	26	4.8	3	3	6	2	885		0.657	118.346
063	187.40	0.000	Dewey	06	Rural	2005	4255	26	4.8	3	3	6	2	502		2.799	121.145
* JCT BIA 2																	
063	190.00	0.253	Dewey	06	Rural	2005	4255	26	3.3	3	3	6	2	502		0.085	121.230
063	190.00	0.338	Dewey	06	Rural	2011	4252	24	3.5	1	1	6	2	502		13.198	134.428
063	204.91	0.000						0	0	0	0		0	0		0.000	134.428
* JCT SD 20/243 AVE																	
063	227.58	0.000	Corson	06	Rural	2011	4251	24	4.6	1	1	6	2	283		11.522	145.950
* JCT SD 20																	
063	239.10	0.000	Corson	06	Rural	2011	4251	24	4.6	1	1	6	2	283		0.316	146.266
* JCT BIA 10																	
063	239.10	0.316	Corson	06	Rural	2011	4251	24	5.0	2	2	6	2	283		0.525	146.791
063	239.93	0.000	Corson	06	Rural	2011	4251	24	5.0	2	2	6	2	283		0.484	147.275
* JCT BIA 4																	
063	240.00	0.448	Corson	06	Rural	1991	7999	24	6.0	0	0	1	2	283		0.095	147.370
063	240.50	0.000	Corson	06	Rural	2005	4251	24	4.2	2	2	6	2	283	16578202	0.460	147.830
063	241.00	0.000	Corson	06	Rural	2005	4251	24	4.2	2	2	6	2	283		0.711	148.541
063	241.00	0.711	Corson	06	Rural	2005	4251	22	4.2	2	2	6	2	283		0.335	148.876
063	242.00	0.000	Corson	06	Rural	2005	4251	22	4.2	2	2	6	2	417		4.621	153.497
063	246.00	0.613	Corson	06	Rural	2005	4251	28	4.0	6	6	4	2	417		0.168	153.665
063	246.00	0.781	Corson	06	Rural	2005	4251	36	4.0	0	0	1	2	417		0.152	153.817
063	246.93	0.000	Corson	06	Rural	2005	4251	36	4.0	0	0	1	2	417		0.189	154.006
* JCT GRAND RIVER TL																	
063	247.00	0.136	Corson	06	Rural	2005	4251	28	4.0	6	6	4	2	417		0.815	154.821
063	247.94	0.000	Corson	06	Rural	2005	4251	28	4.0	6	6	4	2	417		0.041	154.862
* JCT 113 ST																	
063	248.00	0.000	Corson	06	Rural	2005	4251	28	4.0	6	6	4	2	732		1.452	156.314
063	249.00	0.458	Corson	06	Rural	2005	4251	36	4.0	0	0	1	2	732		0.838	157.152

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
063	250.00	0.303	Corson	06	Rural	2005	4251	28	4.0	6	6	4	2	732		0.863	158.015
063	251.00	0.175	Corson	06	Rural	2007	4251	40	4.0	2	2	7	2	732		0.083	158.098
063	251.25	0.000	Corson	06	Rural	2007	4251	40	4.0	2	2	7	2	732		0.050	158.148
	* S CITY LIMITS IN MCLAUGHLIN																
063	251.30	0.000	Corson	06	Rural	2007	4251	40	4.0	2	2	7	2	732		0.080	158.228
	* JCT 7TH ST IN MCLAUGHLIN																
063	251.36	0.000	Corson	06	Rural	2007	4251	55	4.0	2	2	7	2	732		0.069	158.297
	* JCT 6TH ST N IN MCLAUGHLIN																
063	251.43	0.000	Corson	06	Rural	2007	4251	55	4.0	2	2	7	2	732		0.070	158.367
	* JCT 5TH ST IN MCLAUGHLIN																
063	251.50	0.000	Corson	06	Rural	2007	4251	70	4.0	2	2	7	2	732		0.069	158.436
	* JCT 4TH ST IN MCLAUGHLIN																
063	251.57	0.000	Corson	06	Rural	2007	4251	70	4.0	2	2	7	2	732		0.070	158.506
	* JCT 3RD ST IN MCLAUGHLIN																
063	251.64	0.000	Corson	06	Rural	2007	4251	70	4.0	2	2	7	2	732		0.068	158.574
	* JCT 2ND ST IN MCLAUGHLIN																
063	251.71	0.000	Corson	06	Rural	2007	4251	70	4.0	2	2	7	2	732		0.069	158.643
	* JCT 1ST ST IN MCLAUGHLIN																
063	251.78	0.000	Corson	06	Rural	2007	4255	48	5.5	2	2	7	4	859		0.036	158.679
	* JCT US 12 IN MCLAUGHLIN																
063	251.81	0.000	Corson	06	Rural	2007	4255	48	5.5	2	2	7	4	859		0.053	158.732
	* RR XING SD17 393919S																
063	251.87	0.000	Corson	06	Rural	2007	4255	48	5.5	2	2	7	4	859		0.021	158.753
	* JCT E SALE BARN RD IN MCLAUGHLIN																
063	251.89	0.000	Corson	06	Rural	2007	4255	48	5.5	2	2	7	4	859		0.094	158.847
	* JCT SALE BARN RD IN MCLAUGHLIN																
063	251.98	0.000	Corson	06	Rural	2007	4255	48	5.5	2	2	7	4	859		0.040	158.887
	* JCT N 1ST ST IN MCLAUGHLIN																
063	252.29	0.000	Corson	06	Rural	2007	4255	48	5.5	2	2	7	4	859		0.067	158.954
	* N CITY LIMITS IN MCLAUGHLIN																
063	252.29	0.067	Corson	06	Rural	2006	4255	32	3.5	0	0	1	2	859		0.591	159.545
063	252.78	0.000	Corson	06	Rural	2006	4255	32	3.5	0	0	1	2	859	16580084	0.045	159.590



# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
063	252.78	0.045	Corson	06	Rural	2006	4255	32	3.5	0	0	1	2	859		0.257	159.847
063	252.98	0.000	Corson	06	Rural	2006	4255	32	3.5	0	0	1	2	859		0.613	160.460
063	253.60	0.000	Corson	06	Rural	2006	4255	32	3.5	0	0	1	2	859	16580075	0.262	160.722
063	253.60	0.262	Corson	06	Rural	2006	4255	32	3.5	0	0	1	2	859		0.166	160.888
063	254.00	0.028	Corson	06	Rural	2005	4251	28	4.0	6	6	4	2	859		6.599	167.487
063	260.62	0.000	Corson	06	Rural	2005	4251	28	4.0	6	6	4	2	859		0.007	167.494
063	260.64	0.000						0	0	0	0		0	0		0.000	167.494

\* JCT 108 ST

\* END OF SD 63

\* SD/ND BORDER HWY END

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
065	164.00	0.000	Ziebach	07	Rural	2016	4251	24	8.0	4	4	6	2	538		0.145	0.145
* JCT US 212/227 AVE BEGIN HWY																	
065	164.20	0.000	Ziebach	07	Rural	2016	4251	24	8.0	4	4	6	2	538	69220289	0.026	0.171
065	164.20	0.026	Ziebach	07	Rural	2016	4251	24	8.0	4	4	6	2	538		1.876	2.047
065	166.17	0.000	Ziebach	07	Rural	2016	4251	24	8.0	4	4	6	2	538	69220270	0.490	2.537
065	166.17	0.490	Ziebach	07	Rural	2016	4251	24	8.0	4	4	6	2	538		5.328	7.865
065	171.89	0.000	Ziebach	07	Rural	2016	4251	24	8.0	4	4	6	2	538		2.804	10.669
* JCT 155 ST																	
065	174.00	0.660	Ziebach	07	Rural	2016	4255	24	7.6	4	4	6	2	538		1.822	12.491
065	176.84	0.000	Ziebach	07	Rural	2016	4255	24	7.6	4	4	6	2	538	69249183	0.154	12.645
065	177.00	0.000	Ziebach	07	Rural	2016	4255	24	7.6	4	4	6	2	538		1.070	13.715
065	178.00	0.063	Ziebach	07	Rural	2016	4251	24	8.0	4	4	6	2	538		0.916	14.631
065	178.98	0.000	Ziebach	07	Rural	2016	4251	24	8.0	4	4	6	2	538		7.480	22.111
* ZIEBACH/DEWEY COUNTY LINE																	
065	186.43	0.000	Ziebach	07	Rural	2016	4251	24	8.0	4	4	6	2	538	69260092	0.029	22.140
065	186.43	0.029	Ziebach	07	Rural	2016	4251	24	8.0	4	4	6	2	538		2.544	24.684
065	189.00	0.000	Ziebach	07	Rural	2016	4251	24	8.0	4	4	6	2	430		0.483	25.167
065	190.05	0.000						0	0	0	0		0	0		0.000	25.167
* JCT SD 20																	
065	193.47	0.000	Dewey	06	Rural	2019	4251	24	5.0	2	2	6	2	495		0.057	25.224
* JCT SD 20 IN ISABEL																	
065	193.59	0.000	Dewey	06	Rural	2019	4251	24	5.0	2	2	6	2	495		0.042	25.266
* JCT HILLSVIEW RD																	
065	193.59	0.042	Dewey	06	Rural	2019	4251	24	7.2	2	2	6	2	495		4.967	30.233
065	198.62	0.000	Corson	06	Rural	2019	4251	24	7.2	2	2	6	2	495		0.389	30.622
* DEWEY/CORSON COUNTY LINE																	
065	199.03	0.000	Corson	06	Rural	2019	4251	24	7.2	2	2	6	2	495	16280326	0.100	30.722
065	199.03	0.100	Corson	06	Rural	2019	4251	24	7.2	2	2	6	2	495		2.487	33.209
065	201.00	0.622	Corson	06	Rural	2019	4251	24	6.8	2	2	6	2	495		6.401	39.610
065	208.04	0.000	Corson	06	Rural	2019	4251	24	6.8	2	2	6	2	217		6.054	45.664
* JCT 124 ST/BIA 4																	

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
065	214.00	0.095	Corson	06	Rural	2013	4251	32	3.5	0	0	1	2	217		0.579	46.243
065	214.65	0.000	Corson	06	Rural	2013	4251	32	3.5	0	0	1	2	217	16323181	0.228	46.471
065	214.65	0.228	Corson	06	Rural	2013	4251	32	3.5	0	0	1	2	217		0.901	47.372
065	215.00	0.803	Corson	06	Rural	2013	4251	32	4.5	0	0	1	2	217		4.502	51.874
065	220.95	0.000	Corson	06	Rural	2013	4251	32	4.5	0	0	1	2	217	16329127	0.005	51.879
065	220.95	0.005	Corson	06	Rural	2013	4251	32	4.5	0	0	1	2	217		5.454	57.333
065	226.46	0.000	Corson	06	Rural	2013	4251	32	4.5	0	0	1	2	217	16328073	0.070	57.403
065	226.46	0.070	Corson	06	Rural	2013	4251	32	4.5	0	0	1	2	217		5.228	62.631
065	231.81	0.000						0	0	0	0		0	0		0.000	62.631
	* JCT US 12/UNKNOWN RD																
065	232.34	0.000	Corson	06	Rural	2006	4251	24	4.8	4	4	6	2	275		1.250	63.881
	* JCT US 12/3RD ST																
065	233.61	0.000	Corson	06	Rural	2006	4251	24	4.8	4	4	6	2	275		0.030	63.911
	* END OF SD 65																
065	233.62	0.000						0	0	0	0		0	0		0.000	63.911
	* SD/ND BORDER HWY END																

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
073	0.00	0.000	Bennett	06	Rural	2015	4252	24	4.0	4	4	6	2	468		6.272	6.272
	* SD/NE BORDER HWY BEGIN																
073	6.28	0.000	Bennett	06	Rural	2015	4252	24	4.0	4	4	6	2	468	04197215	0.280	6.552
073	6.28	0.280	Bennett	06	Rural	2015	4252	24	4.0	4	4	6	2	468		3.140	9.692
073	9.72	0.000	Bennett	06	Rural	2015	4252	24	4.0	4	4	6	2	468	04190180	0.013	9.705
073	9.72	0.013	Bennett	06	Rural	2015	4252	24	4.0	4	4	6	2	468		2.624	12.329
073	12.00	0.343	Bennett	06	Rural	2021	4252	48	6.0	2	2	7	4	468		0.051	12.380
073	12.39	0.000	Bennett	06	Rural	2021	4252	48	6.0	2	2	7	4	468		0.070	12.450
	* JCT MAJOR ALLEN ST IN MARTIN																
073	12.46	0.000	Bennett	06	Rural	2021	4252	48	6.0	2	2	7	4	468		0.062	12.512
	* JCT ST ANTHONY ST IN MARTIN																
073	12.53	0.000	Bennett	06	Rural	2021	4252	48	6.0	2	2	7	4	468		0.019	12.531
	* JCT PORTICE ST IN MARTIN																
073	12.55	0.000	Bennett	06	Rural	2021	4252	48	6.0	2	2	7	4	468		0.055	12.586
	* S CITY LIMITS IN MARTIN																
073	12.62	0.000						0	0	0	0		0	0		0.000	12.586
	* JCT US 18/1ST AVE IN MARTIN																
073	25.11	0.000	Bennett	04	Rural	2010	4254	48	5.5	5	5	6	2	700		0.112	12.698
	* JCT US 18/230 AVE																
073	25.12	0.089	Bennett	04	Rural	2010	4251	28	4.0	5	5	9	2	700		6.789	19.487
073	32.00	0.217	Bennett	04	Rural	2010	4251	28	4.0	5	5	6	2	700		0.332	19.819
073	32.00	0.549	Bennett	04	Rural	2010	4251	28	4.0	5	5	9	2	700		0.269	20.088
073	32.00	0.818	Bennett	04	Rural	2010	4251	28	4.0	5	5	6	2	700		0.361	20.449
073	33.00	0.179	Bennett	04	Rural	2010	4251	28	4.0	5	5	9	2	700		0.100	20.549
073	33.00	0.279	Bennett	04	Rural	2010	4251	28	4.0	5	5	6	2	700		0.207	20.756
073	33.00	0.486	Bennett	04	Rural	2010	4251	28	4.0	5	5	9	2	700		0.234	20.990
073	33.00	0.720	Bennett	04	Rural	2010	4251	28	4.0	5	5	6	2	700		0.691	21.681
073	34.00	0.411	Bennett	04	Rural	2010	4251	28	4.0	5	5	9	2	700		0.772	22.453
073	35.00	0.183	Bennett	04	Rural	2010	4251	28	4.0	5	5	6	2	700		0.191	22.644
073	35.00	0.374	Bennett	04	Rural	2010	4251	28	4.0	5	5	9	2	700		0.132	22.776
073	35.00	0.506	Bennett	04	Rural	2010	4251	28	4.0	5	5	6	2	700		0.399	23.175

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
073	35.00	0.905	Bennett	04	Rural	2010	4251	28	4.0	5	5	9	2	700		0.095	23.270
073	36.00	0.000	Bennett	04	Rural	2010	4251	28	4.0	5	5	6	2	700		0.236	23.506
073	36.00	0.236	Bennett	04	Rural	2010	4251	28	4.0	5	5	9	2	700		0.097	23.603
073	36.00	0.333	Bennett	04	Rural	2010	4251	28	4.0	5	5	6	2	700		0.224	23.827
073	36.00	0.557	Bennett	04	Rural	2010	4251	28	4.0	5	5	9	2	700		0.430	24.257
073	36.00	0.987	Bennett	04	Rural	2010	4251	28	4.0	5	5	6	2	700		0.441	24.698
073	37.00	0.428	Bennett	04	Rural	2010	4251	28	4.0	5	5	9	2	700		0.050	24.748
073	37.00	0.478	Bennett	04	Rural	2013	4251	28	4.0	4	4	9	2	700		0.116	24.864
073	37.65	0.000	Jackson	04	Rural	2013	4251	36	4.0	0	0	1	2	643		0.321	25.185
* BENNETT/JACKSON COUNTY LINE																	
073	37.65	0.321	Jackson	04	Rural	2013	4251	28	4.0	4	4	9	2	643		0.982	26.167
073	38.00	0.897	Jackson	04	Rural	2013	4251	36	4.0	0	0	1	2	643		0.297	26.464
073	39.00	0.194	Jackson	04	Rural	2013	4251	28	4.0	4	4	9	2	643		0.104	26.568
073	39.00	0.298	Jackson	04	Rural	2013	4251	36	4.0	0	0	1	2	643		0.452	27.020
073	39.00	0.750	Jackson	04	Rural	2013	4251	28	4.0	4	4	9	2	643		0.324	27.344
073	40.00	0.074	Jackson	04	Rural	2013	4251	36	4.0	0	0	1	2	643		0.253	27.597
073	40.00	0.327	Jackson	04	Rural	2013	4251	28	4.0	4	4	9	2	643		0.288	27.885
073	40.00	0.615	Jackson	04	Rural	2013	4251	36	4.0	0	0	1	2	643		0.466	28.351
073	41.00	0.081	Jackson	04	Rural	2013	4251	28	4.0	4	4	9	2	643		0.256	28.607
073	41.00	0.337	Jackson	04	Rural	2013	4251	36	4.0	0	0	1	2	643		0.263	28.870
073	41.00	0.600	Jackson	04	Rural	2013	4251	28	4.0	4	4	9	2	643		0.779	29.649
073	42.00	0.379	Jackson	04	Rural	2013	4251	36	4.0	0	0	1	2	643		0.274	29.923
073	42.73	0.000	Jackson	04	Rural	2013	4251	24	4.8	0	0	1	2	643		0.083	30.006
* JCT LONG VALLEY RD																	
073	42.73	0.083	Jackson	04	Rural	2013	4251	28	4.0	4	4	9	2	643		0.301	30.307
073	43.00	0.037	Jackson	04	Rural	2013	4251	36	4.0	0	0	1	2	643		0.422	30.729
073	43.00	0.459	Jackson	04	Rural	2013	4251	28	4.0	4	4	9	2	643		0.251	30.980
073	43.00	0.710	Jackson	04	Rural	2013	4251	36	4.0	0	0	1	2	643		0.466	31.446
073	44.00	0.176	Jackson	04	Rural	2013	4251	28	4.0	4	4	9	2	643		0.570	32.016
073	44.82	0.000	Jackson	04	Rural	2013	4251	28	4.0	4	4	9	2	643		1.213	33.229

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
* JCT EAGLE NEST RD																	
073	46.03	0.000	Jackson	04	Rural	2013	4251	28	4.0	4	4	9	2	643	36320338	0.005	33.234
073	46.03	0.005	Jackson	04	Rural	2013	4251	28	4.0	4	4	9	2	643		1.558	34.792
073	47.00	0.522	Jackson	04	Rural	2013	4251	36	4.0	0	0	1	2	643		0.439	35.231
073	47.00	0.961	Jackson	04	Rural	2013	4251	28	4.0	4	4	9	2	643		0.456	35.687
073	48.00	0.417	Jackson	04	Rural	2013	4251	36	4.0	0	0	1	2	643		0.208	35.895
073	48.00	0.625	Jackson	04	Rural	2013	4251	28	4.0	4	4	9	2	643		0.689	36.584
073	49.00	0.314	Jackson	04	Rural	2013	4251	36	4.0	0	0	1	2	643		0.625	37.209
073	49.00	0.939	Jackson	04	Rural	2013	4251	28	4.0	4	4	9	2	643		0.941	38.150
073	50.00	0.880	Jackson	04	Rural	2013	4251	36	4.0	0	0	1	2	643		0.129	38.279
073	51.09	0.000	Jackson	04	Rural	2013	4251	36	4.0	0	0	1	2	1073		0.002	38.281
* JCT SD 44																	
073	51.09	0.002	Jackson	04	Rural	2013	4251	28	4.0	4	4	9	2	1073		0.530	38.811
073	51.09	0.532	Jackson	04	Rural	2013	4251	36	4.0	0	0	1	2	1073		0.281	39.092
073	51.09	0.813	Jackson	04	Rural	2013	4251	28	4.0	4	4	9	2	1073		0.604	39.696
073	52.00	0.466	Jackson	04	Rural	2013	4251	36	4.0	0	0	1	2	1073		0.199	39.895
073	52.00	0.665	Jackson	04	Rural	2013	4251	28	4.0	4	4	9	2	1073		0.457	40.352
073	53.00	0.122	Jackson	04	Rural	2013	4251	28	7.9	1	1	6	2	1073		9.299	49.651
073	62.00	0.495	Jackson	04	Rural	2013	4251	28	4.5	0	0	1	2	1073		0.480	50.131
073	63.14	0.000	Jackson	04	Rural	2013	4251	28	4.5	0	0	1	2	1073	36301184	0.023	50.154
073	63.14	0.023	Jackson	04	Rural	2013	4251	28	4.5	0	0	1	2	1073		0.890	51.044
073	64.00	0.050	Jackson	04	Rural	2013	4251	26	5.0	0	0	1	2	1073		0.421	51.465
073	64.00	0.471	Jackson	04	Rural	2013	4251	28	4.5	0	0	1	2	1073		0.098	51.563
073	64.00	0.569	Jackson	04	Rural	2013	4251	24	4.0	4	4	6	2	1073		0.344	51.907
073	64.94	0.000	Jackson	04	Rural	2013	4251	24	4.0	4	4	6	2	1073		0.049	51.956
* EXIT PINE RIDGE RESERVATION																	
073	64.99	0.000	Jackson	04	Rural	2013	4251	24	4.0	4	4	6	2	1073	36309168	0.021	51.977
073	65.00	0.000	Jackson	04	Rural	2013	4251	24	4.0	4	4	6	2	1073		0.331	52.308
073	65.00	0.331	Jackson	04	Rural	2013	4251	24	5.5	4	4	6	2	1073		1.024	53.332
073	66.00	0.349	Jackson	04	Rural	2013	4251	28	4.5	0	0	1	2	1073		3.562	56.894

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
073	69.94	0.000	Jackson	04	Rural	2013	4251	28	4.5	0	0	1	2	1073		0.056	56.950
	* JCT PINE ST IN KADOKA																
073	70.00	0.000	Jackson	04	Rural	2013	4251	28	4.5	0	0	1	2	1102		0.941	57.891
073	70.95	0.000	Jackson	04	Rural	2013	4251	28	4.5	0	0	1	2	1123		0.019	57.910
	* JCT SD 248 IN KADOKA																
073	70.95	0.019	Jackson	04	Rural	2013	4251	32	5.5	0	0	1	2	1123		0.048	57.958
073	71.02	0.000	Jackson	04	Rural	2013	4251	32	5.5	0	0	1	2	1123		0.070	58.028
	* JCT BAYBERRY ST IN KADOKA																
073	71.09	0.000	Jackson	04	Rural	2013	4251	32	5.5	0	0	1	2	1123		0.022	58.050
	* JCT OAK ST IN KADOKA																
073	71.09	0.022	Jackson	04	Rural	2013	4251	32	5.5	1	1	6	2	1123		0.088	58.138
073	71.09	0.110	Jackson	04	Rural	1986	7201	36	9.0	3	3	4	2	1123		0.018	58.156
073	71.21	0.000	Jackson	04	Rural	1986	7201	36	9.0	3	3	4	2	1123		0.094	58.250
	* JCT RAMPS 90 E1/90 E2 EXIT 150																
073	71.27	0.000	Jackson	04	Rural	1986	7201	36	9.0	3	3	4	2	1123		0.009	58.259
	* OVER PASS I 90 E EXIT 150																
073	71.28	0.000	Jackson	04	Rural	1986	7201	36	9.0	3	3	4	2	1123		0.009	58.268
	* INT I 90																
073	71.29	0.000	Jackson	04	Rural	1986	7201	36	9.0	3	3	4	2	1123		0.014	58.282
	* OVER PASS I 90 W EXIT 150																
073	71.30	0.000	Jackson	04	Rural	1986	7201	36	9.0	3	3	4	2	1123	36309106	0.072	58.354
073	71.41	0.000						0	0	0	0		0	0		0.000	58.354
	* JCT RAMPS 90 W1/90 W2 EXIT 150																
073	78.07	0.000	Jackson	04	Rural	2019	4251	24	5.5	7	7	6	2	776		0.046	58.400
	* JCT SD 248																
073	78.12	0.000	Jackson	04	Rural	2019	4251	24	5.5	7	7	6	2	776		0.062	58.462
	* JCT RAMPS 90 E1/90 E2 EXIT 143																
073	78.17	0.000	Jackson	04	Rural	2019	4251	24	5.5	7	7	6	2	776		0.004	58.466
	* UNDER PASS I 90 E EXIT 143																
073	78.18	0.000	Jackson	04	Rural	2019	4251	24	5.5	7	7	6	2	776	36240111	0.007	58.473
073	78.19	0.000	Jackson	04	Rural	2019	4251	24	5.5	7	7	6	2	776		0.010	58.483
	* INT I 90																

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
073	78.20	0.000	Jackson	04	Rural	2019	4251	24	5.5	7	7	6	2	776		0.004	58.487
	* UNDER PASS I 90 W EXIT 143																
073	78.21	0.000	Jackson	04	Rural	2019	4251	24	5.5	7	7	6	2	776	36240110	0.056	58.543
073	78.26	0.000	Jackson	04	Rural	2019	4251	24	5.5	7	7	6	2	776		0.080	58.623
	* JCT RAMPS 90 W1/90 W2 EXIT 143																
073	78.26	0.080	Jackson	04	Rural	2008	4251	28	3.5	5	5	9	2	776		5.658	64.281
073	84.02	0.000	Jackson	04	Rural	2008	4251	28	3.5	5	5	9	2	776	36240052	0.037	64.318
073	84.02	0.037	Jackson	04	Rural	2008	4251	28	3.5	5	5	9	2	776		1.108	65.426
073	85.19	0.000	Jackson	04	Rural	2008	4251	28	3.5	5	5	9	2	776		2.431	67.857
	* JCT 239 ST																
073	87.00	0.623	Jackson	04	Rural	2008	4251	28	3.5	6	6	6	2	776		0.332	68.189
073	88.00	0.007	Jackson	04	Rural	2008	4251	28	3.5	5	5	9	2	776		0.356	68.545
073	88.00	0.363	Jackson	04	Rural	2008	4251	28	3.5	6	6	6	2	776		0.380	68.925
073	88.00	0.743	Jackson	04	Rural	2008	4251	28	3.5	5	5	9	2	776		0.639	69.564
073	89.32	0.000	Haakon	04	Rural	2008	4251	28	3.5	6	6	6	2	698		0.275	69.839
	* JACKSON/HAAKON COUNTY LINE																
073	89.32	0.275	Haakon	04	Rural	2008	4251	28	3.5	5	5	9	2	698		0.675	70.514
073	90.00	0.285	Haakon	04	Rural	2008	4251	28	3.5	6	6	6	2	698		1.025	71.539
073	91.00	0.304	Haakon	04	Rural	2008	4251	28	3.5	5	5	9	2	698		1.000	72.539
073	92.29	0.000	Haakon	04	Rural	2001	4252	48	10.5	2	2	7	2	698	28171492	0.009	72.548
073	92.29	0.009	Haakon	04	Rural	2001	4252	48	10.5	2	2	7	2	698		0.029	72.577
073	92.34	0.000	Haakon	04	Rural	2001	4252	48	10.5	2	2	7	2	698		0.031	72.608
	* JCT CHERRY ST IN PHILIP																
073	92.36	0.000	Haakon	04	Rural	2001	4252	48	10.5	2	2	7	2	698		0.052	72.660
	* RR XING CN03 190010C																
073	92.42	0.000	Haakon	04	Rural	2001	4252	48	10.5	2	2	7	2	698		0.070	72.730
	* JCT OAK ST IN PHILIP																
073	92.42	0.070	Haakon	04	Rural	2001	4252	48	4.5	2	2	7	2	698		0.005	72.735
073	92.50	0.000	Haakon	04	Rural	2001	4252	48	4.5	2	2	7	2	698		0.082	72.817
	* JCT PINE ST IN PHILIP																
073	92.58	0.000	Haakon	04	Rural	2001	4252	48	4.5	2	2	7	2	698		0.141	72.958



# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			----Shoulder----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
073	92.72	0.000	Haakon	04	Rural	2001	4252	48	4.5	2	2	7	2	698		0.035	72.993
* JCT ELM ST IN PHILIP																	
073	92.76	0.000	Haakon	04	Rural	2001	4252	48	4.5	2	2	7	2	698		0.052	73.045
* JCT BRYAN ST IN PHILIP																	
073	92.81	0.000	Haakon	04	Rural	2001	4252	48	4.5	2	2	7	2	698		0.019	73.064
* JCT HONE ST IN PHILIP																	
073	92.83	0.000	Haakon	04	Rural	2001	4252	48	4.5	2	2	7	2	698		0.049	73.113
* JCT MAY ST IN PHILIP																	
073	92.88	0.000	Haakon	04	Rural	2001	4252	48	4.5	2	2	7	2	698		0.047	73.160
* JCT DUPREE ST IN PHILIP																	
073	92.93	0.000	Haakon	04	Rural	2004	4255	48	4.5	2	2	7	2	805		0.014	73.174
* JCT BENNETT ST IN PHILIP																	
073	92.94	0.000	Haakon	04	Rural	2004	4255	48	4.5	2	2	7	2	805		0.057	73.231
* JCT US 14 IN PHILIP																	
073	93.00	0.000	Haakon	04	Rural	2004	4251	32	4.0	0	0	1	2	436		2.495	75.726
* N CITY LIMITS IN PHILIP																	
073	95.52	0.000	Haakon	04	Rural	2004	4251	32	4.0	0	0	1	2	436	28170459	0.046	75.772
073	95.52	0.046	Haakon	04	Rural	2004	4251	32	4.0	0	0	1	2	436		10.573	86.345
073	106.00	0.146	Haakon	04	Rural	2004	4251	30	6.0	3	3	6	2	436		3.359	89.704
073	109.49	0.000	Haakon	04	Rural	2004	4251	30	6.0	3	3	6	2	436		5.244	94.948
* JCT HILLAND RD																	
073	114.75	0.000	Haakon	04	Rural	2004	4251	30	6.0	3	3	6	2	436	28160269	0.024	94.972
073	114.75	0.024	Haakon	04	Rural	2004	4251	30	6.0	3	3	6	2	436		2.831	97.803
073	117.60	0.000	Haakon	04	Rural	2004	4251	30	6.0	3	3	6	2	0		86.218	184.021
* JCT SD 34/MILESVILLE RD																	
073	252.25	0.000	Corson	06	Rural	2005	4255	24	6.0	3	3	9	2	281		0.027	184.048
* JCT US 12																	
073	252.26	0.000	Corson	06	Rural	2005	4255	24	6.0	3	3	9	2	281		0.551	184.599
* JCT US 12																	
073	252.86	0.000	Corson	06	Rural	2005	4255	24	6.0	3	3	9	2	281	16026001	0.009	184.608
073	252.86	0.009	Corson	06	Rural	2005	4255	24	6.0	3	3	9	2	281		0.068	184.676
073	252.96	0.000	Corson	06	Rural	2005	4255	24	6.0	3	3	9	2	281		0.019	184.695

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
* SPECIAL FOR END OF SD 73																	
073	252.97	0.000						0	0	0	0		0	0		0.000	184.695
* SD/ND BORDER HWY END																	

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
083	0.00	0.000	Todd	04	Rural	2020	4151	24	5.0	8	8	6	2	2148		0.022	0.022
	* SD/NE BORDER HWY BEGIN																
083	0.02	0.000	Todd	04	Rural	2020	4151	24	5.0	8	8	6	2	2148		0.062	0.084
	* SPECIAL START US 83																
083	0.02	0.062	Todd	04	Rural	2020	4151	24	5.0	8	8	6	3	2148		0.124	0.208
083	0.02	0.186	Todd	04	Rural	2020	4151	52	5.0	0	0	1	3	2148		0.055	0.263
083	0.02	0.241	Todd	04	Rural	2020	4151	36	5.0	26	14	6	3	2148		0.106	0.369
083	0.02	0.347	Todd	04	Rural	2020	4151	24	5.0	8	8	6	2	2148		0.378	0.747
083	0.02	0.725	Todd	04	Rural	2020	4151	24	5.0	20	20	6	3	2148		0.675	1.422
083	1.00	0.425	Todd	04	Rural	2020	4151	24	5.0	8	8	6	2	2148		0.859	2.281
083	2.00	0.263	Todd	04	Rural	2020	4153	40	6.0	0	0	1	2	2148		0.492	2.773
083	2.00	0.755	Todd	04	Rural	2020	4151	24	5.0	8	8	6	2	2148		0.687	3.460
083	3.00	0.444	Todd	04	Rural	2020	4153	40	6.0	0	0	1	2	2148		0.103	3.563
083	3.57	0.000	Todd	04	Rural	2020	4153	40	6.0	0	0	1	2	2148		0.200	3.763
	* JCT 301 ST																
083	3.57	0.200	Todd	04	Rural	2020	4151	24	5.0	8	8	6	2	2148		3.248	7.011
083	6.00	0.996	Todd	04	Rural	2020	4153	40	6.0	0	0	1	2	2148		0.237	7.248
083	7.00	0.228	Todd	04	Rural	2020	4151	24	5.0	8	8	6	2	2148		0.383	7.631
083	7.63	0.000	Todd	04	Rural	2020	4151	24	5.0	8	8	6	2	2148		0.010	7.641
	* JCT 297 ST																
083	7.63	0.010	Todd	04	Rural	2020	4153	40	6.0	0	0	1	2	2148		0.328	7.969
083	7.63	0.338	Todd	04	Rural	2020	4151	24	5.0	8	8	6	2	2148		2.479	10.448
083	10.00	0.420	Todd	04	Rural	2020	4153	40	6.0	0	0	1	2	2148		0.181	10.629
083	10.00	0.601	Todd	04	Rural	2020	4151	24	5.0	8	8	6	2	2148		0.806	11.435
083	11.41	0.000	Todd	04	Rural	2020	4151	24	5.0	8	8	6	2	2148		1.020	12.455
	* JCT 293 ST																
083	12.00	0.408	Todd	04	Rural	2020	4151	24	9.0	8	8	4	2	2148		7.903	20.358
083	20.00	0.308	Todd	04	Rural	2020	4151	30	10.0	8	8	4	2	2148		0.695	21.053
083	21.00	0.000	Todd	04	Rural	2020	4151	30	10.0	8	8	4	2	2458		0.220	21.273
083	21.00	0.220	Todd	04	Rural	2018	7211	37	8.0	6	6	6	3	2458		0.236	21.509

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
083	21.00	0.456	Todd	04	Rural	2018	7211	38	8.0	2	6	8	3	2458		0.361	21.870
083	21.82	0.000	Todd	04	Rural	2018	7211	39	8.0	2	2	7	3	2458	61300061	0.012	21.882
083	21.82	0.012	Todd	04	Rural	2018	7211	39	8.0	2	2	7	3	2458		0.022	21.904
083	21.95	0.000	Todd	04	Rural	2018	7211	39	8.0	2	2	7	3	3063		0.107	22.011
	* S CITY LIMITS IN MISSION																
083	21.96	0.000	Todd	04	Rural	2018	7211	39	8.0	2	2	7	3	3063		0.017	22.028
	* JCT 3RD ST E IN MISSION																
083	21.98	0.000	Todd	04	Rural	2018	7211	39	8.0	2	2	7	3	3063		0.074	22.102
	* JCT 3RD ST W IN MISSION																
083	22.15	0.000						0	0	0	0		0	0		0.000	22.102
	* JCT US 18/ADAMS ST IN MISSION																
083	25.13	0.000	Todd	04	Rural	1989	7211	44	8.0	3	8	9	2	1472		0.028	22.130
	* JCT US 18/271 AVE																
083	25.14	0.000	Todd	04	Rural	1989	7211	44	8.0	3	8	9	2	1472		0.120	22.250
	* JCT RAMP 18 1/18 2																
083	25.15	0.118	Todd	04	Rural	2020	4151	24	11.0	6	6	6	2	1472		5.914	28.164
083	31.17	0.000	Mellette	04	Rural	2020	4151	24	11.0	6	6	6	2	1472		0.061	28.225
	* TODD/MELLETT COUNTY LINE																
083	31.19	0.000	Mellette	04	Rural	2020	4151	24	11.0	6	6	6	2	1600		1.268	29.493
083	32.00	0.447	Mellette	04	Rural	2020	4255	26	8.0	6	6	6	2	1600		5.843	35.336
083	38.80	0.000	Mellette	04	Rural	2020	4255	26	8.0	6	6	6	2	1600	48256262	0.035	35.371
083	38.80	0.035	Mellette	04	Rural	2020	4255	26	8.0	6	6	6	2	1600		0.776	36.147
083	39.62	0.000	Mellette	04	Rural	2020	4255	26	8.0	6	6	6	2	1600	48258254	0.237	36.384
083	39.62	0.237	Mellette	04	Rural	2020	4255	26	8.0	6	6	6	2	1600		1.991	38.375
083	41.00	0.851	Mellette	04	Rural	2020	4255	26	8.0	6	6	6	3	1600		0.075	38.450
083	41.92	0.000	Mellette	04	Rural	2020	4255	26	8.0	6	6	6	3	1772		0.110	38.560
	* JCT SD 44 E																
083	42.00	0.047	Mellette	04	Rural	2020	4255	26	8.0	6	6	6	2	1772		2.070	40.630
083	44.00	0.105	Mellette	04	Rural	2020	4255	24	8.0	7	7	6	2	1772		0.146	40.776
083	44.00	0.251	Mellette	04	Rural	1993	4252	44	7.0	2	6	8	3	1772		0.010	40.786
083	44.26	0.000	Mellette	04	Rural	1993	4252	44	7.0	2	6	8	3	2257		0.117	40.903

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
083	44.38	0.000	Mellette	04	Rural	1993	4252	44	7.0	2	6	8	3	2257		0.074	40.977
* JCT SD 44 W/RODEO RD IN WHITE RIVER																	
083	44.45	0.000	Mellette	04	Rural	1993	4252	44	7.0	2	6	8	3	2257		0.074	41.051
* JCT E 2ND ST IN WHITE RIVER																	
083	44.53	0.000	Mellette	04	Rural	1993	4252	44	7.0	2	6	8	3	2257		0.075	41.126
* JCT E 3RD ST IN WHITE RIVER																	
083	44.60	0.000	Mellette	04	Rural	1993	4252	44	7.0	2	6	8	3	2257		0.075	41.201
* JCT E 4TH ST IN WHITE RIVER																	
083	44.68	0.000	Mellette	04	Rural	1993	4252	44	7.0	2	6	8	3	2257		0.073	41.274
* JCT E 5TH ST IN WHITE RIVER																	
083	44.75	0.000	Mellette	04	Rural	1993	4252	44	7.0	2	6	8	3	2257		0.074	41.348
* JCT E 6TH ST IN WHITE RIVER																	
083	44.82	0.000	Mellette	04	Rural	1993	4252	44	7.0	2	6	8	3	2257		0.076	41.424
* JCT E 7TH ST IN WHITE RIVER																	
083	44.90	0.000	Mellette	04	Rural	1993	4252	44	7.0	2	6	8	3	2257		0.074	41.498
* JCT E 8TH ST IN WHITE RIVER																	
083	44.97	0.000	Mellette	04	Rural	1993	4252	44	7.0	2	6	8	3	2257		0.010	41.508
* JCT E 9TH ST IN WHITE RIVER																	
083	44.97	0.010	Mellette	04	Rural	1993	4252	24	8.0	7	7	6	2	2257		0.144	41.652
083	45.00	0.124	Mellette	04	Rural		5000	44	0.1	0	0	1	2	2257		0.872	42.524
083	46.00	0.000	Mellette	04	Rural		5000	44	0.1	0	0	1	2	1455		0.598	43.122
083	46.44	0.000	Mellette	04	Rural		5000	44	0.1	0	0	1	2	1455		0.222	43.344
* JCT LITTLE WHITE RIVER RD																	
083	46.83	0.000	Mellette	04	Rural		5000	44	0.1	0	0	1	2	1455	48250185	0.174	43.518
083	47.00	0.000	Mellette	04	Rural		5000	44	0.1	0	0	1	2	1455		8.347	51.865
083	55.37	0.000	Mellette	04	Rural		5000	44	0.1	0	0	1	2	1455		0.242	52.107
* JCT TWO KETTLE RD																	
083	55.62	0.000	Jones	04	Rural		5000	44	0.1	0	0	1	2	1455		0.035	52.142
* MELLETTE/JONES COUNTY LINE																	
083	55.65	0.000	Jones	04	Rural		5000	44	0.1	0	0	1	2	1455	48283108	0.215	52.357
083	55.65	0.215	Jones	04	Rural		5000	44	0.1	0	0	1	2	1455		0.186	52.543

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
083	56.00	0.048	Jones	04	Rural		5000	28	0.1	8	8	4	2	1455		1.457	54.000
083	57.49	0.000	Jones	04	Rural		5000	28	0.1	8	8	4	2	1455	38192297	0.219	54.219
083	57.49	0.219	Jones	04	Rural		5000	28	0.1	8	8	4	2	1455		1.137	55.356
083	58.86	0.000	Jones	04	Rural		5000	28	0.1	8	8	4	2	1455	38192284	0.100	55.456
083	58.86	0.100	Jones	04	Rural		5000	28	0.1	8	8	4	2	1455		7.039	62.495
083	66.00	0.000	Jones	04	Rural		5000	28	0.1	8	8	4	2	1436		1.482	63.977
083	67.00	0.482	Jones	04	Rural	1992	7211	44	8.5	4	4	4	2	1436		0.178	64.155
083	67.72	0.000	Jones	04	Rural	1992	7211	44	8.5	4	4	4	2	1436		0.062	64.217
	* JCT RAMPS 90 E1/90 E2 EXIT 192																
083	67.78	0.000	Jones	04	Rural	1992	7211	44	8.5	4	4	4	2	1436		0.011	64.228
	* OVER PASS 190 E EXIT 192																
083	67.81	0.000	Jones	04	Rural	1992	7211	44	8.5	4	4	4	2	1436		0.010	64.238
	* INT 190 IN MURDO																
083	67.82	0.000	Jones	04	Rural	1992	7211	44	8.5	4	4	4	2	1436		0.021	64.259
	* OVER PASS 190 W EXIT 192																
083	67.84	0.000	Jones	04	Rural	1992	7211	44	8.5	4	4	4	2	1436	38180198	0.044	64.303
083	67.87	0.000						0	0	0	0		0	0		0.000	64.303
	* JCT KENNEDY AVE & RAMPS 90 W1/90 W2 EXIT 192																
083	87.24	0.000	Lyman	02	Rural	2002	7211	24	8.0	8	8	6	2	3019		0.090	64.393
	* JCT SD 53 & RAMPS 90 E1/90 E2 EXIT 212																
083	87.32	0.000	Lyman	02	Rural	2002	7211	24	8.0	8	8	6	2	3019		0.011	64.404
	* OVER PASS 190 E EXIT 212																
083	87.33	0.000	Lyman	02	Rural	2002	7211	24	8.0	8	8	6	2	3019		0.012	64.416
	* INT 190																
083	87.35	0.000	Lyman	02	Rural	2002	7211	24	8.0	8	8	6	2	3019		0.027	64.443
	* OVER PASS 190 W EXIT 212																
083	87.36	0.000	Lyman	02	Rural	2002	7211	24	8.0	8	8	6	2	3019	43026195	0.024	64.467
083	87.36	0.024	Lyman	02	Rural	2002	7211	66	8.0	6	6	6	5	3019		0.042	64.509
083	87.44	0.000	Lyman	02	Rural	2002	7211	66	8.0	6	6	6	5	3019		0.048	64.557
	* JCT RAMPS 83 1/83 2 EXIT 212																
083	87.49	0.000	Lyman	02	Rural	2002	7211	66	8.0	6	6	6	5	3019		0.610	65.167
	* JCT RAMPS 90 W1/90 W2 EXIT 212																

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			----Shoulder----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
083	88.10	0.000	Lyman	02	Rural	2002	7211	66	8.0	6	6	6	5	2477		0.019	65.186
	* JCT SD 248																
083	88.10	0.019	Lyman	02	Rural	2012	4251	76	7.3	6	6	6	6	2477		0.102	65.288
083	88.19	0.000						0	0	0	0		0	0		0.000	65.288
	* JCT US 83 N/US 83 S																
083	116.46	0.000	Stanley	02	Rural	2017	4251	64	7.8	6	6	6	5	3382		0.444	65.732
	* JCT US 83 N/US 83 S																
083	116.94	0.000	Stanley	02	Rural	2017	4251	64	7.8	6	6	6	5	4270		0.374	66.106
	* JCT SD 1806 E																
083	117.33	0.000	Stanley	02	Rural	2017	4251	64	7.8	6	6	6	3	4270		0.353	66.459
	* JCT BAD RIVER RD																
083	117.33	0.353	Stanley	02	Rural	2017	4251	40	7.8	6	6	6	3	4270		0.510	66.969
083	118.22	0.000	Stanley	14	Urban	2017	4251	44	7.3	2	2	7	3	4270		0.054	67.023
	* S CITY LIMITS IN FT PIERRE																
083	118.23	0.000	Stanley	14	Urban	2017	4251	44	7.3	2	2	7	3	4270		0.012	67.035
	* JCT SCOTTY PHILIP AVE IN FT PIERRE																
083	118.24	0.000	Stanley	14	Urban	2017	4251	44	7.3	2	2	7	3	4270		0.050	67.085
	* JCT TIM ST IN FT PIERRE																
083	118.29	0.000	Stanley	14	Urban	2017	4251	44	7.3	2	2	7	3	4270		0.069	67.154
	* JCT WANDEL AVE IN FT PIERRE																
083	118.35	0.000	Stanley	14	Urban	2017	4251	44	7.3	2	2	7	3	4270		0.070	67.224
	* JCT PARK AVE IN FT PIERRE																
083	118.42	0.000	Stanley	14	Urban	2017	4251	44	7.3	2	2	7	3	4270		0.105	67.329
	* JCT CEDAR AVE IN FT PIERRE																
083	118.50	0.000	Stanley	14	Urban	2008	7211	60	9.0	2	2	7	5	6160	59398295	0.017	67.346
083	118.50	0.017	Stanley	14	Urban	2008	7211	60	9.0	2	2	7	5	6160		0.155	67.501
083	118.69	0.000	Stanley	14	Urban	2008	7211	60	9.0	2	2	7	5	7828		0.084	67.585
	* JCT MAIN ST IN FT PIERRE																
083	118.76	0.000	Stanley	14	Urban	2008	7211	60	9.0	2	2	7	5	7828		0.018	67.603
	* JCT 2ND AVE IN FT PIERRE																
083	118.76	0.018	Stanley	14	Urban	2007	7213	60	9.0	2	2	7	5	7828		0.062	67.665
083	118.84	0.000	Stanley	14	Urban	2007	7213	60	9.0	2	2	7	5	7828		0.079	67.744

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			----Shoulder----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
083	118.92	0.000	Stanley	14	Urban	2007	7213	60	9.0	2	2	7	5	7828		0.062	67.806
	* JCT 3RD AVE IN FT PIERRE																
083	119.00	0.000	Stanley	14	Urban	2007	7213	60	9.0	2	2	7	5	10696		0.019	67.825
083	119.01	0.000	Stanley	14	Urban	2007	7213	60	9.0	2	2	7	5	10696		0.078	67.903
	* JCT 5TH AVE/ELEVATOR RD IN FT PIERRE																
083	119.10	0.000	Stanley	14	Urban	2007	7213	60	9.0	2	2	7	5	10696		0.087	67.990
	* JCT 6TH AVE/DEADWOOD ST IN FT PIERRE																
083	119.18	0.000	Stanley	14	Urban	2007	7213	60	9.0	2	2	7	5	10696		0.088	68.078
	* JCT 7TH AVE/SALEBARN RD IN FT PIERRE																
083	119.27	0.000	Stanley	14	Urban	2007	7213	60	9.0	2	2	7	5	10696		0.066	68.144
	* JCT 8TH AVE IN FT PIERRE																
083	119.34	0.000	Stanley	14	Urban	2007	7213	60	9.0	2	2	7	5	12135		0.233	68.377
	* JCT 9TH AVE IN FT PIERRE																
083	119.50	0.000	Stanley	14	Urban	2007	7213	60	9.0	2	2	7	5	12135		0.010	68.387
	* JCT STANLEY RD IN FT PIERRE																
083	119.52	0.000						0	0	0	0		0	0		0.000	68.387
	* JCT US 83 N/US 83 S IN FT PIERRE																
083	138.73	0.000	Hughes	04	Rural	1983	7201	28	7.5	5	5	9	2	1920		0.090	68.477
	* JCT US 14/305 AVE/14 EF																
083	138.78	0.040	Hughes	04	Rural	1996	7211	28	8.0	6	6	5	2	1920		0.719	69.196
083	139.54	0.000	Hughes	04	Rural	1996	7211	28	8.0	6	6	5	2	1920		2.450	71.646
	* JCT 198 ST																
083	141.98	0.000	Sully	04	Rural	1996	7211	28	8.0	6	6	5	2	1920		2.255	73.901
	* HUGHES/SULLY COUNTY LINE & 196TH ST																
083	144.00	0.237	Sully	04	Rural	1996	7211	28	6.5	6	6	5	2	1920		0.093	73.994
083	144.00	0.330	Sully	04	Rural	1996	7211	28	8.0	6	6	5	2	1920		1.275	75.269
083	145.00	0.613	Sully	04	Rural	1997	7211	28	8.0	6	6	5	2	1920		1.380	76.649
083	146.98	0.000	Sully	04	Rural	1997	7211	28	8.0	6	6	5	2	1920		5.847	82.496
	* JCT 191 ST																
083	152.00	0.849	Sully	04	Rural	1996	7211	52	8.0	2	2	7	3	1920		0.011	82.507
083	152.86	0.000	Sully	04	Rural	1996	7211	52	8.0	2	2	7	3	1920		0.166	82.673



# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
* JCT CEDAR AVE IN ONIDA																	
083	153.10	0.000	Sully	04	Rural	1996	7211	52	8.0	2	2	7	3	1100		0.070	82.743
* JCT 185 ST IN ONIDA																	
083	153.10	0.070	Sully	04	Rural	1999	7211	28	7.9	6	6	4	2	1100		0.700	83.443
083	153.10	0.770	Sully	04	Rural	1999	7211	28	7.9	14	14	4	2	1100		1.192	84.635
083	154.00	0.988	Sully	04	Rural	1999	7211	28	7.9	6	6	4	2	1100		3.638	88.273
083	158.63	0.000	Sully	04	Rural	1999	7211	28	7.9	6	6	4	2	1100	60310074	0.001	88.274
083	158.63	0.001	Sully	04	Rural	1999	7211	28	7.9	6	6	4	2	1100		3.395	91.669
083	162.02	0.000	Sully	04	Rural	1999	7211	28	7.9	6	6	4	2	1100		3.668	95.337
* JCT 176 ST																	
083	165.00	0.686	Sully	04	Rural	1989	7211	28	8.0	6	6	6	2	1100		0.435	95.772
083	166.20	0.000	Potter	04	Rural	1989	7211	28	8.0	6	6	6	2	1100		1.532	97.304
* SULLY/POTTER COUNTY LINE																	
083	167.73	0.000	Potter	04	Rural	1989	7211	28	8.0	6	6	6	2	1100	54160224	0.173	97.477
083	167.73	0.173	Potter	04	Rural	1989	7211	28	8.0	6	6	6	2	1100		0.317	97.794
083	168.23	0.000	Potter	04	Rural	1989	7211	28	8.0	6	6	6	2	1100		2.765	100.559
* JCT 170 ST																	
083	171.00	0.000	Potter	04	Rural	1989	7211	28	8.0	6	6	6	2	1347		0.242	100.801
083	171.24	0.000	Potter	04	Rural	1989	7211	28	8.0	6	6	6	2	1347		2.473	103.274
* JCT 167 ST																	
083	173.00	0.717	Potter	04	Rural	1989	7211	28	8.5	6	6	6	2	1347		0.397	103.671
083	174.10	0.000						0	0	0	0		0	0		0.000	103.671
* JCT US 212																	
083	175.14	0.000	Potter	04	Rural	1989	7211	28	8.5	6	6	6	2	997		0.120	103.791
* JCT US 212/305 AVE																	
083	175.15	0.090	Potter	04	Rural	2013	4251	28	6.5	4	4	6	2	997		5.711	109.502
083	180.98	0.000	Potter	04	Rural	2013	4251	28	6.5	4	4	6	2	997	54170102	0.012	109.514
083	180.98	0.012	Potter	04	Rural	2013	4251	28	6.5	4	4	6	2	997		0.159	109.673
083	181.16	0.000	Potter	04	Rural	2013	4251	28	6.5	4	4	6	2	997		1.329	111.002
* JCT 158 ST																	
083	182.48	0.000	Potter	04	Rural	2013	4251	28	6.5	4	4	6	2	997	54170087	0.330	111.332

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
083	182.48	0.330	Potter	04	Rural	2013	4251	28	6.5	4	4	6	2	997		0.637	111.969
083	183.45	0.000	Potter	04	Rural	2013	4251	28	6.5	4	4	6	2	997	54170077	0.542	112.511
083	184.00	0.000	Potter	04	Rural	2013	4251	28	6.5	4	4	6	2	997		0.160	112.671
083	184.15	0.000	Potter	04	Rural	2013	4251	28	6.5	4	4	6	2	997		1.468	114.139
* JCT 155 ST																	
083	185.00	0.630	Potter	04	Rural	2013	4251	36	6.5	0	0	1	2	997		0.255	114.394
083	185.00	0.885	Potter	04	Rural	2013	4251	28	6.5	4	4	6	2	997		0.248	114.642
083	186.00	0.135	Potter	04	Rural	2013	4251	36	6.5	0	0	1	2	997		0.250	114.892
083	186.00	0.385	Potter	04	Rural	2013	4251	28	6.5	4	4	6	2	997		3.643	118.535
083	190.00	0.036	Potter	04	Rural	2013	4251	36	6.5	0	0	1	2	997		0.291	118.826
083	190.00	0.327	Potter	04	Rural	2013	4251	28	6.5	4	4	6	2	997		0.208	119.034
083	190.00	0.535	Potter	04	Rural	2013	4251	36	6.5	0	0	1	2	997		0.317	119.351
083	190.00	0.852	Potter	04	Rural	2013	4251	28	6.5	4	4	6	2	997		0.427	119.778
083	191.26	0.000	Walworth	04	Rural	2013	4251	28	6.5	4	4	6	2	776		0.130	119.908
* JCT SD 20 E & POTTER/WALWORTH COUNTY LINE																	
083	191.26	0.130	Walworth	04	Rural	2013	4251	28	7.0	4	4	6	2	776		3.999	123.907
083	195.42	0.000	Walworth	04	Rural	2013	4251	28	7.0	4	4	6	2	776		0.148	124.055
* JCT 144 ST																	
083	195.56	0.000	Walworth	04	Rural	2013	4251	28	7.0	4	4	6	2	776	65200197	0.429	124.484
083	196.00	0.000	Walworth	04	Rural	2013	4251	28	7.0	4	4	6	2	776		0.653	125.137
083	196.00	0.653	Walworth	04	Rural	2012	4251	36	4.5	4	4	9	2	776		0.671	125.808
083	197.31	0.000	Walworth	04	Rural	2012	4251	36	4.5	4	4	9	2	896		1.264	127.072
* JCT SD 144 W																	
083	198.00	0.592	Walworth	04	Rural	2013	4251	28	7.0	4	4	6	2	896		4.480	131.552
083	203.07	0.000	Walworth	04	Rural	2013	4251	28	7.0	4	4	6	2	896	65210129	0.153	131.705
083	203.07	0.153	Walworth	04	Rural	2013	4251	28	7.0	4	4	6	2	896		1.480	133.185
083	204.00	0.730	Walworth	04	Rural	2013	4252	24	8.0	4	4	6	2	896		0.570	133.755
083	205.28	0.000						0	0	0	0		0	0		0.000	133.755
* JCT US 83 N/US 83 S																	
083	212.76	0.000	Walworth	04	Rural	2012	4251	28	4.5	4	4	6	2	888		3.807	137.562
* JCT US 83 N/US 83 S																	

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
083	216.56	0.000	Campbell	04	Rural	2012	4251	28	4.5	4	4	6	2	888		0.383	137.945
	* WALWORTH/CAMPBELL COUNTY LINE																
083	216.56	0.383	Campbell	04	Rural	2012	4252	24	5.5	6	6	6	2	888		1.646	139.591
083	218.59	0.000	Campbell	04	Rural	2012	4252	24	5.5	6	6	6	2	888		0.189	139.780
	* JCT 122 ST																
083	218.59	0.189	Campbell	04	Rural	2012	4251	28	4.5	4	4	6	2	888		4.874	144.654
083	223.64	0.000	Campbell	04	Rural	2012	4251	28	4.5	4	4	6	2	888	11200171	0.159	144.813
083	223.64	0.159	Campbell	04	Rural	2012	4251	28	4.5	4	4	6	2	888		1.844	146.657
083	225.67	0.000	Campbell	04	Rural	2012	4251	28	4.5	4	4	6	2	888		0.006	146.663
	* S CITY LIMITS IN MOUND CITY																
083	225.69	0.000	Campbell	04	Rural	2012	4251	28	4.5	4	4	6	2	888		0.004	146.667
	* JCT CLARK ST IN MOUND CITY																
083	225.69	0.004	Campbell	04	Rural	2011	4251	56	4.5	2	2	7	2	888		0.067	146.734
083	225.74	0.000	Campbell	04	Rural	2011	4251	56	4.5	2	2	7	2	888		0.066	146.800
	* JCT 1ST ST IN MOUND CITY																
083	225.74	0.066	Campbell	04	Rural	2011	4251	36	4.5	0	0	1	2	888		0.004	146.804
083	225.81	0.000	Campbell	04	Rural	2011	4251	36	4.5	0	0	1	2	888		0.069	146.873
	* JCT 2ND ST IN MOUND CITY																
083	225.88	0.000	Campbell	04	Rural	2011	4251	36	4.5	0	0	1	2	888		0.021	146.894
	* JCT 3RD ST IN MOUND CITY																
083	225.88	0.021	Campbell	04	Rural	2012	4251	28	4.5	4	4	6	2	888		0.019	146.913
083	225.90	0.000	Campbell	04	Rural	2012	4251	28	4.5	4	4	6	2	888		2.752	149.665
	* N CITY LIMITS IN MOUND CITY																
083	228.67	0.000	Campbell	04	Rural	2012	4251	28	4.5	4	4	6	2	1024		0.014	149.679
	* JCT SD 10 E/112 ST																
083	228.67	0.014	Campbell	04	Rural	2007	4251	28	5.0	4	4	4	2	1024		2.235	151.914
083	230.94	0.000	Campbell	04	Rural	2007	4251	28	5.0	4	4	4	2	1024	11200097	0.070	151.984
083	231.00	0.000	Campbell	04	Rural	2007	4251	28	5.0	4	4	4	2	1024		0.229	152.213
083	231.34	0.000	Campbell	04	Rural	2007	4251	28	5.0	4	4	4	2	1024	11200095	0.773	152.986
083	232.00	0.000	Campbell	04	Rural	2007	4251	28	5.0	4	4	4	2	1024		0.248	153.234
083	232.24	0.000	Campbell	04	Rural	2007	4251	28	5.0	4	4	4	2	1024	11200084	0.246	153.480

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
083	232.24	0.246	Campbell	04	Rural	2007	4251	28	5.0	4	4	4	2	1024		0.183	153.663
083	232.67	0.000	Campbell	04	Rural	2007	4251	28	5.0	4	4	4	2	1024		0.204	153.867
	* JCT 108 ST																
083	232.67	0.204	Campbell	04	Rural	2009	4251	40	6.0	2	2	7	2	1024		0.045	153.912
083	232.92	0.000	Campbell	04	Rural	2009	4251	40	6.0	2	2	7	2	1024		0.190	154.102
	* S CITY LIMITS IN HERREID																
083	233.15	0.000	Campbell	04	Rural	2009	4251	40	6.0	2	2	7	2	1024		0.057	154.159
	* JCT 4TH AVE SE IN HERREID																
083	233.21	0.000	Campbell	04	Rural	2009	4251	74	6.0	2	2	7	2	1024		0.060	154.219
	* JCT 3RD AVE SW IN HERREID																
083	233.28	0.000	Campbell	04	Rural	2009	4251	74	6.0	2	2	7	2	1024		0.072	154.291
	* JCT 1ST AVE IN HERREID																
083	233.35	0.000	Campbell	04	Rural	2009	4251	74	6.0	2	2	7	2	1024		0.071	154.362
	* JCT 2ND AVE IN HERREID																
083	233.42	0.000	Campbell	04	Rural	2009	4251	74	6.0	2	2	7	2	1024		0.069	154.431
	* JCT 3RD AVE IN HERREID																
083	233.49	0.000	Campbell	04	Rural	2009	4251	40	6.0	2	2	7	2	1024		0.071	154.502
	* JCT 4TH AVE IN HERREID																
083	233.56	0.000	Campbell	04	Rural	2009	4251	40	6.0	2	2	7	2	1024		0.069	154.571
	* JCT 5TH AVE IN HERREID																
083	233.63	0.000	Campbell	04	Rural	2009	4251	40	6.0	2	2	7	2	1024		0.094	154.665
	* JCT 6TH AVE IN HERREID																
083	233.65	0.000	Campbell	04	Rural	2009	4251	40	6.0	2	2	7	2	1024		0.080	154.745
	* JCT 7TH AVE IN HERREID																
083	233.76	0.000	Campbell	04	Rural	2009	4251	40	6.0	2	2	7	2	1024		0.044	154.789
	* JCT 8TH AVE IN HERREID																
083	233.76	0.044	Campbell	04	Rural	2007	4251	28	5.0	4	4	4	2	1024		0.112	154.901
083	233.92	0.000	Campbell	04	Rural	2007	4251	28	5.0	4	4	4	2	1024		0.133	155.034
	* JCT 10TH AVE IN HERREID																
083	234.12	0.000	Campbell	04	Rural	2007	4251	28	5.0	4	4	4	2	1024		0.110	155.144
	* N CITY LIMITS IN HERREID																
083	234.12	0.110	Campbell	04	Rural	2007	4251	40	5.0	4	4	4	3	1024		0.291	155.435

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	Type	-----Surfacing-----		-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
								Width	Thick ness	Width LT	RT	Type					
083	234.12	0.401	Campbell	04	Rural	2007	4251	28	5.0	4	4	4	2	1024		4.130	159.565
083	238.00	0.583	Campbell	04	Rural	2007	4251	40	5.0	4	4	4	3	1024		0.100	159.665
083	238.68	0.000	Campbell	04	Rural	2007	4251	40	5.0	4	4	4	3	1021		0.009	159.674
	* JCT SD 10 W																
083	238.68	0.009	Campbell	04	Rural	2007	4251	28	5.0	4	4	4	2	1021		2.022	161.696
083	240.73	0.000						0	0	0	0		0	0		0.000	161.696
	* SD/ND BORDER HWY END																

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
083 N	88.19	0.000	Lyman	02	Rural	2012	4251	26	7.3	4	6	6	2	1162		0.401	0.401
	* JCT US 83 HWY BEGIN																
083 N	88.61	0.000	Lyman	02	Rural	2012	4251	26	7.3	4	6	6	2	1162	43024183	0.078	0.479
083 N	88.61	0.078	Lyman	02	Rural	2012	4251	24	8.3	4	8	6	2	1162		1.392	1.871
083 N	90.08	0.000	Lyman	02	Rural	2012	4251	24	8.3	4	8	6	2	1162	43021169	0.018	1.889
083 N	90.08	0.018	Lyman	02	Rural	2012	4251	24	8.3	4	8	6	2	1162		3.341	5.230
083 N	93.46	0.000	Lyman	02	Rural	2012	4251	24	8.3	4	8	6	2	1162	43020135	0.225	5.455
083 N	93.46	0.225	Lyman	02	Rural	2012	4251	24	8.3	4	8	6	2	1162		2.158	7.613
083 N	95.86	0.000	Lyman	02	Rural	2012	4251	24	8.3	4	8	6	2	1162	43020111	0.013	7.626
083 N	96.00	0.000	Lyman	02	Rural	2012	4251	24	8.3	4	8	6	2	1162		0.293	7.919
083 N	96.00	0.293	Lyman	02	Rural	2017	4251	26	7.8	4	6	6	2	1162		0.864	8.783
083 N	97.00	0.000	Lyman	02	Rural	2017	4251	26	7.8	4	6	6	2	1252		5.031	13.814
083 N	102.02	0.000	Lyman	02	Rural	2017	4251	26	7.8	4	6	6	2	1252		4.571	18.385
	* JCT 226 ST																
083 N	106.64	0.000	Lyman	02	Rural	2017	4251	26	7.8	4	6	6	2	1252	43009005	0.368	18.753
083 N	107.00	0.000	Lyman	02	Rural	2017	4251	26	7.8	4	6	6	2	1252		0.133	18.886
083 N	107.16	0.000	Stanley	02	Rural	2017	4251	26	7.8	4	6	6	2	1252		1.011	19.897
	* LYMAN/STANLEY COUNTY LINE																
083 N	108.14	0.000	Stanley	02	Rural	2017	4251	26	7.8	4	6	6	2	1252		6.586	26.483
	* JCT COUNTY LINE RD/WARCREEK RD																
083 N	114.00	0.736	Stanley	02	Rural	2017	4252	24	6.8	6	6	6	2	1252		0.180	26.663
083 N	114.00	0.916	Stanley	02	Rural	2017	4252	24	8.3	6	6	6	2	1252		0.080	26.743
083 N	115.00	0.000	Stanley	02	Rural	2017	4252	24	8.3	6	6	6	2	1389		0.236	26.979
083 N	115.00	0.236	Stanley	02	Rural	2017	4252	24	6.8	6	6	6	2	1389		0.980	27.959
083 N	116.00	0.222	Stanley	02	Rural	2017	4251	26	7.8	4	6	6	2	1389		0.261	28.220
083 N	116.46	0.000						0	0	0	0		0	0		0.000	28.220
	* JCT US 83																
083 N	119.52	0.000	Stanley	14	Urban	2002	7211	24	9.0	2	2	7	2	5789		0.211	28.431
	* JCT US 83 IN FT PIERRE																
083 N	119.79	0.000						0	0	0	0		0	0		0.000	28.431
	* JCT US 14/US 14 E/YELLOWSTONE ST IN FT PIERRE																

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
083 N	205.28	0.000	Walworth	04	Rural	2016	4252	24	7.0	3	6	6	2	450		0.535	28.966
	* JCT US 83																
083 N	205.81	0.000	Walworth	04	Rural	2016	4252	24	7.0	3	6	6	2	450		0.058	29.024
	* JCT RAMP 12 E2																
083 N	205.88	0.000	Walworth	04	Rural	2016	4252	24	7.0	3	6	6	2	450		0.009	29.033
	* JCT US 12 E																
083 N	205.90	0.000	Walworth	04	Rural	2016	4252	24	7.0	3	6	6	2	450		0.009	29.042
	* INT US 12																
083 N	205.92	0.000						0	0	0	0		0	0		0.000	29.042
	* JCT US 12 W																
083 N	212.51	0.000	Walworth	04	Rural	2012	4251	20	5.5	0	8	6	2	412		0.009	29.051
	* JCT US 12 E/12 EF																
083 N	212.53	0.000	Walworth	04	Rural	2012	4251	20	5.5	0	8	6	2	412		0.007	29.058
	* INT US 12																
083 N	212.55	0.000	Walworth	04	Rural	2012	4251	20	5.5	0	8	6	2	412		0.061	29.119
	* JCT US 12 W																
083 N	212.61	0.000	Walworth	04	Rural	2012	4251	20	5.5	0	8	6	2	412		0.126	29.245
	* JCT RAMP 12 W1																
083 N	212.76	0.000						0	0	0	0		0	0		0.000	29.245
	* JCT US 83 HWY END																

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
083 S	88.19	0.000	Lyman	02	Rural	2012	4251	36	7.3	0	0	1	2	1162		0.403	0.403
	* JCT US 83 HWY BEGIN																
083 S	88.61	0.000	Lyman	02	Rural	2012	4251	36	7.3	0	0	1	2	1162	43024183	0.090	0.493
083 S	88.61	0.090	Lyman	02	Rural	2012	4251	36	7.3	0	0	1	2	1162		0.004	0.497
083 S	88.61	0.094	Lyman	02	Rural	2012	4251	26	8.3	6	4	9	2	1162		1.375	1.872
083 S	90.08	0.000	Lyman	02	Rural	2012	4251	26	8.3	6	4	9	2	1162	43021169	0.012	1.884
083 S	90.08	0.012	Lyman	02	Rural	2012	4251	26	8.3	6	4	9	2	1162		3.360	5.244
083 S	93.46	0.000	Lyman	02	Rural	2012	4251	26	8.3	6	4	9	2	1162	43020135	0.200	5.444
083 S	93.46	0.200	Lyman	02	Rural	2012	4251	26	8.3	6	4	9	2	1162		2.176	7.620
083 S	95.86	0.000	Lyman	02	Rural	2012	4251	26	8.3	6	4	9	2	1162	43020111	0.013	7.633
083 S	96.00	0.000	Lyman	02	Rural	2012	4251	26	8.3	6	4	9	2	1162		0.348	7.981
083 S	96.00	0.348	Lyman	02	Rural	2012	4252	36	9.1	0	0	1	2	1162		0.216	8.197
083 S	96.00	0.564	Lyman	02	Rural	2017	4252	24	6.3	6	6	6	2	1162		0.583	8.780
083 S	97.00	0.000	Lyman	02	Rural	2017	4252	24	6.3	6	6	6	2	1252		5.047	13.827
083 S	102.02	0.000	Lyman	02	Rural	2017	4252	24	6.3	6	6	6	2	1252		4.583	18.410
	* JCT 226 ST																
083 S	106.64	0.000	Lyman	02	Rural	2017	4252	24	6.3	6	6	6	2	1252	43009005	0.077	18.487
083 S	106.64	0.077	Lyman	02	Rural	2017	4252	24	6.3	6	6	6	2	1252		0.419	18.906
083 S	107.16	0.000	Stanley	02	Rural	2017	4252	24	6.3	6	6	6	2	1252		1.014	19.920
	* LYMAN/STANLEY COUNTY LINE																
083 S	108.14	0.000	Stanley	02	Rural	2017	4252	24	6.3	6	6	6	2	1252		6.157	26.077
	* JCT COUNTY LINE RD/WARCREEK RD																
083 S	114.00	0.297	Stanley	02	Rural	2017	4251	26	7.8	6	4	6	2	1252		0.688	26.765
083 S	115.00	0.000	Stanley	02	Rural	2017	4251	26	7.8	6	4	6	2	1389		1.483	28.248
083 S	116.46	0.000						0	0	0	0		0	0		0.000	28.248
	* JCT US 83																
083 S	119.52	0.000	Stanley	14	Urban	2002	7211	24	9.0	2	2	7	2	5789		0.196	28.444
	* JCT US 83 IN FT PIERRE																
083 S	119.77	0.000	Stanley	14	Urban	2002	7211	24	9.0	2	2	7	2	5789		0.025	28.469
	* JCT RAMP 14 1																
083 S	119.79	0.000						0	0	0	0		0	0		0.000	28.469



# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			----Shoulder----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
* JCT US 14/US 14 W IN FT PIERRE																	
083 S	205.28	0.000	Walworth	04	Rural	2016	4252	24	7.0	6	3	6	2	450		0.515	28.984
* JCT US 83																	
083 S	205.78	0.000	Walworth	04	Rural	2016	4252	24	7.0	6	3	6	2	450		0.086	29.070
* JCT RAMP 12 E1																	
083 S	205.88	0.000	Walworth	04	Rural	2016	4252	24	7.0	6	3	6	2	450		0.009	29.079
* JCT US 12 E																	
083 S	205.90	0.000	Walworth	04	Rural	2016	4252	24	7.0	6	3	6	2	450		0.009	29.088
* INT US 12																	
083 S	205.92	0.000						0	0	0	0		0	0		0.000	29.088
* JCT US 12 W																	
083 S	212.51	0.000	Walworth	04	Rural	2012	4251	20	5.5	8	0	6	2	412		0.009	29.097
* JCT US 12 E																	
083 S	212.53	0.000	Walworth	04	Rural	2012	4251	20	5.5	8	0	6	2	412		0.008	29.105
* INT US 12																	
083 S	212.55	0.000	Walworth	04	Rural	2012	4251	20	5.5	8	0	6	2	412		0.040	29.145
* JCT US 12 W																	
083 S	212.59	0.000	Walworth	04	Rural	2012	4251	20	5.5	8	0	6	2	412		0.148	29.293
* JCT RAMP 12 W2																	
083 S	212.76	0.000						0	0	0	0		0	0		0.000	29.293
* JCT US 83 HWY BEGIN																	

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
090 E	130.30	0.000	Jackson	01	Rural	2014	7211	26	10.5	4	8	6	2	3355		0.605	0.605
	* RAPID CITY/PIERRE REGION BOUNDRY																
090 E	130.95	0.000	Jackson	01	Rural	2014	7211	26	10.5	4	8	6	2	3355		0.296	0.901
	* JCT RAMP 90 E1 EXIT 131																
090 E	131.26	0.000	Jackson	01	Rural	2014	7211	26	10.5	4	8	6	2	3355		0.008	0.909
	* INT SD 240 AT CATUS FLATS																
090 E	131.27	0.000	Jackson	01	Rural	2014	7211	26	10.5	4	8	6	2	3355	36120107	0.202	1.111
090 E	131.27	0.202	Jackson	01	Rural	2014	7211	26	10.5	4	8	6	2	3355		0.072	1.183
090 E	131.59	0.000	Jackson	01	Rural	2014	7211	26	10.5	4	8	6	2	3355		0.613	1.796
	* JCT RAMP 90 E2 EXIT 131																
090 E	132.00	0.168	Jackson	01	Rural	2010	4585	24	4.8	4	10	6	2	3355		0.689	2.485
090 E	132.86	0.000	Jackson	01	Rural	2010	4585	24	4.8	4	10	6	2	3355	36135111	0.145	2.630
090 E	133.00	0.000	Jackson	01	Rural	2010	4585	24	4.8	4	10	6	2	3355		1.096	3.726
090 E	134.09	0.000	Jackson	01	Rural	2010	4585	24	4.8	4	10	6	2	3355	36147110	0.033	3.759
090 E	134.09	0.033	Jackson	01	Rural	2010	4585	24	4.8	4	10	6	2	3355		2.219	5.978
090 E	136.35	0.000	Jackson	01	Rural	2010	4585	24	4.8	4	10	6	2	3355	36170111	0.110	6.088
090 E	136.35	0.110	Jackson	01	Rural	2010	4585	24	4.8	4	10	6	2	3355		2.844	8.932
090 E	139.30	0.000	Jackson	01	Rural	2010	4585	24	4.8	4	10	6	2	3355	36200111	0.048	8.980
090 E	139.30	0.048	Jackson	01	Rural	2010	4585	24	4.8	4	10	6	2	3355		2.639	11.619
090 E	141.00	0.989	Jackson	01	Rural	2011	4585	24	4.8	4	10	6	2	3355		0.999	12.618
090 E	142.99	0.000	Jackson	01	Rural	2011	4585	24	4.8	4	10	6	2	3355		0.299	12.917
	* JCT RAMP 90 E1 EXIT 143																
090 E	143.29	0.000	Jackson	01	Rural	2011	4585	24	4.8	4	10	6	2	3215		0.012	12.929
	* INT SD 73																
090 E	143.30	0.000	Jackson	01	Rural	2011	4585	24	4.8	4	10	6	2	3215	36240111	0.283	13.212
090 E	143.60	0.000	Jackson	01	Rural	2011	4585	24	4.8	4	10	6	2	3215		0.234	13.446
	* JCT RAMP 90 E2 EXIT 143																
090 E	143.60	0.234	Jackson	01	Rural	2011	4585	24	7.3	4	10	6	2	3215		0.062	13.508
090 E	143.60	0.296	Jackson	01	Rural	2011	4585	24	4.8	4	10	6	2	3215		1.409	14.917
090 E	145.00	0.285	Jackson	01	Rural	2011	4585	24	7.3	4	10	6	2	3215		0.103	15.020
090 E	145.00	0.388	Jackson	01	Rural	2011	4585	24	4.8	4	10	6	2	3215		0.874	15.894

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
090 E	146.26	0.000	Jackson	01	Rural	2011	4585	24	4.8	4	10	6	2	3215	36270111	0.133	16.027
090 E	146.26	0.133	Jackson	01	Rural	2011	4585	24	4.8	4	10	6	2	3215		0.866	16.893
090 E	147.00	0.260	Jackson	01	Rural	2011	4585	24	7.3	4	10	6	2	3215		0.158	17.051
090 E	147.00	0.418	Jackson	01	Rural	2011	4585	24	4.8	4	10	6	2	3215		1.327	18.378
090 E	148.74	0.000	Jackson	01	Rural	2011	4585	24	4.8	4	10	6	2	3215	36295111	0.077	18.455
090 E	148.74	0.077	Jackson	01	Rural	2011	4585	24	4.8	4	10	6	2	3215		1.086	19.541
090 E	149.88	0.000	Jackson	01	Rural	2011	4585	24	4.8	4	10	6	2	3215		0.025	19.566
	* JCT RAMP 90 E1 IN KADOKA EXIT 150																
090 E	149.93	0.000	Jackson	01	Rural	2011	4585	24	4.8	4	10	6	2	3215		0.260	19.826
	* NW CITY LIMITS IN KADOKA																
090 E	150.19	0.000	Jackson	01	Rural	2011	4585	24	4.8	4	10	6	2	3215		0.003	19.829
	* INT SD 73 IN KADOKA																
090 E	150.20	0.000	Jackson	01	Rural	2011	4585	24	4.8	4	10	6	2	3135	36309106	0.275	20.104
090 E	150.51	0.000	Jackson	01	Rural	2011	4585	24	4.8	4	10	6	2	3135		0.157	20.261
	* JCT RAMP 90 E2 IN KADOKA EXIT 150																
090 E	150.59	0.000	Jackson	01	Rural	2011	4585	24	4.8	4	10	6	2	3135		1.133	21.394
	* NE CITY LIMITS IN KADOKA																
090 E	151.00	0.755	Jackson	01	Rural	2011	4585	24	7.3	4	10	6	2	3135		0.188	21.582
090 E	151.00	0.943	Jackson	01	Rural	2011	4585	24	4.8	4	10	6	2	3135		0.185	21.767
090 E	152.11	0.000	Jackson	01	Rural	2011	4585	24	4.8	4	10	6	2	3135		0.279	22.046
	* JCT RAMP 90 E1 EXIT 152																
090 E	152.41	0.000	Jackson	01	Rural	2011	4585	24	4.8	4	10	6	2	3135		0.011	22.057
	* INT SD 248 P																
090 E	152.42	0.000	Jackson	01	Rural	2011	4585	24	4.8	4	10	6	2	3130	36330101	0.099	22.156
090 E	152.42	0.099	Jackson	01	Rural	2011	4585	24	4.8	4	10	6	2	3130		0.171	22.327
090 E	152.72	0.000	Jackson	01	Rural	2011	4585	24	4.8	4	10	6	2	3130		0.177	22.504
	* JCT RAMP 90 E2 EXIT 152																
090 E	152.72	0.177	Jackson	01	Rural	2011	4585	24	7.3	4	10	6	2	3130		0.193	22.697
090 E	153.00	0.065	Jackson	01	Rural	2016	7211	26	10.5	4	8	6	2	3130		2.227	24.924
090 E	155.00	0.292	Jackson	01	Rural	2016	7211	26	10.5	4	8	7	2	3130		0.124	25.048
090 E	155.44	0.000	Jackson	01	Rural	2016	7211	26	10.5	4	8	7	2	3130	36360099	0.056	25.104

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
090 E	155.44	0.056	Jackson	01	Rural	2016	7211	26	10.5	4	8	6	2	3130		3.832	28.936
090 E	159.00	0.305	Jackson	01	Rural	2016	7211	26	10.5	4	8	7	2	3130		0.120	29.056
090 E	159.42	0.000	Jackson	01	Rural	2016	7211	26	10.5	4	8	7	2	3130	36400103	0.059	29.115
090 E	159.42	0.059	Jackson	01	Rural	2016	7211	26	10.5	4	8	6	2	3130		3.257	32.372
090 E	162.74	0.000	Jackson	01	Rural	2016	7211	26	10.5	4	8	6	2	3130		0.181	32.553
* JCT RAMP 90 E1 EXIT 163																	
090 E	162.74	0.181	Jackson	01	Rural	2016	7211	26	10.5	4	8	7	2	3130		0.111	32.664
090 E	163.03	0.000	Jackson	01	Rural	2016	7211	26	10.5	4	8	7	2	3060		0.012	32.676
* INT SD 63																	
090 E	163.04	0.000	Jackson	01	Rural	2016	7211	26	10.5	4	8	7	2	3060	36436106	0.059	32.735
090 E	163.04	0.059	Jackson	01	Rural	2016	7211	26	10.5	4	8	6	2	3060		0.234	32.969
090 E	163.34	0.000	Jackson	01	Rural	2016	7211	26	10.5	4	8	6	2	3060		0.554	33.523
* JCT RAMP 90 E2 EXIT 163																	
090 E	163.34	0.554	Jackson	01	Rural	2021	7211	26	10.5	4	8	6	2	3060		0.426	33.949
090 E	164.00	0.315	Jackson	01	Rural	2021	7211	30	10.5	0	8	7	2	3060		0.116	34.065
090 E	164.43	0.000	Jackson	01	Rural	2021	7211	30	10.5	0	8	7	2	3060	36450106	0.092	34.157
090 E	164.43	0.092	Jackson	01	Rural	2021	7211	26	10.5	4	8	6	2	3060		0.247	34.404
090 E	164.86	0.000	Jackson	01	Rural	2021	7211	26	10.5	4	8	6	2	3060		0.541	34.945
* JCT RAMP REST AREA																	
090 E	165.31	0.000	Jackson	01	Rural	2021	7211	26	10.5	4	8	6	2	3060		2.408	37.353
* JCT RAMP REST AREA																	
090 E	167.00	0.712	Jackson	01	Rural	2021	7211	30	10.5	0	8	7	2	3060		0.115	37.468
090 E	167.83	0.000	Jackson	01	Rural	2021	7211	30	10.5	0	8	7	2	3060	36480091	0.101	37.569
090 E	167.83	0.101	Jackson	01	Rural	2021	7211	30	10.5	0	8	7	2	3060		0.007	37.576
090 E	167.83	0.108	Jackson	01	Rural	2021	7211	26	10.5	4	8	6	2	3060		2.101	39.677
090 E	170.04	0.000	Jackson	01	Rural	2021	7211	26	10.5	4	8	6	2	3060		0.154	39.831
* JCT RAMP 90 E1 EXIT 170																	
090 E	170.04	0.154	Jackson	01	Rural	2021	7211	30	10.5	0	8	6	2	3060		0.114	39.945
090 E	170.31	0.000	Jackson	01	Rural	2021	7211	30	10.5	0	8	6	2	3115		0.012	39.957
* INT SD 63																	
090 E	170.32	0.000	Jackson	01	Rural	2021	7211	30	10.5	0	8	6	2	3115	36501079	0.095	40.052

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
090 E	170.32	0.095	Jackson	01	Rural	2021	7211	26	10.5	4	8	6	2	3115		0.181	40.233
090 E	170.59	0.000	Jackson	01	Rural	2021	7211	26	10.5	4	8	6	2	3115		1.628	41.861
	* JCT RAMP 90 E2 EXIT 170																
090 E	172.22	0.000	Jackson	01	Rural	2021	7211	26	10.5	4	8	6	2	3115		0.149	42.010
	* JCT RAMP 90 E1 EXIT 172																
090 E	172.22	0.149	Jackson	01	Rural	2021	7211	30	10.5	0	8	6	2	3115		0.130	42.140
090 E	172.50	0.000	Jackson	01	Rural	2021	7211	30	10.5	0	8	6	2	3210	36520068	0.092	42.232
090 E	172.50	0.092	Jackson	01	Rural	2021	7211	26	10.5	4	8	6	2	3210		0.152	42.384
090 E	172.75	0.000	Jackson	01	Rural	2021	7211	26	10.5	4	8	6	2	3210		1.390	43.774
	* JCT RAMP 90 E2 EXIT 172																
090 E	174.00	0.132	Jackson	01	Rural	2015	7716	25	8.0	4	9	6	2	3210		0.374	44.148
090 E	174.51	0.000	Jones	01	Rural	2015	7716	25	8.0	4	9	6	2	3210		2.702	46.850
	* JACKSON/JONES COUNTY LINE																
090 E	177.20	0.000	Jones	01	Rural	2015	7716	25	8.0	4	9	6	2	3210		0.196	47.046
	* JCT RAMP 90 E1 EXIT 177																
090 E	177.20	0.196	Jones	01	Rural	2015	7215	25	11.0	4	9	6	2	3210		0.078	47.124
090 E	177.48	0.000	Jones	01	Rural	2015	7215	25	11.0	4	9	6	2	3275	38030185	0.070	47.194
090 E	177.48	0.070	Jones	01	Rural	2015	7716	25	8.0	4	9	6	2	3275		0.213	47.407
090 E	177.77	0.000	Jones	01	Rural	2015	7716	25	8.0	4	9	6	2	3275		2.620	50.027
	* JCT RAMP 90 E2 EXIT 177																
090 E	180.00	0.376	Jones	01	Rural	2015	7215	25	11.0	4	9	6	2	3275		0.097	50.124
090 E	180.48	0.000	Jones	01	Rural	2015	7215	25	11.0	4	9	6	2	3275	38060186	0.064	50.188
090 E	180.48	0.064	Jones	01	Rural	2015	7716	25	8.0	4	9	6	2	3275		2.654	52.842
090 E	183.20	0.000	Jones	01	Rural	2015	7716	25	8.0	4	9	6	2	3275		0.176	53.018
	* JCT RAMP 90 E1 EXIT 183																
090 E	183.20	0.176	Jones	01	Rural	2015	7215	25	11.0	4	9	6	2	3275		0.099	53.117
090 E	183.48	0.000	Jones	01	Rural	2015	7215	25	11.0	4	9	6	2	3300	38088194	0.068	53.185
090 E	183.48	0.068	Jones	01	Rural	2015	7716	25	8.0	4	9	6	2	3300		0.208	53.393
090 E	183.79	0.000	Jones	01	Rural	2015	7716	25	8.0	4	9	6	2	3300		1.796	55.189
	* JCT RAMP 90 E2 EXIT 183																
090 E	185.00	0.587	Jones	01	Rural	2015	7215	25	11.0	4	9	6	2	3300		0.134	55.323

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
090 E	185.69	0.000	Jones	01	Rural	2015	7215	25	11.0	4	9	6	2	3300	38110196	0.059	55.382
090 E	185.69	0.059	Jones	01	Rural	2015	7716	25	8.0	4	9	6	2	3300		0.229	55.611
090 E	185.69	0.288	Jones	01	Rural	2015	7215	25	11.0	4	9	6	2	3300		0.135	55.746
090 E	186.11	0.000	Jones	01	Rural	2015	7215	25	11.0	4	9	6	2	3300	38114196	0.062	55.808
090 E	186.11	0.062	Jones	01	Rural	2015	7716	25	8.0	4	9	6	2	3300		1.410	57.218
090 E	187.58	0.000	Jones	01	Rural	2015	7716	25	8.0	4	9	6	2	3300		0.415	57.633
	* JCT RAMP REST AREA																
090 E	187.99	0.000	Jones	01	Rural	2015	7716	25	8.0	4	9	6	2	3300		1.645	59.278
	* JCT RAMP REST AREA																
090 E	189.00	0.634	Jones	01	Rural	2017	7211	25	11.0	4	9	6	2	3300		0.128	59.406
090 E	189.00	0.762	Jones	01	Rural	2017	7716	25	8.0	4	9	6	2	3300		1.056	60.462
090 E	190.80	0.000	Jones	01	Rural	2017	7716	25	8.0	4	9	6	2	3300		0.180	60.642
	* JCT RAMP 90 E1 EXIT 191																
090 E	191.00	0.002	Jones	01	Rural	2017	7211	25	11.0	4	9	6	2	3300		0.146	60.788
090 E	191.14	0.000	Jones	01	Rural	2017	7211	25	11.0	4	9	6	2	3425		0.006	60.794
	* INT SD 248																
090 E	191.15	0.000	Jones	01	Rural	2017	7211	25	11.0	4	9	6	2	3425	38166196	0.085	60.879
090 E	191.15	0.085	Jones	01	Rural	2017	7211	25	11.0	4	9	6	2	3425		0.052	60.931
090 E	191.15	0.137	Jones	01	Rural	2017	7716	25	8.0	4	9	6	2	3425		0.219	61.150
090 E	191.50	0.000	Jones	01	Rural	2017	7716	25	8.0	4	9	6	2	3425		0.866	62.016
	* JCT RAMP 90 E2 EXIT 191																
090 E	192.39	0.000	Jones	01	Rural	2017	7716	25	8.0	4	9	6	2	3425		0.150	62.166
	* JCT RAMP 90 E1 EXIT 192																
090 E	192.39	0.150	Jones	01	Rural	2017	7211	25	11.0	4	9	6	2	3425		0.121	62.287
090 E	192.64	0.000	Jones	01	Rural	2017	7211	25	11.0	4	9	6	2	3365		0.004	62.291
	* INT US 83																
090 E	192.65	0.000	Jones	01	Rural	2017	7211	25	11.0	4	9	6	2	3365	38180198	0.113	62.404
090 E	192.65	0.113	Jones	01	Rural	2017	7716	25	8.0	4	9	6	2	3365		0.142	62.546
090 E	192.91	0.000	Jones	01	Rural	2017	7716	25	8.0	4	9	6	2	3365		1.811	64.357
	* JCT RAMP 90 E2 EXIT 192																
090 E	194.00	0.709	Jones	01	Rural	2017	7211	25	11.0	4	9	7	2	3365		0.096	64.453

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
090 E	194.81	0.000	Jones	01	Rural	2017	7211	25	11.0	4	9	7	2	3365	38200191	0.068	64.521
090 E	194.81	0.068	Jones	01	Rural	2017	7716	25	8.0	4	9	6	2	3365		3.182	67.703
090 E	198.00	0.062	Jones	01	Rural	2009	4251	25	8.3	3	8	6	2	3365		1.095	68.798
090 E	199.16	0.000	Jones	01	Rural	2009	4251	25	8.3	3	8	6	2	3365	38240179	0.240	69.038
090 E	199.16	0.240	Jones	01	Rural	2009	4251	25	8.3	3	8	6	2	3365		1.472	70.510
090 E	200.87	0.000	Jones	01	Rural	2009	4251	25	8.3	3	8	6	2	3365		0.261	70.771
	* JCT RAMP 90 E1 EXIT 201																
090 E	201.13	0.000	Jones	01	Rural	2009	4251	25	8.3	3	8	6	2	3750	38260179	0.095	70.866
090 E	201.13	0.095	Jones	01	Rural	2009	4251	25	8.3	3	8	6	2	3750		0.139	71.005
090 E	201.36	0.000	Jones	01	Rural	2009	4251	25	8.3	3	8	6	2	3750		2.767	73.772
	* JCT RAMP 90 E2 EXIT 201																
090 E	204.13	0.000	Jones	01	Rural	2009	4251	25	8.3	3	8	6	2	3750	38290179	0.077	73.849
090 E	204.13	0.077	Jones	01	Rural	2009	4251	25	8.3	3	8	6	2	3750		3.147	76.996
090 E	207.36	0.000	Jones	01	Rural	2009	4251	25	8.3	3	8	6	2	3750	38322179	0.492	77.488
090 E	207.83	0.000	Jones	01	Rural	2009	4251	25	8.3	3	8	6	2	3750		0.263	77.751
	* JCT RAMP 90 E1 EXIT 208																
090 E	208.11	0.000	Jones	01	Rural	2009	4251	25	8.3	3	8	6	2	3980	38330179	0.232	77.983
090 E	208.34	0.000	Jones	01	Rural	2009	4251	25	8.3	3	8	6	2	3980		1.781	79.764
	* JCT RAMP 90 E2 EXIT 208																
090 E	210.14	0.000	Lyman	01	Rural	2020	4583	26	3.8	4	10	6	2	3980		2.387	82.151
	* JONES/LYMAN COUNTY LINE																
090 E	212.49	0.000	Lyman	01	Rural	2020	4583	26	3.8	4	10	6	2	3980		0.306	82.457
	* JCT RAMP 90 E1 EXIT 212																
090 E	212.80	0.000	Lyman	01	Rural	2020	4583	26	3.8	4	10	6	2	3975		0.004	82.461
	* INT US 83																
090 E	212.81	0.000	Lyman	01	Rural	2020	4583	26	3.8	4	10	6	2	3975	43026195	0.189	82.650
090 E	213.00	0.000	Lyman	01	Rural	2020	4583	26	3.8	4	10	6	2	3975		0.103	82.753
090 E	213.10	0.000	Lyman	01	Rural	2020	4583	26	3.8	4	10	6	2	3975		0.341	83.094
	* JCT RAMP 90 E2 EXIT 212																
090 E	213.10	0.341	Lyman	01	Rural	2020	4585	24	3.8	4	10	6	2	3975		0.332	83.426
090 E	213.82	0.000	Lyman	01	Rural	2020	4585	24	3.8	4	10	6	2	3975		0.363	83.789

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			----Shoulder----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
* JCT RAMP 90 E1 EXIT 214																	
090 E	214.15	0.000	Lyman	01	Rural	2020	4585	24	3.8	4	10	6	2	3965	43040196	0.315	84.104
090 E	214.51	0.000	Lyman	01	Rural	2020	4585	24	3.8	4	10	6	2	3965		1.928	86.032
* JCT RAMP 90 E2 EXIT 214																	
090 E	216.39	0.000	Lyman	01	Rural	2020	4585	24	3.8	4	10	6	2	3965	43063196	0.402	86.434
090 E	216.39	0.402	Lyman	01	Rural	2020	4585	24	3.8	4	10	6	2	3965		1.352	87.786
090 E	218.14	0.000	Lyman	01	Rural	2020	4585	24	3.8	4	10	6	2	3965		0.646	88.432
* JCT RAMP REST AREA																	
090 E	218.79	0.000	Lyman	01	Rural	2020	4585	24	3.8	4	10	6	2	3965		1.234	89.666
* JCT RAMP REST AREA																	
090 E	220.05	0.000	Lyman	01	Rural	2020	4585	24	3.8	4	10	6	2	3965		0.280	89.946
* JCT RAMP 90 E1 EXIT 220																	
090 E	220.31	0.000	Lyman	01	Rural	2020	4585	24	3.8	4	10	6	2	3950	43100202	0.075	90.021
090 E	220.31	0.075	Lyman	01	Rural	2020	4585	24	3.8	4	10	6	2	3950		0.252	90.273
090 E	220.64	0.000	Lyman	01	Rural	2020	4585	24	3.8	4	10	6	2	3950		2.761	93.034
* JCT RAMP 90 E2 EXIT 220																	
090 E	223.39	0.000	Lyman	01	Rural	2020	4585	24	3.8	4	10	6	2	3950	43130206	0.116	93.150
090 E	223.39	0.116	Lyman	01	Rural	2020	4585	24	3.8	4	10	6	2	3950		1.591	94.741
090 E	225.10	0.000	Lyman	01	Rural	2020	4585	24	3.8	4	10	6	2	3950		0.295	95.036
* JCT RAMP 90 E1 EXIT 225																	
090 E	225.38	0.000	Lyman	01	Rural	2020	4585	24	3.8	4	10	6	2	3970	43150206	0.121	95.157
090 E	225.38	0.121	Lyman	01	Rural	2020	4585	24	3.8	4	10	6	2	3970		0.163	95.320
090 E	225.70	0.000	Lyman	01	Rural	2020	4585	24	3.8	4	10	6	2	3970		0.404	95.724
* JCT RAMP 90 E2 EXIT 225																	
090 E	226.08	0.000	Lyman	01	Rural	2020	4585	24	3.8	4	10	6	2	3970		0.302	96.026
* JCT RAMP 90 E1 EXIT 226																	
090 E	226.39	0.000	Lyman	01	Rural	2020	4585	24	3.8	4	10	6	2	4000		0.022	96.048
* INT US 183																	
090 E	226.41	0.000	Lyman	01	Rural	2020	4585	24	3.8	4	10	6	2	4000	43160206	0.282	96.330
090 E	226.68	0.000	Lyman	01	Rural	2020	4585	24	3.8	4	10	6	2	4000		0.342	96.672
* JCT RAMP 90 E2 EXIT 226																	
090 E	227.00	0.027	Lyman	01	Rural	2008	4786	24	7.3	4	10	6	2	4000		1.365	98.037



# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
090 E	228.39	0.000	Lyman	01	Rural	2008	4786	24	7.3	4	10	6	2	4000	43180206	0.602	98.639
090 E	229.00	0.000	Lyman	01	Rural	2008	4786	24	7.3	4	10	6	2	4000		1.402	100.041
090 E	230.39	0.000	Lyman	01	Rural	2008	4786	24	7.3	4	10	6	2	4000	43200206	0.149	100.190
090 E	230.39	0.149	Lyman	01	Rural	2008	4786	24	7.3	4	10	6	2	4000		1.851	102.041
090 E	232.39	0.000	Lyman	01	Rural	2008	4786	24	7.3	4	10	6	2	4000	43220206	0.339	102.380
090 E	232.39	0.339	Lyman	01	Rural	2008	4786	24	7.3	4	10	6	2	4000		2.392	104.772
090 E	235.13	0.000	Lyman	01	Rural	2008	4786	24	7.3	4	10	6	2	4000		0.280	105.052
	* JCT RAMP 90 E1 EXIT 235																
090 E	235.42	0.000	Lyman	01	Rural	2008	4786	24	7.3	4	10	6	2	3945		0.018	105.070
	* INT SD 273																
090 E	235.43	0.000	Lyman	01	Rural	2008	4786	24	7.3	4	10	6	2	3945	43250207	0.297	105.367
090 E	235.77	0.000	Lyman	01	Rural	2008	4786	24	7.3	4	10	6	2	3945		0.494	105.861
	* JCT RAMP 90 E2 EXIT 235																
090 E	236.00	0.218	Lyman	01	Rural	2007	7766	26	10.0	4	8	6	2	3945		3.439	109.300
090 E	239.66	0.000	Lyman	01	Rural	2007	7766	26	10.0	4	8	6	2	3945	43290220	0.041	109.341
090 E	239.66	0.041	Lyman	01	Rural	2007	7766	26	10.0	4	8	6	2	3945		1.920	111.261
090 E	241.61	0.000	Lyman	01	Rural	2007	7766	26	10.0	4	8	6	2	3945		0.278	111.539
	* JCT RAMP 90 E1 EXIT 241																
090 E	241.90	0.000	Lyman	01	Rural	2007	7766	26	10.0	4	8	6	2	4000	43313221	0.082	111.621
090 E	241.90	0.082	Lyman	01	Rural	2007	7766	26	10.0	4	8	6	2	4000		0.171	111.792
090 E	242.13	0.000	Lyman	01	Rural	2007	7766	26	10.0	4	8	6	2	4000		2.595	114.387
	* JCT RAMP 90 E2 EXIT 241																
090 E	244.75	0.000	Lyman	01	Rural	2007	7766	26	10.0	4	8	6	2	4000	43340225	0.261	114.648
090 E	245.00	0.000	Lyman	01	Rural	2007	7766	26	10.0	4	8	6	2	4000		1.535	116.183
090 E	246.00	0.534	Lyman	01	Rural	2007	7263	26	10.0	4	8	6	2	4000		0.740	116.923
090 E	247.00	0.275	Lyman	01	Rural	2007	7766	26	10.0	4	8	6	2	4000		0.399	117.322
090 E	247.00	0.674	Lyman	01	Rural	2019	4581	26	4.5	4	8	6	2	4000		0.218	117.540
090 E	247.00	0.892	Lyman	01	Rural	2007	7766	26	10.0	4	8	6	2	4000		0.588	118.128
090 E	248.48	0.000	Lyman	01	Rural	2007	7766	26	10.0	4	8	6	2	4000		0.285	118.413
	* JCT RAMP 90 E1 EXIT 248																
090 E	248.77	0.000	Lyman	01	Rural	2007	7766	26	10.0	4	8	6	2	3900		0.015	118.428



# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
090 W	130.30	0.000	Jackson	01	Rural	2016	4255	24	16.4	10	4	6	2	3355		0.605	0.605
	* RAPID CITY/PIERRE REGION BOUNDRY																
090 W	130.95	0.000	Jackson	01	Rural	2016	4255	24	16.4	10	4	6	2	3355		0.286	0.891
	* JCT RAMP 90 W2 EXIT 131																
090 W	131.26	0.000	Jackson	01	Rural	2016	4255	24	16.4	10	4	6	2	3355		0.006	0.897
	* INT SD 240																
090 W	131.27	0.000	Jackson	01	Rural	2016	4255	24	16.4	10	4	6	2	3355	36120107	0.209	1.106
090 W	131.27	0.209	Jackson	01	Rural	2016	4255	24	16.4	10	4	6	2	3355		0.088	1.194
090 W	131.60	0.000	Jackson	01	Rural	2016	4255	24	16.4	10	4	6	2	3355		0.390	1.584
	* JCT RAMP 90 W1 EXIT 131																
090 W	131.60	0.390	Jackson	01	Rural	2016	4585	24	5.3	10	4	6	2	3355		0.198	1.782
090 W	132.00	0.165	Jackson	01	Rural	2010	4585	24	4.8	10	4	6	2	3355		0.692	2.474
090 W	132.86	0.000	Jackson	01	Rural	2010	4585	24	4.8	10	4	6	2	3355	36135110	0.144	2.618
090 W	133.00	0.000	Jackson	01	Rural	2010	4585	24	4.8	10	4	6	2	3355		1.096	3.714
090 W	134.09	0.000	Jackson	01	Rural	2010	4585	24	4.8	10	4	6	2	3355	36147110	0.033	3.747
090 W	134.09	0.033	Jackson	01	Rural	2010	4585	24	4.8	10	4	6	2	3355		2.216	5.963
090 W	136.35	0.000	Jackson	01	Rural	2010	4585	24	4.8	10	4	6	2	3355	36170110	0.114	6.077
090 W	136.35	0.114	Jackson	01	Rural	2010	4585	24	4.8	10	4	6	2	3355		2.840	8.917
090 W	139.30	0.000	Jackson	01	Rural	2010	4585	24	4.8	10	4	6	2	3355	36200110	0.052	8.969
090 W	139.30	0.052	Jackson	01	Rural	2010	4585	24	4.8	10	4	6	2	3355		2.647	11.616
090 W	142.00	0.000	Jackson	01	Rural	2011	4585	24	4.8	10	4	6	2	3355		0.740	12.356
090 W	142.00	0.740	Jackson	01	Rural	2011	4585	24	7.3	10	4	6	2	3355		0.141	12.497
090 W	142.00	0.881	Jackson	01	Rural	2011	4585	24	4.8	10	4	6	2	3355		0.104	12.601
090 W	142.96	0.000	Jackson	01	Rural	2011	4585	24	4.8	10	4	6	2	3355		0.301	12.902
	* JCT RAMP 90 W2 EXIT 143																
090 W	143.29	0.000	Jackson	01	Rural	2011	4585	24	4.8	10	4	6	2	3215		0.011	12.913
	* INT SD 73																
090 W	143.30	0.000	Jackson	01	Rural	2011	4585	24	4.8	10	4	6	2	3215	36240110	0.258	13.171
090 W	143.30	0.258	Jackson	01	Rural	2011	4585	24	4.8	10	4	6	2	3215		0.017	13.188
090 W	143.59	0.000	Jackson	01	Rural	2011	4585	24	4.8	10	4	6	2	3215		2.690	15.878
	* JCT RAMP 90 W1 EXIT 143																

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
090 W	146.26	0.000	Jackson	01	Rural	2011	4585	24	4.8	10	4	6	2	3215	36270110	0.136	16.014
090 W	146.26	0.136	Jackson	01	Rural	2011	4585	24	4.8	10	4	6	2	3215		0.341	16.355
090 W	146.26	0.477	Jackson	01	Rural	2011	4585	24	7.3	10	4	6	2	3215		0.148	16.503
090 W	146.26	0.625	Jackson	01	Rural	2011	4585	24	4.8	10	4	6	2	3215		0.388	16.891
090 W	147.00	0.273	Jackson	01	Rural	2011	4585	24	7.3	10	4	6	2	3215		0.149	17.040
090 W	147.00	0.422	Jackson	01	Rural	2011	4585	24	4.8	10	4	6	2	3215		0.920	17.960
090 W	148.00	0.341	Jackson	01	Rural	2011	4585	24	7.3	10	4	6	2	3215		0.096	18.056
090 W	148.00	0.437	Jackson	01	Rural	2011	4585	24	4.8	10	4	6	2	3215		0.307	18.363
090 W	148.74	0.000	Jackson	01	Rural	2011	4585	24	4.8	10	4	6	2	3215	36295110	0.079	18.442
090 W	148.74	0.079	Jackson	01	Rural	2011	4585	24	4.8	10	4	6	2	3215		1.078	19.520
090 W	149.87	0.000	Jackson	01	Rural	2011	4585	24	4.8	10	4	6	2	3215		0.030	19.550
	* JCT RAMP 90 W2 IN KADOKA EXIT 150																
090 W	149.93	0.000	Jackson	01	Rural	2011	4585	24	4.8	10	4	6	2	3215		0.253	19.803
	* NW CITY LIMITS IN KADOKA																
090 W	150.19	0.000	Jackson	01	Rural	2011	4585	24	4.8	10	4	6	2	3215		0.003	19.806
	* INT SD 73 IN KADOKA																
090 W	150.20	0.000	Jackson	01	Rural	2011	4585	24	4.8	10	4	6	2	3135	36309106	0.283	20.089
090 W	150.50	0.000	Jackson	01	Rural	2011	4585	24	4.8	10	4	6	2	3135		0.106	20.195
	* JCT RAMP 90 W1 IN KADOKA EXIT 150																
090 W	150.59	0.000	Jackson	01	Rural	2011	4585	24	4.8	10	4	6	2	3135		1.188	21.383
	* NE CITY LIMITS IN KADOKA																
090 W	151.00	0.765	Jackson	01	Rural	2011	4585	24	7.3	10	4	6	2	3135		0.224	21.607
090 W	151.00	0.989	Jackson	01	Rural	2011	4585	24	4.8	10	4	6	2	3135		0.136	21.743
090 W	152.13	0.000	Jackson	01	Rural	2011	4585	24	4.8	10	4	6	2	3135		0.289	22.032
	* JCT RAMP 90 W2 EXIT 152																
090 W	152.41	0.000	Jackson	01	Rural	2011	4585	24	4.8	10	4	6	2	3135		0.011	22.043
	* INT SD 248 P																
090 W	152.42	0.000	Jackson	01	Rural	2011	4585	24	4.8	10	4	6	2	3130	36330100	0.091	22.134
090 W	152.42	0.091	Jackson	01	Rural	2011	4585	24	4.8	10	4	6	2	3130		0.186	22.320
090 W	152.70	0.000	Jackson	01	Rural	2011	4585	24	4.8	10	4	6	2	3130		0.360	22.680
	* JCT RAMP 90 W1 EXIT 152																

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
090 W	153.00	0.060	Jackson	01	Rural	2018	7263	26	10.5	8	4	6	2	3130		2.336	25.016
090 W	155.00	0.396	Jackson	01	Rural	2018	7263	26	10.5	8	4	7	2	3130		0.020	25.036
090 W	155.44	0.000	Jackson	01	Rural	2018	7263	26	10.5	8	4	7	2	3130	36360098	0.174	25.210
090 W	155.44	0.174	Jackson	01	Rural	2018	7263	26	10.5	8	4	6	2	3130		3.762	28.972
090 W	159.00	0.348	Jackson	01	Rural	2018	7263	26	10.5	8	4	7	2	3130		0.070	29.042
090 W	159.42	0.000	Jackson	01	Rural	2018	7263	26	10.5	8	4	7	2	3130	36400102	0.108	29.150
090 W	159.42	0.108	Jackson	01	Rural	2018	7263	26	10.5	8	4	6	2	3130		3.191	32.341
090 W	162.72	0.000	Jackson	01	Rural	2018	7263	26	10.5	8	4	6	2	3130		0.248	32.589
	* JCT RAMP 90 W2 EXIT 163																
090 W	162.72	0.248	Jackson	01	Rural	2018	7263	26	10.5	8	4	7	2	3130		0.065	32.654
090 W	163.03	0.000	Jackson	01	Rural	2018	7263	26	10.5	8	4	7	2	3060		0.012	32.666
	* INT SD 63																
090 W	163.04	0.000	Jackson	01	Rural	2018	7263	26	10.5	8	4	7	2	3060	36436105	0.105	32.771
090 W	163.04	0.105	Jackson	01	Rural	2018	7263	26	10.5	8	4	6	2	3060		0.176	32.947
090 W	163.32	0.000	Jackson	01	Rural	2018	7263	26	10.5	8	4	6	2	3060		0.567	33.514
	* JCT RAMP 90 W1 EXIT 163																
090 W	163.32	0.567	Jackson	01	Rural	2020	7211	26	10.5	8	4	6	2	3060		0.426	33.940
090 W	164.00	0.314	Jackson	01	Rural	2020	7211	26	10.5	8	4	7	2	3060		0.116	34.056
090 W	164.43	0.000	Jackson	01	Rural	2020	7211	26	10.5	8	4	7	2	3060	36450105	0.097	34.153
090 W	164.43	0.097	Jackson	01	Rural	2020	7211	26	10.5	8	4	6	2	3060		1.855	36.008
090 W	166.36	0.000	Jackson	01	Rural	2020	7211	26	10.5	8	4	6	2	3060		0.457	36.465
	* JCT RAMP REST AREA																
090 W	166.85	0.000	Jackson	01	Rural	2020	7211	26	10.5	8	4	6	2	3060		0.867	37.332
	* JCT RAMP REST AREA																
090 W	167.00	0.711	Jackson	01	Rural	2020	7211	26	10.5	8	4	7	2	3060		0.135	37.467
090 W	167.84	0.000	Jackson	01	Rural	2020	7211	26	10.5	8	4	7	2	3060	36480090	0.089	37.556
090 W	167.84	0.089	Jackson	01	Rural	2020	7211	26	10.5	8	4	7	2	3060		0.007	37.563
090 W	167.84	0.096	Jackson	01	Rural	2020	7211	26	10.5	8	4	6	2	3060		2.096	39.659
090 W	170.02	0.000	Jackson	01	Rural	2020	7211	26	10.5	8	4	6	2	3060		0.154	39.813
	* JCT RAMP 90 W2 EXIT 170																
090 W	170.02	0.154	Jackson	01	Rural	2020	7211	26	10.5	8	4	7	2	3060		0.113	39.926

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
090 W	170.31	0.000	Jackson	01	Rural	2020	7211	26	10.5	8	4	7	2	3115		0.011	39.937
	* INT SD 63																
090 W	170.32	0.000	Jackson	01	Rural	2020	7211	26	10.5	8	4	7	2	3115	36501078	0.096	40.033
090 W	170.32	0.096	Jackson	01	Rural	2020	7211	26	10.5	8	4	6	2	3115		0.169	40.202
090 W	170.58	0.000	Jackson	01	Rural	2020	7211	26	10.5	8	4	6	2	3115		1.636	41.838
	* JCT RAMP 90 W1 EXIT 170																
090 W	172.21	0.000	Jackson	01	Rural	2020	7211	26	10.5	8	4	6	2	3115		0.168	42.006
	* JCT RAMP 90 W2 EXIT 172																
090 W	172.21	0.168	Jackson	01	Rural	2020	7211	26	10.5	8	4	7	2	3115		0.127	42.133
090 W	172.49	0.000	Jackson	01	Rural	2020	7211	26	10.5	8	4	7	2	3210	36520067	0.090	42.223
090 W	172.49	0.090	Jackson	01	Rural	2020	7211	26	10.5	8	4	6	2	3210		0.156	42.379
090 W	172.77	0.000	Jackson	01	Rural	2020	7211	26	10.5	8	4	6	2	3210		1.384	43.763
	* JCT RAMP 90 W1 EXIT 172																
090 W	174.00	0.132	Jackson	01	Rural	2014	7716	25	8.0	9	4	6	2	3210		0.373	44.136
090 W	174.51	0.000	Jones	01	Rural	2014	7716	25	8.0	9	4	6	2	3210		0.195	44.331
	* JACKSON/JONES COUNTY LINE																
090 W	174.51	0.195	Jones	01	Rural	2014	7716	24	8.0	9	4	6	2	3210		2.503	46.834
090 W	177.20	0.000	Jones	01	Rural	2014	7716	24	8.0	9	4	6	2	3210		0.134	46.968
	* JCT RAMP 90 W2 EXIT 177																
090 W	177.20	0.134	Jones	01	Rural	8888	7213	25	11.0	9	4	6	2	3210		0.147	47.115
090 W	177.48	0.000	Jones	01	Rural	8888	7213	25	11.0	9	4	6	2	3275	38030185	0.142	47.257
090 W	177.48	0.142	Jones	01	Rural	2014	7716	25	8.0	9	4	6	2	3275		0.124	47.381
090 W	177.74	0.000	Jones	01	Rural	2014	7716	25	8.0	9	4	6	2	3275		2.634	50.015
	* JCT RAMP 90 W1 EXIT 177																
090 W	180.00	0.375	Jones	01	Rural	8888	7213	25	11.0	9	4	6	2	3275		0.100	50.115
090 W	180.48	0.000	Jones	01	Rural	8888	7213	25	11.0	9	4	6	2	3275	38060185	0.064	50.179
090 W	180.48	0.064	Jones	01	Rural	2014	7716	25	8.0	9	4	6	2	3275		2.662	52.841
090 W	183.20	0.000	Jones	01	Rural	2014	7716	25	8.0	9	4	6	2	3275		0.189	53.030
	* JCT RAMP 90 W2 EXIT 183																
090 W	183.20	0.189	Jones	01	Rural	2014	7213	25	11.0	9	4	6	2	3275		0.090	53.120
090 W	183.48	0.000	Jones	01	Rural	2014	7213	25	11.0	9	4	6	2	3300	38088193	0.074	53.194

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
090 W	183.48	0.074	Jones	01	Rural	2014	7716	25	8.0	9	4	6	2	3300		0.198	53.392
090 W	183.76	0.000	Jones	01	Rural	2014	7716	25	8.0	9	4	6	2	3300		1.823	55.215
	* JCT RAMP 90 W1 EXIT 183																
090 W	185.00	0.593	Jones	01	Rural	2014	7213	25	11.0	9	4	6	2	3300		0.100	55.315
090 W	185.69	0.000	Jones	01	Rural	2014	7213	25	11.0	9	4	6	2	3300	38110195	0.063	55.378
090 W	185.69	0.063	Jones	01	Rural	2014	7716	25	8.0	9	4	6	2	3300		0.233	55.611
090 W	185.69	0.296	Jones	01	Rural	2014	7213	25	11.0	9	4	6	2	3300		0.134	55.745
090 W	186.12	0.000	Jones	01	Rural	2014	7213	25	11.0	9	4	6	2	3300	38114195	0.040	55.785
090 W	186.12	0.040	Jones	01	Rural	2014	7716	25	8.0	9	4	6	2	3300		0.696	56.481
090 W	186.12	0.736	Jones	01	Rural	2014	7716	25	11.0	9	4	6	2	3300		1.476	57.957
090 W	188.32	0.000	Jones	01	Rural	2014	7716	25	11.0	9	4	6	2	3300		0.464	58.421
	* JCT RAMP REST AREA																
090 W	188.79	0.000	Jones	01	Rural	2014	7716	25	11.0	9	4	6	2	3300		0.846	59.267
	* JCT RAMP REST AREA																
090 W	189.00	0.634	Jones	01	Rural	2016	7211	25	11.0	9	4	6	2	3300		0.128	59.395
090 W	189.00	0.762	Jones	01	Rural	2016	7716	25	8.5	9	4	6	2	3300		1.042	60.437
090 W	190.82	0.000	Jones	01	Rural	2016	7716	25	8.5	9	4	6	2	3300		0.247	60.684
	* JCT RAMP 90 W2 EXIT 191																
090 W	191.00	0.047	Jones	01	Rural	2016	7211	25	11.0	9	4	6	2	3300		0.119	60.803
090 W	191.14	0.000	Jones	01	Rural	2016	7211	25	11.0	9	4	6	2	3425		0.007	60.810
	* INT SD 248																
090 W	191.15	0.000	Jones	01	Rural	2016	7211	25	11.0	9	4	6	2	3425	38166196	0.057	60.867
090 W	191.15	0.057	Jones	01	Rural	2016	7211	25	11.0	9	4	6	2	3425		0.041	60.908
090 W	191.15	0.098	Jones	01	Rural	2016	7716	25	8.5	9	4	6	2	3425		0.287	61.195
090 W	191.56	0.000	Jones	01	Rural	2016	7716	25	8.5	9	4	6	2	3425		0.820	62.015
	* JCT RAMP 90 W1 EXIT 191																
090 W	192.40	0.000	Jones	01	Rural	2016	7716	25	8.5	9	4	6	2	3425		0.264	62.279
	* JCT RAMP 90 W2 EXIT 192																
090 W	192.64	0.000	Jones	01	Rural	2016	7716	25	8.5	9	4	6	2	3365		0.004	62.283
	* INT US 83																
090 W	192.65	0.000	Jones	01	Rural	2016	7716	25	8.5	9	4	6	2	3365	38180198	0.247	62.530

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
090 W	192.89	0.000	Jones	01	Rural	2016	7716	25	8.5	9	4	6	2	3365		1.838	64.368
	* JCT RAMP 90 W1 EXIT 192																
090 W	194.00	0.741	Jones	01	Rural	2016	7211	25	11.0	9	4	7	2	3365		0.066	64.434
090 W	194.81	0.000	Jones	01	Rural	2016	7211	25	11.0	9	4	7	2	3365	38200190	0.097	64.531
090 W	194.81	0.097	Jones	01	Rural	2016	7716	25	8.5	9	4	6	2	3365		3.046	67.577
090 W	197.00	0.942	Jones	01	Rural	2016	7211	25	11.0	9	4	6	2	3365		0.120	67.697
090 W	198.00	0.063	Jones	01	Rural	2009	4251	26	9.3	8	4	6	2	3365		0.063	67.760
090 W	198.00	0.126	Jones	01	Rural	2009	4251	26	7.8	7	3	6	2	3365		1.029	68.789
090 W	199.16	0.000	Jones	01	Rural	2009	4251	26	7.8	7	3	6	2	3365	38240178	0.242	69.031
090 W	199.16	0.242	Jones	01	Rural	2009	4251	26	7.8	7	3	6	2	3365		1.440	70.471
090 W	200.87	0.000	Jones	01	Rural	2009	4251	26	7.8	7	3	6	2	3365		0.290	70.761
	* JCT RAMP 90 W2 EXIT 201																
090 W	201.13	0.000	Jones	01	Rural	2009	4251	26	7.8	7	3	6	2	3750	38260178	0.099	70.860
090 W	201.13	0.099	Jones	01	Rural	2009	4251	26	7.8	7	3	6	2	3750		0.165	71.025
090 W	201.40	0.000	Jones	01	Rural	2009	4251	26	7.8	7	3	6	2	3750		2.739	73.764
	* JCT RAMP 90 W1 EXIT 201																
090 W	204.13	0.000	Jones	01	Rural	2009	4251	26	7.8	7	3	6	2	3750	38290178	0.078	73.842
090 W	204.13	0.078	Jones	01	Rural	2009	4251	26	7.8	7	3	6	2	3750		3.145	76.987
090 W	207.36	0.000	Jones	01	Rural	2009	4251	26	7.8	7	3	6	2	3750	38322178	0.487	77.474
090 W	207.84	0.000	Jones	01	Rural	2009	4251	26	7.8	7	3	6	2	3750		0.268	77.742
	* JCT RAMP 90 W2 EXIT 208																
090 W	208.11	0.000	Jones	01	Rural	2009	4251	26	7.8	7	3	6	2	3980	38330178	0.250	77.992
090 W	208.40	0.000	Jones	01	Rural	2009	4251	26	7.8	7	3	6	2	3980		1.763	79.755
	* JCT RAMP 90 W1 EXIT 208																
090 W	210.14	0.000	Lyman	01	Rural	2020	4583	26	3.8	10	4	6	2	3980		2.371	82.126
	* JONES/LYMAN COUNTY LINE																
090 W	212.49	0.000	Lyman	01	Rural	2020	4583	26	3.8	10	4	6	2	3980		0.313	82.439
	* JCT RAMP 90 W2 EXIT 212																
090 W	212.80	0.000	Lyman	01	Rural	2020	4583	26	3.8	10	4	6	2	3975		0.003	82.442
	* INT US 83																
090 W	212.81	0.000	Lyman	01	Rural	2020	4583	26	3.8	10	4	6	2	3975	43026195	0.203	82.645



# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
090 W	213.00	0.000	Lyman	01	Rural	2020	4583	26	3.8	10	4	6	2	3975		0.150	82.795
090 W	213.15	0.000	Lyman	01	Rural	2020	4583	26	3.8	10	4	6	2	3975		0.293	83.088
	* JCT RAMP 90 W1 EXIT 212																
090 W	213.15	0.293	Lyman	01	Rural	2020	4585	26	3.8	10	4	6	2	3975		0.367	83.455
090 W	213.82	0.000	Lyman	01	Rural	2020	4585	26	3.8	10	4	6	2	3975		0.323	83.778
	* JCT RAMP 90 W2 EXIT 214																
090 W	214.15	0.000	Lyman	01	Rural	2020	4585	26	3.8	10	4	6	2	3965	43040195	0.309	84.087
090 W	214.45	0.000	Lyman	01	Rural	2020	4585	26	3.8	10	4	6	2	3965		1.936	86.023
	* JCT RAMP 90 W1 EXIT 214																
090 W	216.39	0.000	Lyman	01	Rural	2020	4585	26	3.8	10	4	6	2	3965	43063195	0.401	86.424
090 W	216.39	0.401	Lyman	01	Rural	2020	4585	26	3.8	10	4	6	2	3965		3.175	89.599
090 W	219.90	0.000	Lyman	01	Rural	2020	4585	26	3.8	10	4	6	2	3965		0.332	89.931
	* JCT RAMP 90 W2 EXIT 220																
090 W	220.31	0.000	Lyman	01	Rural	2020	4585	26	3.8	10	4	6	2	3950	43100201	0.082	90.013
090 W	220.31	0.082	Lyman	01	Rural	2020	4585	26	3.8	10	4	6	2	3950		0.153	90.166
090 W	220.38	0.000	Lyman	01	Rural	2020	4585	26	3.8	10	4	6	2	3950		0.484	90.650
	* JCT RAMP 90 W1 EXIT 220																
090 W	221.35	0.000	Lyman	01	Rural	2020	4585	26	3.8	10	4	6	2	3950		0.639	91.289
	* JCT RAMP REST AREA																
090 W	221.65	0.000	Lyman	01	Rural	2020	4585	26	3.8	10	4	6	2	3950		1.734	93.023
	* JCT RAMP REST AREA																
090 W	223.39	0.000	Lyman	01	Rural	2020	4585	26	3.8	10	4	6	2	3950	43130205	0.114	93.137
090 W	223.39	0.114	Lyman	01	Rural	2020	4585	26	3.8	10	4	6	2	3950		1.618	94.755
090 W	225.12	0.000	Lyman	01	Rural	2020	4585	26	3.8	10	4	6	2	3950		0.272	95.027
	* JCT RAMP 90 W2 EXIT 225																
090 W	225.38	0.000	Lyman	01	Rural	2020	4585	26	3.8	10	4	6	2	3970	43150205	0.117	95.144
090 W	225.38	0.117	Lyman	01	Rural	2020	4585	26	3.8	10	4	6	2	3970		0.129	95.273
090 W	225.63	0.000	Lyman	01	Rural	2020	4585	26	3.8	10	4	6	2	3970		0.470	95.743
	* JCT RAMP 90 W1 EXIT 225																
090 W	226.10	0.000	Lyman	01	Rural	2020	4585	26	3.8	10	4	6	2	3970		0.277	96.020
	* JCT RAMP 90 W2 EXIT 226																

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
090 W	226.39	0.000	Lyman	01	Rural	2020	4585	26	3.8	10	4	6	2	4000		0.019	96.039
	* INT US 183																
090 W	226.41	0.000	Lyman	01	Rural	2020	4585	26	3.8	10	4	6	2	4000	43160205	0.264	96.303
090 W	226.66	0.000	Lyman	01	Rural	2020	4585	26	3.8	10	4	6	2	4000		0.360	96.663
	* JCT RAMP 90 W1 EXIT 226																
090 W	227.00	0.027	Lyman	01	Rural	2008	4786	24	7.3	10	4	6	2	4000		1.365	98.028
090 W	228.39	0.000	Lyman	01	Rural	2008	4786	24	7.3	10	4	6	2	4000	43180205	0.603	98.631
090 W	229.00	0.000	Lyman	01	Rural	2008	4786	24	7.3	10	4	6	2	4000		1.400	100.031
090 W	230.39	0.000	Lyman	01	Rural	2008	4786	24	7.3	10	4	6	2	4000	43200205	0.145	100.176
090 W	230.39	0.145	Lyman	01	Rural	2008	4786	24	7.3	10	4	6	2	4000		1.855	102.031
090 W	232.32	0.000	Lyman	01	Rural	2008	4786	24	7.3	10	4	6	2	4000	43220205	0.334	102.365
090 W	232.32	0.334	Lyman	01	Rural	2008	4786	24	7.3	10	4	6	2	4000		2.368	104.733
090 W	235.10	0.000	Lyman	01	Rural	2008	4786	24	7.3	10	4	6	2	4000		0.313	105.046
	* JCT RAMP 90 W2 EXIT 235																
090 W	235.41	0.000	Lyman	01	Rural	2008	4786	24	7.3	10	4	6	2	3945		0.016	105.062
	* INT SD 273																
090 W	235.43	0.000	Lyman	01	Rural	2008	4786	24	7.3	10	4	6	2	3945	43250206	0.267	105.329
090 W	235.68	0.000	Lyman	01	Rural	2008	4786	24	7.3	10	4	6	2	3945		3.965	109.294
	* JCT RAMP 90 W1 EXIT 235																
090 W	239.66	0.000	Lyman	01	Rural	2008	4786	24	7.3	10	4	6	2	3945	43290219	0.032	109.326
090 W	239.66	0.032	Lyman	01	Rural	2008	4786	24	7.3	10	4	6	2	3945		1.975	111.301
090 W	241.65	0.000	Lyman	01	Rural	2008	4786	24	7.3	10	4	6	2	3945		0.237	111.538
	* JCT RAMP 90 W2 EXIT 241																
090 W	241.90	0.000	Lyman	01	Rural	2008	4786	24	7.3	10	4	6	2	4000	43313220	0.068	111.606
090 W	241.90	0.068	Lyman	01	Rural	2008	4786	24	7.3	10	4	6	2	4000		0.167	111.773
090 W	242.12	0.000	Lyman	01	Rural	2008	4786	24	7.3	10	4	6	2	4000		2.607	114.380
	* JCT RAMP 90 W1 EXIT 241																
090 W	244.75	0.000	Lyman	01	Rural	2008	4786	24	7.3	10	4	6	2	4000	43340224	0.015	114.395
090 W	244.75	0.015	Lyman	01	Rural	2008	4786	24	7.3	10	4	6	2	4000		3.002	117.397
090 W	247.00	0.754	Lyman	01	Rural	2019	4786	24	9.8	10	4	6	2	4000		0.142	117.539
090 W	247.00	0.896	Lyman	01	Rural	2008	4786	24	7.3	10	4	6	2	4000		0.634	118.173

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
090 W	248.53	0.000	Lyman	01	Rural	2008	4786	24	7.3	10	4	6	2	4000		0.234	118.407
	* JCT RAMP 90 W2 EXIT 248																
090 W	248.78	0.000	Lyman	01	Rural	2008	4786	24	7.3	10	4	6	2	3900		0.014	118.421
	* INT SD 248																
090 W	248.79	0.000	Lyman	01	Rural	2008	4786	24	7.3	10	4	6	2	3900	43380227	0.008	118.429
090 W	248.79	0.008	Lyman	01	Rural	2008	4786	24	7.3	10	4	6	2	3900		0.217	118.646
090 W	248.99	0.000	Lyman	01	Rural	2008	4786	24	7.3	10	4	6	2	3900		1.810	120.456
	* JCT RAMP 90 W1 EXIT 248																
090 W	250.82	0.000	Lyman	01	Rural	2008	4786	24	7.3	10	4	6	2	3900		0.246	120.702
	* JCT RAMP 90 W2 EXIT 251																
090 W	251.08	0.000	Lyman	01	Rural	2008	4786	24	7.3	10	4	6	2	3830		0.016	120.718
	* INT SD 47																
090 W	251.09	0.000	Lyman	01	Rural	2008	4786	24	7.3	10	4	6	2	3830	43401237	0.160	120.878
090 W	251.09	0.160	Lyman	01	Rural	2008	4786	24	7.3	10	4	6	2	3830		0.112	120.990
090 W	251.35	0.000	Lyman	01	Rural	2008	4786	24	7.3	10	4	6	2	3830		0.212	121.202
	* JCT RAMP 90 W1 EXIT 251																

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			----Shoulder----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
130	193.00	0.000	Walworth	07	Rural	2013	4251	40	6.0	2	2	7	2	387		0.080	0.080
	* JCT US 12/130 ST IN SELBY HWY BEGIN																
130	193.08	0.000	Walworth	07	Rural	2013	4251	40	6.0	2	2	7	2	387		0.069	0.149
	* JCT 6TH AVE IN SELBY																
130	193.15	0.000	Walworth	07	Rural	2013	4251	40	6.0	2	2	7	2	387		0.069	0.218
	* JCT 5TH AVE IN SELBY																
130	193.22	0.000	Walworth	07	Rural	2013	4251	40	6.0	2	2	7	2	387		0.073	0.291
	* JCT 4TH AVE IN SELBY																
130	193.29	0.000	Walworth	07	Rural	2013	4251	40	6.0	2	2	7	2	387		0.072	0.363
	* JCT MAIN ST IN SELBY																
130	193.37	0.000	Walworth	07	Rural	2013	4251	40	6.0	2	2	7	2	387		0.070	0.433
	* JCT 3RD AVE IN SELBY																
130	193.44	0.000	Walworth	07	Rural	2013	4251	40	6.0	2	2	7	2	387		0.068	0.501
	* JCT 2ND AVE IN SELBY																
130	193.58	0.000	Walworth	07	Rural	2013	4251	40	6.0	2	2	7	2	387		0.070	0.571
	* JCT 1ST AVE IN SELBY																
130	193.64	0.000	Walworth	07	Rural	2013	4251	40	6.0	2	2	7	2	387		0.069	0.640
	* JCT LINCOLN AVE IN SELBY																
130	193.71	0.000	Walworth	07	Rural	2013	4251	40	6.0	2	2	7	2	387		0.083	0.723
	* JCT OVER HOLSER AVE IN SELBY																
130	193.79	0.000	Walworth	07	Rural	2013	4251	28	6.0	3	3	6	2	387		0.035	0.758
	* JCT MARIN DR IN SELBY																
130	193.83	0.000	Walworth	07	Rural	2013	4251	28	6.0	3	3	6	2	387		0.237	0.995
	* E CITY LIMITS IN SELBY																
130	194.00	0.000	Walworth	07	Rural	2013	4251	28	6.0	3	3	6	2	311		0.025	1.020
130	194.00	0.025	Walworth	07	Rural	2013	4251	24	3.0	1	1	6	2	311		2.133	3.153
130	196.00	0.166	Walworth	07	Rural	2013	4251	34	5.0	0	0	1	2	311		0.707	3.860
130	196.64	0.000	Walworth	07	Rural	2013	4251	34	5.0	0	0	1	2	311	65248059	0.016	3.876
130	196.64	0.016	Walworth	07	Rural	2013	4251	34	5.0	0	0	1	2	311		0.348	4.224
130	197.00	0.237	Walworth	07	Rural	2013	4251	24	3.0	1	1	6	2	311		2.887	7.111
130	200.08	0.000						0	0	0	0		0	0		0.000	7.111
	* JCT SD 271/314 AVE END HWY																

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length	
							Type	Width	Thick ness	Width LT	RT	Type						
144	188.00	0.000	Walworth	07	Rural	2006	4252	22	4.7	0	0	1	2	197		0.133	0.133	
144	188.13	0.000	Walworth	07	Rural	2006	4252	22	4.7	0	0	1	2	197		0.071	0.204	
144	188.20	0.000	Walworth	07	Rural	2006	4252	22	4.7	0	0	1	2	197		0.047	0.251	
144	188.25	0.000	Walworth	07	Rural	2006	4252	22	4.7	0	0	1	2	197		0.260	0.511	
144	188.50	0.000	Walworth	07	Rural	2006	4252	22	4.7	0	0	1	2	197		2.378	2.889	
144	190.00	0.887	Walworth	07	Rural	2006	4251	28	5.0	4	4	9	2	197		0.132	3.021	
144	190.92	0.000						0	0	0	0		0	0		0.000	3.021	

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
1804	250.52	0.000	Hughes	16	Urban	2002	4251	32	8.5	6	6	6	2	3507		0.008	0.008
	* JCT US 14 E IN PIERRE																
1804	250.54	0.000	Hughes	16	Urban	2002	4251	32	8.5	6	6	6	2	3507		0.008	0.016
	* INT US 14 IN PIERRE																
1804	250.56	0.000	Hughes	16	Urban	2002	4251	32	8.5	6	6	6	2	3507		0.041	0.057
	* JCT 14 W IN PIERRE																
1804	250.63	0.000	Hughes	16	Urban	2002	4251	32	8.5	6	6	6	2	3507		0.060	0.117
	* JCT RAMP 14 W 1/14 W2 IN PIERRE																
1804	250.63	0.060	Hughes	16	Urban	2019	4251	24	9.5	6	6	6	2	3507		0.641	0.758
1804	251.33	0.000	Hughes	06	Rural	2019	4251	24	9.5	6	6	6	2	1623		0.624	1.382
	* N CITY LIMITS /URBAN BOUNDARY IN PIERRE																
1804	251.33	0.624	Hughes	06	Rural	2019	4251	36	6.0	0	0	1	2	1623		0.118	1.500
1804	252.00	0.068	Hughes	06	Rural	2019	4251	24	9.5	6	6	6	2	1623		1.543	3.043
1804	253.60	0.000	Hughes	06	Rural	2019	4251	24	9.5	6	6	6	2	1623		1.554	4.597
	* JCT GREY GOOSE RD																
1804	255.00	0.169	Hughes	06	Rural	2019	4251	24	8.5	5	5	6	2	1623		1.034	5.631
1804	256.00	0.203	Hughes	06	Rural	2019	4251	24	8.5	6	6	6	2	1623		0.177	5.808
1804	256.35	0.000	Hughes	07	Rural	2019	4251	28	6.5	2	2	6	2	1642		1.491	7.299
	* JCT SD 204 W																
1804	257.00	0.872	Hughes	07	Rural	2019	4251	28	7.5	3	3	6	2	1642		1.679	8.978
1804	259.00	0.665	Hughes	07	Rural	2019	4251	28	5.5	3	3	6	2	1642		1.146	10.124
1804	260.80	0.000	Hughes	07	Rural	2019	4251	28	5.5	3	3	6	2	1642		0.230	10.354
	* JCT 199 ST																
1804	261.00	0.041	Hughes	07	Rural	2019	4251	34	7.0	0	0	1	2	1642		0.748	11.102
1804	261.00	0.789	Hughes	07	Rural	2019	4251	24	5.5	6	6	6	2	1642		0.211	11.313
1804	262.00	0.000	Hughes	07	Rural	2019	4251	24	5.5	6	6	6	2	1166		0.528	11.841
1804	262.00	0.528	Hughes	07	Rural	2019	4251	34	5.0	0	0	1	2	1166		0.506	12.347
1804	263.13	0.000	Hughes	07	Rural	2019	4251	34	5.0	0	0	1	2	1166	33059013	0.021	12.368
1804	263.13	0.021	Hughes	07	Rural	2019	4251	34	5.0	0	0	1	2	1166		0.486	12.854
1804	263.13	0.507	Hughes	07	Rural	2019	4251	24	5.5	6	6	6	2	1166		0.521	13.375
1804	264.00	0.062	Hughes	07	Rural	2019	4251	34	5.0	0	0	1	2	1166		0.192	13.567

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
1804	264.00	0.254	Hughes	07	Rural	2019	4251	46	5.0	0	0	1	3	1166		0.035	13.602
1804	264.28	0.000	Hughes	07	Rural	2019	4251	46	5.0	0	0	1	3	1166		0.036	13.638
	* JCT 196 ST																
1804	264.33	0.000	Sully	07	Rural	2019	4251	46	5.0	0	0	1	3	572		0.201	13.839
	* HUGHES/SULLY COUNTY LINE																
1804	264.33	0.201	Sully	07	Rural	2019	4251	34	5.0	0	0	1	2	572		0.352	14.191
1804	264.88	0.000	Sully	07	Rural	2019	4251	34	5.0	0	0	1	2	572	60129235	0.064	14.255
1804	264.88	0.064	Sully	07	Rural	2019	4251	34	5.0	0	0	1	2	572		0.414	14.669
1804	265.00	0.354	Sully	07	Rural	2012	4255	24	5.5	2	2	6	2	572		4.293	18.962
1804	269.66	0.000	Sully	07	Rural	2012	4255	24	5.5	2	2	6	2	572	60130188	0.021	18.983
1804	269.66	0.021	Sully	07	Rural	2012	4255	24	5.5	2	2	6	2	572		2.674	21.657
1804	272.00	0.374	Sully	07	Rural	2012	4251	24	5.0	3	3	6	2	572		3.011	24.668
1804	275.36	0.000	Sully	07	Rural	2012	4251	24	5.0	3	3	6	2	572		5.995	30.663
	* JCT W 185 ST																
1804	281.37	0.000	Sully	07	Rural	2010	4251	24	4.5	4	4	6	2	572		0.704	31.367
	* JCT 185 ST																
1804	282.00	0.000	Sully	07	Rural	2010	4251	24	4.5	4	4	6	2	261		2.324	33.691
1804	284.44	0.000	Sully	07	Rural	2010	4251	24	4.5	4	4	6	2	261		3.012	36.703
	* JCT 182 ST																
1804	287.39	0.000	Sully	07	Rural	2010	4251	24	4.5	4	4	6	2	261	60190070	0.111	36.814
1804	287.39	0.111	Sully	07	Rural	2010	4251	24	4.5	4	4	6	2	261		4.787	41.601
1804	292.34	0.000	Sully	07	Rural	2020	4255	24	7.2	1	1	6	2	261		4.125	45.726
	* JCT 178 ST																
1804	296.38	0.000	Potter	07	Rural	2020	4255	24	8.2	1	1	6	2	261		3.028	48.754
	* SULLY/POTTER COUNTY LINE																
1804	299.38	0.000	Potter	07	Rural	2020	4255	24	8.2	1	1	6	2	261		3.468	52.222
	* JCT 169 ST																
1804	302.00	0.859	Potter	07	Rural	2020	4251	30	4.0	1	1	6	2	261		0.141	52.363
1804	303.00	0.000	Potter	07	Rural	2020	4251	30	4.0	1	1	6	2	221		0.333	52.696
1804	303.33	0.000						0	0	0	0		0	0		0.000	52.696
	* JCT US 212																

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
1804	307.66	0.000	Potter	07	Rural	2020	4252	24	6.7	2	2	6	2	264		0.691	53.387
	* JCT US 212/297 AVE																
1804	308.35	0.000	Potter	07	Rural	2020	4252	24	6.7	2	2	6	2	264		3.009	56.396
	* JCT E WHITLOCK ACCESS																
1804	311.36	0.000	Potter	07	Rural	2020	4252	24	6.7	2	2	6	2	264	54091126	0.099	56.495
1804	311.36	0.099	Potter	07	Rural	2020	4252	24	6.7	2	2	6	2	264		0.499	56.994
1804	311.97	0.000						0	0	0	0		0	0		0.000	56.994
	* JCT W WHITLOCK RD/160 ST/296 AVE																
1804	339.10	0.000	Walworth	07	Rural	2012	4251	24	4.0	0	0	1	2	142		7.851	64.845
	* JCT 297 AVE/135 ST																
1804	347.00	0.000	Walworth	07	Rural	2012	4251	24	4.0	0	0	1	2	240		0.200	65.045
1804	347.29	0.000	Walworth	07	Rural	2012	4251	24	4.0	0	0	1	2	240		0.064	65.109
	* JCT 130 ST																
1804	347.29	0.064	Walworth	07	Rural	2012	4255	22	3.5	0	0	1	2	240		1.768	66.877
1804	349.13	0.000	Walworth	07	Rural	2012	4255	22	3.5	0	0	1	2	240	65072059	0.063	66.940
1804	349.13	0.063	Walworth	07	Rural	2012	4255	22	3.5	0	0	1	2	240		0.129	67.069
1804	349.40	0.000	Walworth	07	Rural	2012	4255	22	3.5	0	0	1	2	240		2.344	69.413
	* RR XING SD16 393887N																
1804	351.63	0.000						0	0	0	0		0	0		0.000	69.413
	* JCT US 12																
1804	355.50	0.000	Walworth	07	Rural	2013	4151	36	6.0	2	2	7	2	896		0.070	69.483
	* JCT US 12/4TH AVE IN MOBRIDGE																
1804	355.57	0.000	Walworth	07	Rural	2013	4151	36	6.0	2	2	7	2	896		0.030	69.513
	* JCT 6TH ST E E IN MOBRIDGE																
1804	355.60	0.000	Walworth	07	Rural	2013	4151	36	6.0	2	2	7	2	896		0.040	69.553
	* JCT 6TH ST E W IN MOBRIDGE																
1804	355.64	0.000	Walworth	07	Rural	2013	4151	36	6.0	2	2	7	2	896		0.069	69.622
	* JCT 7TH ST E IN MOBRIDGE																
1804	355.71	0.000	Walworth	07	Rural	2013	4151	36	6.0	2	2	7	2	896		0.039	69.661
	* JCT 8TH ST E IN MOBRIDGE																
1804	355.71	0.039	Walworth	07	Rural	2013	4251	44	6.0	0	0	1	2	896		0.031	69.692
1804	355.82	0.000	Walworth	07	Rural	2013	4251	44	6.0	0	0	1	2	896		0.041	69.733



# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			----Shoulder----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
1804	355.83	0.000	Walworth	07	Rural	2013	4251	44	6.0	0	0	1	2	896		0.029	69.762
* JCT 9TH ST E IN MOBRIDGE																	
1804	355.85	0.000	Walworth	07	Rural	2013	4251	44	6.0	0	0	1	2	896		0.148	69.910
* JCT 10TH ST E E IN MOBRIDGE																	
1804	355.98	0.000	Walworth	07	Rural	2013	4251	44	6.0	0	0	1	2	754		0.016	69.926
* JCT 10TH ST E W IN MOBRIDGE																	
1804	355.98	0.016	Walworth	07	Rural	2013	4251	28	6.0	0	0	1	2	754		0.162	70.088
* JCT 12TH ST E IN MOBRIDGE																	
1804	356.13	0.000	Walworth	07	Rural	2013	4251	28	6.0	0	0	1	2	330		0.323	70.411
* N CITY LIMITS IN MOBRIDGE																	
1804	356.47	0.000	Walworth	07	Rural	2013	4251	28	6.0	0	0	1	2	330		1.357	71.768
* JCT 20TH ST W/127TH ST																	
1804	357.00	0.853	Walworth	07	Rural	2017	4255	25	2.0	0	0	1	2	330		0.151	71.919
1804	358.00	0.000	Walworth	07	Rural	2017	4255	25	2.0	0	0	1	2	154		2.195	74.114
1804	360.16	0.000	Campbell	07	Rural	2017	4255	25	4.5	0	0	1	2	154		6.830	80.944
* WALWORTH/CAMPBELL COUNTY LINE																	
1804	367.00	0.017	Campbell	07	Rural	2017	4255	26	5.0	0	0	1	2	154		1.526	82.470
1804	368.57	0.000	Campbell	07	Rural	2017	4255	26	5.0	0	0	1	2	154		4.916	87.386
* JCT 122 ST/295 AVE																	
1804	373.48	0.000	Campbell	07	Rural	2017	4255	26	5.0	0	0	1	2	154		0.067	87.453
* JCT 297 AVE/119 ST																	
1804	373.48	0.067	Campbell	07	Rural	2017	4251	29	4.6	0	0	1	2	154		11.145	98.598
1804	384.71	0.000	Campbell	07	Rural	2017	4251	29	4.6	0	0	1	2	154		0.321	98.919
* JCT 109 ST																	
1804	385.00	0.000	Campbell	07	Rural	2017	4251	29	4.6	0	0	1	2	201		6.546	105.465
1804	391.55	0.000	Campbell	07	Rural	2017	4251	29	4.6	0	0	1	2	201		0.174	105.639
* JCT 103 ST/294 AVE & W CITY LIMITS IN POLLOCK																	
1804	391.74	0.000	Campbell	07	Rural	2017	4251	24	4.0	20	20	6	2	201		0.068	105.707
* JCT F AVE IN POLLOCK																	
1804	391.81	0.000	Campbell	07	Rural	2017	4251	24	4.0	20	20	6	2	201		0.070	105.777
* JCT E AVE IN POLLOCK																	
1804	391.88	0.000	Campbell	07	Rural	2017	4251	24	4.0	20	20	6	2	201		0.074	105.851

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
1804	391.95	0.000	Campbell	07	Rural	2017	4251	24	4.0	20	20	6	2	201		0.035	105.886
* JCT D AVE IN POLLOCK																	
1804	391.99	0.000	Campbell	07	Rural	2017	4251	24	4.0	32	32	6	2	201		0.045	105.931
* JCT C AVE IN POLLOCK																	
1804	392.01	0.000	Campbell	07	Rural	2017	4251	24	4.0	32	32	6	2	201		0.010	105.941
* JCT B AVE/SUMMIT RD IN POLLOCK																	
1804	392.02	0.000	Campbell	07	Rural	2017	4251	24	4.0	32	32	6	2	402		0.006	105.947
* JCT SD 10 E IN POLLOCK																	
1804	392.04	0.000	Campbell	07	Rural	2017	4251	24	4.0	32	32	6	2	402		0.049	105.996
* INT SD 10 IN POLLOCK																	
1804	392.08	0.000	Campbell	07	Rural	2017	4251	24	4.0	32	32	6	2	402		0.067	106.063
* JCT SD 10 W IN POLLOCK																	
1804	392.15	0.000	Campbell	07	Rural	2017	4251	24	4.0	32	32	6	2	402		0.137	106.200
* JCT PARK ST IN POLLOCK																	
1804	392.29	0.000	Campbell	07	Rural	2017	4251	24	4.0	32	32	6	2	402		0.007	106.207
* JCT OAHE ST IN POLLOCK																	
1804	392.29	0.007	Campbell	07	Rural	2017	4251	24	3.0	0	0	1	2	402		0.189	106.396
* JCT LAKE VIEW DR IN POLLOCK																	
1804	393.04	0.000	Campbell	07	Rural	2017	4251	24	3.0	0	0	1	2	164		0.508	106.904
* N CITY LIMITS IN POLLOCK																	
1804	393.51	0.000	Campbell	07	Rural	2017	4251	24	3.0	0	0	1	2	164	11091022	0.078	106.982
1804	393.61	0.000	Campbell	07	Rural	2014	4255	23	4.0	0	0	1	2	164		1.651	108.633
* JCT 294 AVE																	
1804	395.23	0.000	Campbell	07	Rural	2014	4255	23	4.0	0	0	1	2	164	11074020	0.058	108.691
1804	395.23	0.058	Campbell	07	Rural	2014	4255	23	4.0	0	0	1	2	164		4.387	113.078
1804	399.00	0.663	Campbell	07	Rural	2014	4255	29	9.0	0	0	1	2	164		0.170	113.248
1804	399.00	0.833	Campbell	07	Rural	2014	4255	29	6.0	0	0	1	2	164		0.228	113.476
1804	400.00	0.059	Campbell	07	Rural	2014	4255	23	4.0	0	0	1	2	164		1.428	114.904
1804	401.55	0.000	Campbell	07	Rural	2014	4255	23	4.0	0	0	1	2	164		0.010	114.914
* END HWY AT ND STATE LINE																	
1804	401.56	0.000						0	0	0	0		0	0		0.000	114.914
* SD/ND BORDER HWY END																	

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
1806	138.45	0.000	Lyman	07	Rural	1995	4251	24	2.5	2	2	6	2	115		5.851	5.851
	* JCT SD 273/315 AVE/MEDICINE BULL MEMORIAL HWY																
1806	144.00	0.447	Lyman	07	Rural	1998	4251	28	3.0	2	2	6	2	115		0.573	6.424
1806	145.02	0.000	Lyman	07	Rural	1998	4251	28	3.0	2	2	6	2	115	43218036	0.281	6.705
1806	145.31	0.000	Lyman	07	Rural	1998	4251	28	3.0	2	2	6	2	115	43216034	0.077	6.782
1806	145.31	0.077	Lyman	07	Rural	1998	4251	28	3.0	2	2	6	2	115		0.451	7.233
1806	145.31	0.528	Lyman	07	Rural	1995	4251	24	2.5	2	2	6	2	115		3.780	11.013
1806	149.70	0.000	Stanley	07	Rural	1995	4251	24	2.5	2	2	6	2	115		0.012	11.025
	* LYMAN/STANLY COUNTY LINE																
1806	149.71	0.000	Stanley	07	Rural	1995	4251	24	2.5	2	2	6	2	115		0.014	11.039
	* JCT 221 ST																
1806	149.73	0.000	Stanley	07	Rural	1995	4251	24	2.5	2	2	6	2	199		5.420	16.459
	* LYMAN/STANLY COUNTY LINE SIGN																
1806	155.31	0.000	Stanley	07	Rural	1995	4251	24	2.5	2	2	6	2	199	59617374	0.204	16.663
1806	155.31	0.204	Stanley	07	Rural	1995	4251	24	2.5	2	2	6	2	199		2.964	19.627
1806	158.00	0.477	Stanley	07	Rural	1998	4251	28	3.0	2	2	6	2	199		0.787	20.414
1806	159.00	0.265	Stanley	07	Rural	1995	4251	24	2.5	2	2	6	2	199		5.184	25.598
1806	164.43	0.000	Stanley	07	Rural	2007	4251	26	3.0	0	0	1	2	199		1.064	26.662
	* EXIT LOWER BRULE RESERVATION																
1806	165.53	0.000	Stanley	07	Rural	2007	4251	26	3.0	0	0	1	2	199		4.720	31.382
	* JCT 303 AVE																
1806	170.23	0.000	Stanley	07	Rural	2007	4251	26	3.0	0	0	1	2	199	59493328	0.054	31.436
1806	170.23	0.054	Stanley	07	Rural	2007	4251	26	3.0	0	0	1	2	199		9.759	41.195
1806	180.05	0.000						0	0	0	0		0	0		0.000	41.195
	* JCT US 83																
1806	186.46	0.000	Stanley	16	Urban	2010	4251	24	6.0	12	12	6	2	1650		0.146	41.341
	* JCT US 14 IN FT PIERRE																
1806	186.61	0.000	Stanley	16	Urban	2010	4251	24	6.0	12	12	6	2	1650		0.154	41.495
	* JCT PRAIRIE VILLA TR IN FT PIERRE																
1806	186.78	0.000	Stanley	16	Urban	2010	4251	24	6.0	12	12	6	2	1650		0.185	41.680
	* JCT BASS DR IN FT PIERRE																

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
1806	186.95	0.000	Stanley	16	Urban	2010	4251	24	6.0	12	12	6	2	1650		0.017	41.697
	* JCT WALLEYE DR IN FT PIERRE																
1806	186.96	0.000	Stanley	16	Urban	2010	4251	24	6.0	12	12	6	2	1650	59388274	0.035	41.732
1806	187.00	0.000	Stanley	16	Urban	2010	4251	24	6.0	12	12	6	2	1650		0.050	41.782
1806	187.00	0.050	Stanley	16	Urban	2010	4251	24	6.0	6	6	6	2	1650		0.308	42.090
1806	187.35	0.000	Stanley	16	Urban	2010	4251	24	6.0	6	6	6	2	1650		0.288	42.378
	* JCT ROUSSEAU AVE IN FT PIERRE																
1806	187.63	0.000	Stanley	06	Rural	2010	4251	24	6.0	6	6	6	2	1650		0.262	42.640
	* JCT FORT CHOUTEAU ROAD/URBAN BOUNDARY/CITY LIMITS FORT PIERRE																
1806	187.91	0.000	Stanley	06	Rural	2010	4251	24	6.0	6	6	6	2	1650	59388265	0.092	42.732
1806	188.00	0.000	Stanley	06	Rural	2010	4251	24	6.0	6	6	6	2	1650		1.824	44.556
1806	189.93	0.000	Stanley	06	Rural	2010	4251	24	6.0	6	6	6	2	1650	59387246	0.174	44.730
1806	189.93	0.174	Stanley	06	Rural	2010	4251	24	6.0	6	6	6	2	1650		1.602	46.332
1806	191.60	0.000	Stanley	07	Rural	2010	4251	24	6.0	6	6	6	2	199		0.012	46.344
	* JCT SD 204 E																
1806	191.60	0.012	Stanley	07	Rural	2002	4251	24	6.0	3	3	6	2	199		2.009	48.353
1806	193.00	0.624	Stanley	07	Rural	1963	7999	24	8.0	0	0	1	2	199		0.201	48.554
1806	193.83	0.000	Stanley	07	Rural	2010	4255	24	4.0	2	2	6	2	199	59360228	0.045	48.599
1806	193.83	0.045	Stanley	07	Rural	2010	4255	24	4.0	2	2	6	2	199		4.878	53.477
1806	198.70	0.000	Stanley	07	Rural	2010	4255	24	4.0	2	2	6	2	199		8.222	61.699
	* JCT CUT ACROSS RD																
1806	207.00	0.000	Stanley	07	Rural	2010	4255	24	4.0	2	2	6	2	122		2.090	63.789
1806	209.10	0.000	Stanley	07	Rural	2010	4255	24	4.0	2	2	6	2	122		2.307	66.096
	* JCT SANSARC RD																
1806	211.43	0.000	Stanley	07	Rural	2010	4255	24	4.0	2	2	6	2	122	59234176	0.011	66.107
1806	211.43	0.011	Stanley	07	Rural	2010	4255	24	4.0	2	2	6	2	122		0.782	66.889
1806	212.00	0.212	Stanley	07	Rural	2010	4255	22	4.0	1	1	6	2	122		8.840	75.729
1806	221.05	0.000						0	0	0	0		0	0		0.000	75.729
	* JCT MINNECONJOU RD 1.23 S OF MISSION RIDGE RD																
1806	359.75	0.000	Corson	07	Rural	2008	4251	24	3.5	0	0	1	2	154		3.682	79.411
	* JCT 280 AVE AT ENT TO SACAJAWEA/SITTING BULL MEML																

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
1806	363.43	0.000					0	0	0	0		0	0		0.000	79.411	
	* JCT US 12																
1806	364.61	0.000	Corson	07	Rural	2008	4251	22	3.2	0	0	1	2	975		0.354	79.765
	* JCT US 12																
1806	364.63	0.338	Corson	07	Rural	1963	7999	24	6.0	0	0	1	2	975		0.759	80.524
1806	365.72	0.000	Corson	07	Rural	2008	4255	22	4.0	2	2	6	2	975	16737253	0.060	80.584
1806	365.72	0.060	Corson	07	Rural	2008	4255	22	4.0	2	2	6	2	975		1.342	81.926
1806	367.00	0.126	Corson	07	Rural	2008	4251	24	3.0	2	2	6	2	975		0.499	82.425
1806	367.64	0.000	Corson	07	Rural	2008	4251	24	3.0	2	2	6	2	975	16732234	0.037	82.462
1806	367.64	0.037	Corson	07	Rural	2008	4255	24	5.5	2	2	6	2	975		1.643	84.105
1806	369.00	0.317	Corson	07	Rural	2008	4255	24	7.5	2	2	6	2	975		0.805	84.910
1806	370.13	0.000	Corson	07	Rural	2008	4255	24	7.5	2	2	6	2	436		0.226	85.136
	* JCT SD 1806 P																
1806	370.35	0.000	Corson	07	Rural	2008	4255	24	3.5	2	2	6	2	436	16720217	0.038	85.174
1806	370.35	0.038	Corson	07	Rural	2008	4255	24	3.5	2	2	6	2	436		1.954	87.128
1806	372.00	0.346	Corson	07	Rural	2011	4255	24	3.5	2	2	6	2	436		10.270	97.398
1806	382.47	0.000	Corson	07	Rural	2011	4255	24	3.5	2	2	6	2	436		3.889	101.287
	* JCT 110 ST																
1806	386.83	0.000						0	0	0	0		0	0		0.000	101.287
	* JCT BIA RD 3 0.19 MILES S OF OAHE AVE AT KENNEL HWY END																

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
1806 P	370.13	0.000	Corson	07	Rural	2008	4255	24	4.0	2	2	6	2	364		1.409	1.409
	* JCT SD 1806 BEGIN HWY																
1806 P	371.00	0.539	Corson	07	Rural	2008	4255	30	4.0	2	2	8	2	364		0.175	1.584
1806 P	371.00	0.714	Corson	07	Rural	2008	4255	24	4.0	2	2	6	2	364		0.081	1.665
1806 P	371.93	0.000						0	0	0	0		0	0		0.000	1.665
	* JCT BIA RD 44 0.11 MILES N OF MAIN ST AT WAKPALA																

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
183	0.00	0.000	Tripp	06	Rural	2010	4252	30	4.0	0	0	1	2	381		1.302	1.302
	* SD/NE BORDER HWY BEGIN																
183	1.30	0.000	Tripp	06	Rural	2010	4252	30	4.0	0	0	1	2	381		0.924	2.226
	* JCT 3RD ST AT WEWELA																
183	2.23	0.000	Tripp	06	Rural	2010	4252	30	4.0	0	0	1	2	381	62235518	0.028	2.254
183	2.23	0.028	Tripp	06	Rural	2010	4252	30	4.0	0	0	1	2	381		6.146	8.400
183	8.40	0.000	Tripp	06	Rural	2010	4252	30	4.0	0	0	1	2	381		0.812	9.212
	* JCT 296 ST																
183	9.00	0.212	Tripp	06	Rural	2010	4251	24	5.0	4	4	6	2	381		0.781	9.993
183	10.00	0.000	Tripp	06	Rural	2010	4251	24	5.0	4	4	6	2	737		3.852	13.845
183	13.88	0.000	Tripp	06	Rural	2010	4251	24	5.0	4	4	6	2	737	62270414	0.112	13.957
183	14.00	0.000	Tripp	06	Rural	2010	4251	24	5.0	4	4	6	2	737		4.043	18.000
183	18.05	0.000	Tripp	06	Rural	2010	4251	24	5.0	4	4	6	2	737	62270372	0.139	18.139
183	18.05	0.139	Tripp	06	Rural	2010	4251	24	5.0	4	4	6	2	737		0.023	18.162
183	18.05	0.162	Tripp	06	Rural	2010	4251	24	6.8	4	4	6	2	737		0.994	19.156
183	19.20	0.000	Tripp	06	Rural	2010	4251	24	6.8	4	4	6	2	737		0.104	19.260
	* JCT 286 ST																
183	19.33	0.000	Tripp	06	Rural	2010	4251	24	6.8	4	4	6	2	737		0.067	19.327
	* JCT 6TH ST IN COLOME																
183	19.40	0.000	Tripp	06	Rural	2010	4251	24	6.8	4	4	6	2	737		0.069	19.396
	* JCT 5TH ST IN COLOME																
183	19.47	0.000	Tripp	06	Rural	2010	4251	24	6.8	4	4	6	2	737		0.061	19.457
	* JCT 4TH ST IN COLOME																
183	19.47	0.061	Tripp	06	Rural	2010	4251	38	5.0	2	2	7	2	737		0.016	19.473
183	19.54	0.000	Tripp	06	Rural	2010	4251	38	5.0	2	2	7	2	737		0.041	19.514
	* JCT 3RD ST IN COLOME																
183	19.57	0.000						0	0	0	0		0	0		0.000	19.514
	* JCT US 18/SD 49 IN COLOME																
183	39.37	0.000	Tripp	06	Rural	2020	4253	36	4.5	0	0	1	2	1062		1.051	20.565
	* JCT US 18																
183	40.42	0.000	Tripp	06	Rural	2020	4253	36	4.5	0	0	1	2	1062	62110259	0.180	20.745

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
183	40.42	0.180	Tripp	06	Rural	2020	4253	36	4.5	0	0	1	2	1062		2.762	23.507
183	43.36	0.000	Tripp	06	Rural	2020	4253	36	4.5	0	0	1	2	747		3.034	26.541
	* JCT SD 44 W/273 ST																
183	46.00	0.395	Tripp	06	Rural	2020	4251	36	6.5	0	0	1	2	747		3.975	30.516
183	50.37	0.000	Tripp	06	Rural	2020	4251	36	6.5	0	0	1	2	747		10.602	41.118
	* JCT 266 ST																
183	60.00	0.972	Tripp	06	Rural	2018	4251	36	6.0	0	0	1	2	747		0.413	41.531
183	61.38	0.000	Lyman	06	Rural	2018	4251	36	6.0	0	0	1	2	747		0.155	41.686
	* TRIPP/LYMAN COUNTY LINE																
183	61.53	0.000	Lyman	06	Rural	2018	4251	36	6.0	0	0	1	2	747	43160339	0.246	41.932
183	61.53	0.246	Lyman	06	Rural	2018	4251	36	6.0	0	0	1	2	747		0.266	42.198
183	62.00	0.052	Lyman	06	Rural	2021	4251	36	7.0	0	0	1	2	747		2.247	44.445
183	64.00	0.299	Lyman	06	Rural	2021	4251	28	7.0	4	4	6	2	747		4.741	49.186
183	69.04	0.000	Lyman	06	Rural	2021	4251	28	7.0	4	4	6	2	747	43160265	0.010	49.196
183	69.04	0.010	Lyman	06	Rural	2021	4251	28	7.0	4	4	6	2	747		1.403	50.599
183	70.00	0.453	Lyman	06	Rural	2021	4251	36	7.0	0	0	1	2	747		0.889	51.488
183	71.00	0.342	Lyman	06	Rural	2021	4251	28	7.0	4	4	6	2	747		2.658	54.146
183	74.00	0.000	Lyman	06	Rural	2021	4251	28	7.0	4	4	6	2	613		0.996	55.142
183	74.00	0.996	Lyman	06	Rural	2021	4251	24	8.0	10	10	6	2	613		0.050	55.192
183	75.03	0.000	Lyman	06	Rural	2021	4251	24	8.0	10	10	6	2	613		0.060	55.252
	* JCT RAMPS 90 E1/90 E2 EXIT 226																
183	75.10	0.000	Lyman	06	Rural	2021	4251	24	8.0	10	10	6	2	613		0.007	55.259
	* UNDER PASS I 90 E EXIT 226																
183	75.11	0.000	Lyman	06	Rural	2021	4251	24	8.0	10	10	6	2	613	43160206	0.004	55.263
183	75.12	0.000	Lyman	06	Rural	2021	4251	24	8.0	10	10	6	2	613		0.010	55.273
	* INT I 90																
183	75.13	0.000	Lyman	06	Rural	2021	4251	24	8.0	10	10	6	2	613		0.010	55.283
	* UNDER PASS I 90 W EXIT 226																
183	75.14	0.000	Lyman	06	Rural	2021	4251	24	8.0	10	10	6	2	613	43160205	0.053	55.336
183	75.17	0.000						0	0	0	0		0	0		0.000	55.336
	* JCT RAMPS 90 W1/90 W2 EXIT 226 END HWY																



# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length	
							Type	Width	Thick ness	Width LT	RT	Type						
204	178.00	0.000	Stanley	06	Rural	2019	4251	24	8.5	3	3	6	2	916		1.749	1.749	
204	179.74	0.000	Hughes	06	Rural	2019	4251	24	8.5	3	3	6	2	916		0.169	1.918	
204	179.74	0.169	Hughes	06	Rural	2019	4251	42	8.5	2	4	8	2	916		0.087	2.005	
204	180.00	0.017	Hughes	06	Rural	2002	4251	24	8.5	3	3	6	2	916		0.126	2.131	
204	180.13	0.000						0	0	0	0		0	0		0.000	2.131	

\* JCT SD 1806/UNKNOWN RD HWY BEGIN

\* STANLEY/HUGHES COUNTY LINE

\* JCT SD 1804 HWY END

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
212	127.10	0.000	Ziebach	04	Rural	2003	4252	24	8.5	4	4	6	2	986		1.476	1.476
212	128.57	0.000	Ziebach	04	Rural	2003	4252	24	8.5	4	4	6	2	986		4.423	5.899
212	133.00	0.000	Ziebach	04	Rural	2003	4252	24	8.5	4	4	6	2	1064		1.974	7.873
212	134.00	0.974	Ziebach	04	Rural	2005	4251	24	7.2	4	4	6	2	1064		0.010	7.883
212	134.99	0.000	Ziebach	04	Rural	2005	4251	24	7.2	4	4	6	2	1064		0.509	8.392
212	135.49	0.000	Ziebach	04	Rural	2005	4251	24	7.2	4	4	6	2	1064	69194290	0.165	8.557
212	135.49	0.165	Ziebach	04	Rural	2005	4251	24	7.2	4	4	6	2	1064		0.326	8.883
212	135.99	0.000	Ziebach	04	Rural	2005	4251	24	7.2	4	4	6	2	1064		0.118	9.001
212	136.10	0.000	Ziebach	04	Rural	2005	4251	24	7.2	4	4	6	2	1064		0.188	9.189
212	136.29	0.000	Ziebach	04	Rural	2005	4251	24	7.2	4	4	6	2	1064		0.283	9.472
212	136.67	0.000	Ziebach	04	Rural	2005	4251	24	7.2	4	4	6	2	1064		1.492	10.964
212	138.06	0.000	Ziebach	04	Rural	2005	4251	24	7.2	4	4	6	2	1269		0.366	11.330
212	138.43	0.000	Ziebach	04	Rural	2005	4251	24	7.2	4	4	6	2	1269	69224292	0.010	11.340
212	138.43	0.010	Ziebach	04	Rural	2005	4251	24	7.2	4	4	6	2	1269		3.622	14.962
212	142.10	0.000	Dewey	04	Rural	2005	4251	24	7.2	4	4	6	2	1269		1.897	16.859
212	143.96	0.000	Dewey	04	Rural	2005	4251	24	7.2	4	4	6	2	1269	21021307	0.030	16.889
212	143.96	0.030	Dewey	04	Rural	2005	4251	24	7.2	4	4	6	2	1269		1.252	18.141
212	145.24	0.000	Dewey	04	Rural	2005	4251	24	7.2	4	4	6	2	1269		0.696	18.837
212	145.93	0.000	Dewey	04	Rural	2005	4251	24	7.2	4	4	6	2	1269		7.054	25.891
212	152.99	0.000	Dewey	04	Rural	2005	4251	24	7.2	4	4	6	2	1940		1.634	27.525

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
212	154.65	0.000	Dewey	04	Rural	2005	4251	24	7.2	4	4	6	2	1940		0.192	27.717
	* W CITY LIMITS IN EAGLE BUTTE																
212	154.80	0.000	Dewey	04	Rural	2005	4251	24	7.2	4	4	6	2	1940		0.109	27.826
	* JCT SYCAMORE ST IN EAGLE BUTTE																
212	154.80	0.109	Dewey	04	Rural	2010	4251	48	6.5	2	2	7	3	1940		0.007	27.833
212	154.95	0.000	Dewey	04	Rural	2010	4251	48	6.5	2	2	7	3	1940		0.202	28.035
	* JCT D ST & E CITY LIMITS IN EAGLE BUTTE																
212	155.15	0.000	Dewey	04	Rural	2010	4251	48	6.5	2	2	7	3	1940		0.390	28.425
	* JCT MAIN ST IN EAGLE BUTTE																
212	155.15	0.390	Dewey	04	Rural	2008	4251	28	5.0	5	5	9	2	1940		3.109	31.534
212	158.00	0.649	Dewey	04	Rural	2008	4251	40	5.0	5	5	9	3	1940		0.300	31.834
212	158.95	0.000	Dewey	04	Rural	2008	4251	40	5.0	5	5	9	3	700		0.114	31.948
	* JCT SD 63 N																
212	159.00	0.066	Dewey	04	Rural	2008	4251	28	5.0	5	5	9	2	700		7.222	39.170
212	166.00	0.295	Dewey	04	Rural	2007	4251	24	6.0	3	3	6	2	700		12.006	51.176
212	178.00	0.398	Dewey	04	Rural	2007	4251	24	4.0	3	3	6	2	700		0.019	51.195
212	178.00	0.417	Dewey	04	Rural	2004	4251	38	6.0	0	0	1	2	700		0.109	51.304
212	178.48	0.000	Dewey	04	Rural	2004	4251	38	6.0	0	0	1	2	700		0.310	51.614
	* JCT 264 1/2 AVE IN RIDGEVIEW																
212	178.48	0.310	Dewey	04	Rural	2004	4251	30	6.0	4	4	4	2	700		0.214	51.828
212	179.05	0.000	Dewey	04	Rural	2004	4251	30	6.0	4	4	4	2	700		0.642	52.470
	* JCT BIA 3																
212	179.05	0.642	Dewey	04	Rural	2004	4251	38	6.0	0	0	1	2	700		0.349	52.819
212	180.00	0.038	Dewey	04	Rural	2004	4251	30	6.0	4	4	4	2	700		4.849	57.668
212	184.00	0.898	Dewey	04	Rural	2004	4251	38	6.0	0	0	1	2	700		0.341	58.009
212	185.00	0.240	Dewey	04	Rural	2004	4251	30	6.0	4	4	4	2	700		1.305	59.314
212	186.54	0.000	Dewey	04	Rural	2004	4251	30	6.0	4	4	4	2	700	21411226	0.203	59.517
212	186.54	0.203	Dewey	04	Rural	2004	4251	38	6.0	0	0	1	2	700		0.286	59.803
212	187.01	0.000	Dewey	04	Rural	2004	4251	38	6.0	0	0	1	2	700		0.078	59.881
	* JCT UNKNOW NAME RD LA PLANT																
212	187.01	0.078	Dewey	04	Rural	2004	4251	30	6.0	4	4	4	2	700		0.175	60.056

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----				-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness		Width LT	RT	Type					
212	187.01	0.253	Dewey	04	Rural	2000	4251	28	3.4	2	2	6	2	700		0.382	60.438	
212	187.01	0.635	Dewey	04	Rural	2000	4251	28	3.4	8	8	6	2	700		0.083	60.521	
212	187.76	0.000	Dewey	04	Rural	2000	4251	28	3.4	8	8	6	2	700	21424228	0.058	60.579	
212	187.76	0.058	Dewey	04	Rural	2000	4251	28	3.4	2	2	6	2	700		2.093	62.672	
212	189.00	0.911	Dewey	04	Rural	2000	4251	34	3.4	1	1	6	2	700		0.204	62.876	
212	190.00	0.114	Dewey	04	Rural	2000	4251	28	3.4	2	2	6	2	700		4.037	66.913	
212	194.00	0.151	Dewey	04	Rural	2000	4251	34	3.4	1	1	6	2	700		0.602	67.515	
212	194.00	0.753	Dewey	04	Rural	2000	4251	28	3.4	3	3	6	2	700		1.861	69.376	
212	196.00	0.615	Dewey	04	Rural	2000	4251	34	3.4	1	1	6	2	700		0.335	69.711	
212	196.00	0.950	Dewey	04	Rural	2000	4251	28	3.4	3	3	6	2	700		1.221	70.932	
212	198.00	0.170	Dewey	04	Rural	2000	4251	34	3.4	1	1	6	2	700		0.069	71.001	
212	198.00	0.239	Dewey	04	Rural	2000	4251	28	3.4	3	3	6	2	700		0.761	71.762	
212	199.00	0.000	Dewey	04	Rural	2000	4251	28	3.4	3	3	6	2	606		0.825	72.587	
212	199.83	0.000	Dewey	04	Rural	2000	4251	28	3.4	3	3	6	2	606		0.508	73.095	
* JCT BIA 7																		
212	200.00	0.332	Dewey	04	Rural	2000	4251	34	3.4	1	1	6	2	606		0.365	73.460	
212	200.00	0.697	Dewey	04	Rural	2000	4251	28	3.4	3	3	6	2	606		0.611	74.071	
212	201.00	0.308	Dewey	04	Rural	2000	4251	34	3.4	1	1	6	2	606		0.141	74.212	
212	201.00	0.449	Dewey	04	Rural	2000	4251	28	3.4	3	3	6	2	606		1.146	75.358	
212	202.00	0.594	Dewey	04	Rural	2000	4251	34	3.4	1	1	6	2	606		0.339	75.697	
212	202.00	0.933	Dewey	04	Rural	2000	4251	28	3.4	3	3	6	2	606		1.316	77.013	
212	204.00	0.250	Dewey	04	Rural	2000	4251	34	3.4	1	1	6	2	606		0.292	77.305	
212	204.00	0.542	Dewey	04	Rural	2000	4251	28	3.4	2	2	6	2	606		1.262	78.567	
212	205.00	0.805	Dewey	04	Rural	2000	4252	28	6.5	2	2	6	2	606		1.222	79.789	
212	207.00	0.075	Dewey	04	Rural	2000	4252	34	6.5	1	1	6	2	606		0.356	80.145	
212	207.00	0.431	Dewey	04	Rural	2000	4252	28	6.5	2	2	6	2	606		0.240	80.385	
212	207.00	0.671	Dewey	04	Rural	1958	7999	26	6.0	0	0	1	2	606		0.439	80.824	
212	208.11	0.000	Potter	04	Rural	1958	7999	26	6.0	0	0	1	2	606		0.436	81.260	
* DEWEY/POTTER COUNTY LINE & EXIT CHEYENNE RIVER RESERVATION																		
212	208.53	0.000	Potter	04	Rural	2000	4251	40	4.0	2	2	6	2	606	54056158	0.200	81.460	

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
212	208.53	0.200	Potter	04	Rural	2000	4251	50	4.0	2	2	6	3	606		1.041	82.501
212	209.10	0.000	Potter	04	Rural	2000	4251	50	4.0	2	2	6	3	786		0.003	82.504
	* JCT SD 1804 S																
212	209.10	0.003	Potter	04	Rural	2000	4251	64	4.0	2	2	6	3	786		0.133	82.637
212	209.10	0.136	Potter	04	Rural	2000	4251	54	4.0	2	2	6	3	786		0.185	82.822
212	209.10	0.321	Potter	04	Rural	2000	4251	40	4.0	2	2	6	2	786		0.658	83.480
212	210.00	0.078	Potter	04	Rural	1991	4252	24	6.0	7	7	6	2	786		1.024	84.504
212	211.09	0.000	Potter	04	Rural	1991	4252	24	6.0	7	7	6	2	786		0.655	85.159
	* JCT 295 AVE																
212	211.09	0.655	Potter	04	Rural	1991	4252	24	7.5	7	7	6	2	786		1.472	86.631
212	213.22	0.000	Potter	04	Rural	1991	4252	24	7.5	7	7	6	2	1040		0.714	87.345
	* JCT SD 1804 N/297 AVE																
212	213.22	0.714	Potter	04	Rural	2000	4251	28	4.0	8	8	6	2	1040		4.744	92.089
212	218.69	0.000	Potter	04	Rural	2000	4251	28	4.0	8	8	6	2	1040	54155160	0.033	92.122
212	218.69	0.033	Potter	04	Rural	2000	4251	28	4.0	8	8	6	2	1040		0.238	92.360
212	218.69	0.271	Potter	04	Rural	1989	7211	28	8.5	6	6	6	2	1040		0.481	92.841
212	219.42	0.000	Potter	04	Rural	1989	7211	28	8.5	6	6	6	2	2201		0.883	93.724
	* JCT US 83 S																
212	220.20	0.000	Potter	04	Rural	1989	7211	28	8.5	6	6	6	2	1544		0.046	93.770
	* JCT US 83 N/305 AVE																
212	220.20	0.046	Potter	04	Rural	1989	7211	28	8.5	6	6	5	2	1544		4.433	98.203
212	224.00	0.683	Potter	04	Rural	2002	4251	48	11.5	2	2	7	4	1544		0.295	98.498
212	225.00	0.000	Potter	04	Rural	2002	4251	48	11.5	2	2	7	4	2511		0.022	98.520
	* W CITY LIMITS IN GETTYSBURG																
212	225.02	0.000	Potter	04	Rural	2002	4251	48	11.5	2	2	7	4	2511		0.068	98.588
	* JCT ELM ST IN GETTYSBURG																
212	225.09	0.000	Potter	04	Rural	2002	4251	48	11.5	2	2	7	4	2511		0.074	98.662
	* JCT BRYSON ST IN GETTYSBURG																
212	225.17	0.000	Potter	04	Rural	2002	4251	48	11.5	2	2	7	4	2511		0.075	98.737
	* JCT ELLSWORTH ST IN GETTYSBURG																
212	225.24	0.000	Potter	04	Rural	2002	4251	48	11.5	2	2	7	4	2511		0.074	98.811

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
212	225.32	0.000	Potter	04	Rural	2002	4251	48	11.5	2	2	7	4	2511		0.073	98.884
212	225.39	0.000	Potter	04	Rural	2002	4251	48	11.5	2	2	7	4	2511		0.073	98.957
212	225.46	0.000	Potter	04	Rural	2002	4251	48	11.5	2	2	7	4	2511		0.071	99.028
212	225.53	0.000	Potter	04	Rural	2002	4251	48	11.5	2	2	7	4	2511		0.073	99.101
212	225.60	0.000	Potter	04	Rural	2002	4251	48	11.5	2	2	7	4	2511		0.071	99.172
212	225.68	0.000	Potter	04	Rural	2002	4251	48	11.5	2	2	7	4	2511		0.073	99.245
212	225.75	0.000	Potter	04	Rural	2002	4251	48	11.5	2	2	7	4	2511		0.071	99.316
212	225.82	0.000	Potter	04	Rural	2002	4251	48	11.5	2	2	7	4	2511		0.030	99.346
212	225.85	0.000	Potter	04	Rural	2002	4251	48	11.5	2	2	7	4	2511		0.040	99.386
212	225.89	0.000	Potter	04	Rural	2002	4251	48	11.5	2	2	7	4	2511		0.077	99.463
212	225.98	0.000	Potter	04	Rural	2002	4251	48	11.5	2	2	7	4	2511		0.008	99.471
212	225.99	0.000	Potter	04	Rural	2002	4251	48	11.5	2	2	7	4	2511		0.384	99.855
212	226.33	0.000	Potter	04	Rural	2002	4251	48	11.5	2	2	7	4	1030		0.022	99.877
212	226.33	0.022	Potter	04	Rural	2016	4251	36	4.5	0	0	1	4	1030		0.010	99.887
212	226.33	0.032	Potter	04	Rural	2016	4251	36	4.5	0	0	1	2	1030		7.490	107.377
212	233.00	0.876	Potter	04	Rural	2016	4251	28	6.5	6	6	6	2	1030		0.674	108.051
212	234.55	0.000	Potter	04	Rural	2016	4251	28	6.5	6	6	6	2	1030	54306130	0.078	108.129
212	234.63	0.000	Potter	04	Rural	2016	4251	28	6.5	6	6	6	2	1030	54307130	0.180	108.309

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
212	234.63	0.180	Potter	04	Rural	2016	4251	28	6.5	6	6	6	2	1030		0.091	108.400
212	234.63	0.271	Potter	04	Rural	2016	4251	36	4.5	0	0	1	2	1030		0.057	108.457
212	234.94	0.000	Potter	04	Rural	2016	4251	36	4.5	0	0	1	2	777		0.254	108.711
	* JCT SD 47 N/319 AVE																
212	235.00	0.210	Potter	04	Rural	2016	4251	42	4.5	0	0	1	2	777		0.314	109.025
212	235.00	0.524	Potter	04	Rural	2016	4251	36	4.5	0	0	1	2	777		0.292	109.317
212	235.00	0.816	Potter	04	Rural	2002	4251	28	4.0	4	4	4	2	777		7.113	116.430
212	242.93	0.000	Potter	04	Rural	2002	4251	28	4.0	4	4	4	2	777		2.862	119.292
	* JCT 327 AVE																

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
240	151.35	0.000	Jackson	06	Rural	1963	4241	22	2.7	0	0	1	2	1037		5.626	5.626
	* PENNINGTON/JACKSON COUNTY LINE																
240	157.00	0.000	Jackson	06	Rural	1963	4241	22	2.7	0	0	1	2	781		0.126	5.752
240	157.00	0.126	Jackson	06	Rural	1957	4241	24	2.7	2	2	6	2	781		0.132	5.884
240	157.26	0.000	Jackson	06	Rural	2010	4251	26	3.0	0	0	1	2	1052		5.060	10.944
	* JCT SD 377 S																
240	162.38	0.000	Jackson	06	Rural	2004	4251	28	4.0	0	0	1	2	1052		2.214	13.158
	* EXIT BADLANDS NATIONAL PARK																
240	164.60	0.000	Jackson	06	Rural	2004	4251	28	4.0	0	0	1	2	1052	36119118	0.045	13.203
240	164.60	0.045	Jackson	06	Rural	2004	4251	28	4.0	0	0	1	2	1052		0.750	13.953
240	165.00	0.389	Jackson	06	Rural	2004	4255	24	8.2	10	10	6	2	1052		0.047	14.000
240	165.41	0.000	Jackson	06	Rural	2004	4255	24	8.2	10	10	6	2	1253		0.149	14.149
	* JCT SD 248 E/OLD NE RD																
240	165.41	0.149	Jackson	06	Rural	2004	4255	24	6.7	10	10	6	2	1253		0.042	14.191
240	165.60	0.000	Jackson	06	Rural	2004	4255	24	6.7	10	10	6	2	1253		0.049	14.240
	* JCT RAMP 240 1 EXIT 131																
240	165.65	0.000	Jackson	06	Rural	2004	4255	24	6.7	10	10	6	2	1253		0.086	14.326
	* JCT RAMPS 90 E1/90 E2 EXIT 131																
240	165.74	0.000	Jackson	06	Rural	2004	4255	24	6.7	10	10	6	2	1253		0.012	14.338
	* OVER PASS I 90 E EXIT 131																
240	165.75	0.000	Jackson	06	Rural	2004	4255	24	6.7	10	10	6	2	1253		0.006	14.344
	* INT I 90																
240	165.76	0.000	Jackson	06	Rural	2004	4255	24	6.7	10	10	6	2	1253		0.023	14.367
	* OVER PASS I 90 W EXIT 131																
240	165.78	0.000	Jackson	06	Rural	2004	4255	24	6.7	10	10	6	2	1253	36120107	0.067	14.434
240	165.85	0.000						0	0	0	0		0	0		0.000	14.434
	* JCT COTTONWOOD RD & RAMPS 90 W1/90 W2 EXIT 131 HWY END																





# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			----Shoulder----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
248	163.02	0.000	Jackson	07	Rural	2019	4252	24	6.5	1	1	6	2	518		0.152	19.580
	* JCT MAIN ST IN KADOKA																
248	163.14	0.000	Jackson	07	Rural	2019	4252	24	6.5	1	1	6	2	518		0.244	19.824
	* JCT 9TH AVE IN KADOKA																
248	163.38	0.000	Jackson	07	Rural	2019	4252	24	6.5	1	1	6	2	518		0.099	19.923
	* JCT 12TH AVE IN KADOKA																
248	163.48	0.000	Jackson	07	Rural	2019	4252	24	6.5	1	1	6	2	518		0.345	20.268
	* JCT 13TH AVE IN KADOKA																
248	163.74	0.000	Jackson	07	Rural	2019	4252	24	6.5	1	1	6	2	518		0.758	21.026
	* E CITY LIMITS IN KADOKA																
248	164.64	0.000	Jackson	07	Rural	2019	4252	24	6.5	1	1	6	2	172		0.088	21.114
	* JCT SD 248P N																
248	164.64	0.088	Jackson	07	Rural	2019	4252	26	4.0	0	0	1	2	172		8.468	29.582
248	173.00	0.193	Jackson	07	Rural	2019	4251	26	2.7	0	0	1	2	172		0.594	30.176
248	173.81	0.000	Jackson	07	Rural	2019	4251	26	2.7	0	0	1	2	172	36421109	0.031	30.207
248	173.81	0.031	Jackson	07	Rural	2019	4251	26	2.7	0	0	1	2	172		0.954	31.161
248	174.80	0.000	Jackson	07	Rural	2019	4251	26	2.7	0	0	1	2	172		0.603	31.764
	* W CITY LIMITS IN BELVIDER																
248	175.41	0.000	Jackson	07	Rural	2019	4251	26	2.7	0	0	1	2	88		0.383	32.147
	* JCT SD 63 IN BELVIDERE																
248	175.80	0.000	Jackson	07	Rural	2019	4251	26	2.7	0	0	1	2	88		0.105	32.252
	* W CITY LIMITS IN BELVIDER																
248	175.90	0.000	Jackson	07	Rural	2019	4251	26	2.7	0	0	1	2	88	36441108	0.068	32.320
248	175.90	0.068	Jackson	07	Rural	2019	4251	26	2.7	0	0	1	2	88		1.855	34.175
248	177.00	0.823	Jackson	07	Rural	2019	4251	26	7.0	0	0	1	2	88		2.197	36.372
248	180.00	0.017	Jackson	07	Rural	2019	4251	26	4.0	0	0	1	2	88		0.464	36.836
248	180.00	0.481	Jackson	07	Rural	2019	4251	26	7.0	0	0	1	2	88		2.238	39.074
248	182.72	0.000	Jackson	07	Rural	2019	4251	26	7.0	0	0	1	2	88		4.107	43.181
	* JCT SD 63 N																
248	186.86	0.000	Jones	07	Rural	2019	4251	26	7.0	0	0	1	2	88		3.077	46.258
	* JACKSON/JONES COUNTY LINE																
248	189.93	0.000	Jones	07	Rural	2019	4251	26	7.0	0	0	1	2	88		5.842	52.100

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
* JCT 256 AVE																	
248	195.76	0.000	Jones	07	Rural	2019	4251	26	7.0	0	0	1	2	88		2.699	54.799
* JCT 262 AVE																	
248	198.50	0.000	Jones	07	Rural	2019	4251	26	7.0	0	0	1	2	132	38113200	0.066	54.865
248	198.50	0.066	Jones	07	Rural	2019	4251	26	7.0	0	0	1	2	132		4.110	58.975
248	202.00	0.670	Jones	07	Rural	2019	4251	26	6.0	0	0	1	2	132		0.768	59.743
248	203.00	0.437	Jones	07	Rural	2019	4251	26	5.0	0	0	1	2	132		0.160	59.903
248	203.00	0.597	Jones	07	Rural	2019	4251	26	7.0	0	0	1	2	132		0.043	59.946
248	203.64	0.000	Jones	07	Rural	2019	4251	26	7.0	0	0	1	2	132		0.018	59.964
* JCT RAMPS 90 E1/90 E2 EXIT 191																	
248	203.64	0.018	Jones	07	Rural	1994	4251	24	6.0	6	6	6	2	132		0.033	59.997
248	203.64	0.051	Jones	07	Rural	1994	4251	24	4.0	6	6	6	2	132		0.047	60.044
248	203.71	0.000	Jones	07	Rural	1994	4251	24	4.0	6	6	6	2	132		0.014	60.058
* OVER PASS I 90 E EXIT 191																	
248	203.72	0.000	Jones	07	Rural	1994	4251	24	4.0	6	6	6	2	132		0.012	60.070
* INT I 90																	
248	203.76	0.000	Jones	07	Rural	1994	4251	24	4.0	6	6	6	2	132		0.028	60.098
* OVER PASS I 90 W EXIT 191																	
248	203.80	0.000	Jones	07	Rural	1994	4251	24	4.0	6	6	6	2	132	38166196	0.019	60.117
248	203.80	0.019	Jones	07	Rural	1994	4251	24	6.0	6	6	6	2	132		0.055	60.172
248	203.87	0.000						0	0	0	0		0	0		0.000	60.172
* JCT 5TH ST & RAMPS 90 W1/90 W2 EXIT 191																	
248	205.50	0.000	Jones	07	Rural	2002	4251	36	5.7	2	1	8	3	293		0.023	60.195
* JCT 5TH ST & E CITY LIMITS IN MURDO																	
248	205.50	0.023	Jones	07	Rural	2012	4251	24	7.5	3	3	6	2	293		1.933	62.128
248	207.67	0.000	Jones	07	Rural	2012	4251	24	7.5	3	3	6	2	293		6.033	68.161
* JCT 273 AVE																	
248	213.00	0.490	Jones	07	Rural	2012	4251	24	8.7	3	3	6	2	293		0.286	68.447
248	213.78	0.000	Jones	07	Rural	2012	4251	24	8.7	3	3	6	2	159		0.348	68.795
* JCT 279 AVE & W CITY LIMITS IN DRAPER																	
248	214.15	0.000	Jones	07	Rural	2012	4251	24	8.7	3	3	6	2	159		0.157	68.952
* JCT MAIN ST IN DRAPER																	

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
248	214.30	0.000	Jones	07	Rural	2012	4251	24	8.7	3	3	6	2	159		0.253	69.205
	* JCT MAPLE AVE IN DRAPER																
248	214.56	0.000	Jones	07	Rural	2012	4251	24	8.7	3	3	6	2	159		0.253	69.458
	* W CITY LIMITS IN DRAPER																
248	214.77	0.000	Jones	07	Rural	2012	4251	24	8.7	3	3	6	2	159		0.561	70.019
	* JCT 280 AVE																
248	215.37	0.000	Jones	07	Rural	2012	4251	24	8.7	3	3	6	2	159	38276173	0.067	70.086
248	215.37	0.067	Jones	07	Rural	2012	4251	24	8.7	3	3	6	2	159		1.409	71.495
248	216.80	0.000	Jones	07	Rural	2012	4251	24	8.7	3	3	6	2	159		1.155	72.650
	* JCT 282 AVE																
248	218.00	0.000	Jones	07	Rural	2012	4251	24	8.7	3	3	6	2	159	38302173	0.029	72.679
248	218.00	0.029	Jones	07	Rural	2012	4251	24	8.7	3	3	6	2	159		0.961	73.640
248	219.00	0.000	Jones	07	Rural	2012	4251	24	8.7	3	3	6	2	159	38312173	0.015	73.655
248	219.00	0.015	Jones	07	Rural	2012	4251	24	8.7	3	3	6	2	159		0.821	74.476
248	219.83	0.000	Jones	07	Rural	2012	4251	24	8.7	3	3	6	2	159	38319174	0.015	74.491
248	219.83	0.015	Jones	07	Rural	2012	4251	24	8.7	3	3	6	2	159		0.991	75.482
248	220.84	0.000	Jones	07	Rural	2012	4251	24	8.7	3	3	6	2	159	38330175	0.012	75.494
248	220.85	0.000	Jones	07	Rural	2012	4251	24	8.7	3	3	6	2	159		1.854	77.348
	* JCT 286 AVE																
248	222.70	0.000	Jones	07	Rural	2012	4251	24	8.7	3	3	6	2	159	38348174	0.198	77.546
248	222.90	0.000	Lyman	07	Rural	2012	4251	24	8.7	3	3	6	2	159		1.411	78.957
	* JONES/LYMAN COUNTY LINE																
248	224.32	0.000	Lyman	07	Rural	2012	4251	24	8.7	3	3	6	2	159	43014188	0.044	79.001
248	224.32	0.044	Lyman	07	Rural	2012	4251	24	8.7	3	3	6	2	159		0.757	79.758
248	225.00	0.097	Lyman	07	Rural	2002	7211	40	8.0	0	6	8	3	159		0.227	79.985
248	225.34	0.000	Lyman	07	Rural	2021	4251	24	8.4	2	2	6	2	159		1.367	81.352
	* JCT US 83																
248	226.70	0.000	Lyman	07	Rural	2021	4251	24	8.4	2	2	6	2	159		0.072	81.424
	* JCT MAIN AVE																
248	226.70	0.072	Lyman	07	Rural	2021	4251	26	3.5	6	6	6	2	159		7.945	89.369
248	234.77	0.000	Lyman	07	Rural	2021	4251	26	3.5	6	6	6	2	159	43114200	0.222	89.591

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			----Shoulder----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
248	234.77	0.222	Lyman	07	Rural	2021	4251	26	3.5	6	6	6	2	159		3.388	92.979
248	238.00	0.338	Lyman	07	Rural	2021	4251	37	4.9	5	5	6	2	159		0.001	92.980
248	238.34	0.000	Lyman	07	Rural	2021	4251	37	4.9	5	5	6	2	159		0.085	93.065
	* JCT SD 248 AND 305 AVE																
248	238.34	0.085	Lyman	07	Rural	2021	4251	48	5.6	5	5	6	4	159		0.060	93.125
248	238.51	0.000	Lyman	07	Rural	2021	4251	48	5.6	5	5	6	4	159		0.071	93.196
	* JCT BIRCH AVE IN PRESHO																
248	238.58	0.000	Lyman	07	Rural	2021	4251	48	5.6	5	5	6	4	159		0.034	93.230
	* JCT ELM AVE IN PRESHO																
248	238.62	0.000	Lyman	07	Rural	2021	4251	48	5.6	5	5	6	4	159		0.035	93.265
	* W CITY LIMITS IN PRESHO																
248	238.65	0.000	Lyman	07	Rural	2021	4251	48	5.6	5	5	6	4	159		0.072	93.337
	* JCT FIR AVE IN PRESHO																
248	238.72	0.000	Lyman	07	Rural	2021	4251	48	5.6	5	5	6	4	159		0.076	93.413
	* JCT MAIN ST IN PRESHO																
248	238.79	0.000	Lyman	07	Rural	2021	4251	48	5.6	5	5	6	4	159		0.065	93.478
	* JCT MAPLE AVE IN PRESHO																
248	238.85	0.000	Lyman	07	Rural	2021	4251	48	5.6	5	5	6	4	159		0.188	93.666
	* JCT OAK AVE & E CITY LIMITS IN PRESHO																
248	239.00	0.029	Lyman	07	Rural	2021	4251	24	5.6	6	6	6	2	159		0.324	93.990
248	239.35	0.000	Lyman	07	Rural	2021	4251	24	5.6	6	6	6	2	159		0.017	94.007
	* JCT 248 AND 306 AVE/WILLOW AVE																
248	239.35	0.017	Lyman	07	Rural	2021	4251	26	3.5	9	9	6	2	159		0.022	94.029
248	239.40	0.000	Lyman	07	Rural	2021	4251	26	3.5	9	9	6	2	159	43161204	0.009	94.038
248	239.40	0.009	Lyman	07	Rural	2021	4251	26	3.5	9	9	6	2	159		8.711	102.749
248	248.16	0.000	Lyman	07	Rural	2021	4251	26	3.5	9	9	6	2	159		0.238	102.987
	* W CITY LIMITS IN KENNEBEC																
248	248.41	0.000	Lyman	07	Rural	2021	3213	24	2.8	10	10	6	2	159		0.011	102.998
248	248.42	0.000	Lyman	07	Rural	2021	3213	24	2.8	10	10	6	2	133		0.351	103.349
	* JCT SD 273 IN KENNEBEC																
248	248.67	0.000	Lyman	07	Rural	2021	3213	24	2.8	10	10	6	2	133		0.823	104.172
	* E CITY LIMITS IN KENNEBEC																

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
248	249.00	0.577	Lyman	07	Rural	2021	3213	24	2.8	11	11	6	2	133		11.870	116.042
248	261.52	0.000	Lyman	07	Rural	2021	3213	24	2.8	11	11	6	2	133		0.237	116.279
	* W CITY LIMITS IN RELIANCE																
248	261.76	0.000	Lyman	07	Rural	2003	4251	24	8.0	6	6	6	2	133		0.009	116.288
248	261.77	0.000	Lyman	07	Rural	2003	4251	24	8.0	6	6	6	2	911		0.190	116.478
	* JCT SD 47 IN RELIANCE																
248	261.96	0.000	Lyman	07	Rural	2003	4251	24	8.0	6	6	6	2	911		0.432	116.910
	* S CITY LIMITS IN RELIANCE																
248	262.00	0.369	Lyman	07	Rural	2003	4251	42	9.0	2	2	6	2	911		0.075	116.985
248	262.44	0.000	Lyman	07	Rural	2006	4251	36	4.0	0	0	1	2	911		0.051	117.036
	* JCT RAMPS 90 W 1/90 W2 EXIT 248																
248	262.48	0.000	Lyman	07	Rural	2006	4251	36	4.0	0	0	1	2	911		0.003	117.039
	* UNDER PASS I 90 W EXIT 248																
248	262.49	0.000	Lyman	07	Rural	2006	4251	36	4.0	0	0	1	2	911	43380227	0.007	117.046
248	262.50	0.000	Lyman	07	Rural	2006	4251	36	4.0	0	0	1	2	911		0.013	117.059
	* INT I 90																
248	262.51	0.000	Lyman	07	Rural	2006	4251	36	4.0	0	0	1	2	911		0.003	117.062
	* UNDER PASS I 90 E EXIT 248																
248	262.52	0.000	Lyman	07	Rural	2006	4251	36	4.0	0	0	1	2	911	43380228	0.041	117.103
248	262.52	0.041	Lyman	07	Rural	2006	4251	36	4.0	0	0	1	2	911		0.005	117.108
248	262.57	0.000						0	0	0	0		0	0		0.000	117.108
	* JCT 328 AVE & RAMPS 90 E1/90 E2 EXIT 248 HWY END																



# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
271	162.44	0.000	Walworth	07	Rural	2013	4251	22	3.1	0	0	1	2	123		3.509	3.509
	* JCT US 12/314 AVE HWY BEGIN																
271	165.98	0.000	Walworth	07	Rural	2013	4251	22	3.1	0	0	1	2	123		0.315	3.824
	* JCT 4TH AVE IN JAVA																
271	166.30	0.000	Walworth	07	Rural	2013	4251	22	3.1	0	0	1	2	123		0.177	4.001
	* JCT RAILWAY AVE IN JAVA																
271	166.43	0.000	Walworth	07	Rural	2013	4251	22	2.8	0	0	1	2	135		0.288	4.289
	* JCT SD 130 W/314 AVE																
271	166.75	0.000	Walworth	07	Rural	2013	4251	22	2.8	0	0	1	2	135		0.071	4.360
	* JCT CHICAGO ST IN JAVA																
271	166.82	0.000	Walworth	07	Rural	2019	4251	24	3.8	0	0	1	2	135		0.163	4.523
	* JCT MAIN ST IN JAVA																
271	166.98	0.000	Walworth	07	Rural	2019	4251	24	3.8	0	0	1	2	135		0.012	4.535
	* RR XING SD16 393856P																
271	166.99	0.000	Walworth	07	Rural	2019	4251	24	3.8	0	0	1	2	135		0.689	5.224
	* JCT SAINT PAUL ST IN JAVA																
271	167.65	0.000	Walworth	07	Rural	2019	4251	24	3.8	0	0	1	2	135	65290057	0.026	5.250
271	167.65	0.026	Walworth	07	Rural	2019	4251	24	3.8	0	0	1	2	135		1.705	6.955
271	169.00	0.391	Walworth	07	Rural	2019	4251	24	3.1	0	0	1	2	135		1.008	7.963
271	170.64	0.000	Walworth	07	Rural	2019	4251	24	3.1	0	0	1	2	135	65290030	0.063	8.026
271	170.64	0.063	Walworth	07	Rural	2019	4251	24	3.1	0	0	1	2	135		1.848	9.874
271	172.32	0.000	Walworth	07	Rural	2019	4251	24	3.1	0	0	1	2	135		0.135	10.009
	* JCT 315 AVE																
271	172.46	0.000	Walworth	07	Rural	2019	4251	24	3.1	0	0	1	2	135		1.293	11.302
	* JCT 125 ST																
271	173.74	0.000						0	0	0	0		0	0		0.000	11.302
	* JCT 315 AVE/124 ST & WALWORTH/CAMPBELL COUNTY LINE																
271	189.91	0.000	Campbell	07	Rural	1999	4251	24	5.7	2	2	6	2	104		4.005	15.307
	* JCT SD 10/319 AVE																
271	193.96	0.000	Campbell	07	Rural	1999	4251	24	5.7	2	2	6	2	104		3.792	19.099
	* JCT 108 ST																
271	197.00	0.788	Campbell	07	Rural	1999	4251	24	2.1	6	6	6	2	104		0.170	19.269



# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
271	197.93	0.000	Campbell	07	Rural	1999	4251	24	2.1	6	6	6	2	104	11330041	0.048	19.317
271	198.00	0.000	Campbell	07	Rural	1999	4251	24	2.1	6	6	6	2	60		0.007	19.324
271	198.00	0.007	Campbell	07	Rural	1999	4251	24	5.7	2	2	6	2	60		0.111	19.435
271	198.12	0.000	Campbell	07	Rural	1999	4251	24	5.7	2	2	6	2	60		5.575	25.010
271	203.70	0.000						0	0	0	0		0	0		0.000	25.010

\* JCT 104 ST

\* SD/ND BORDER HWY END

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length
							Type	Width	Thick ness	Width LT	RT	Type					
273	61.25	0.000	Lyman	07	Rural	2014	4255	24	8.7	8	8	6	2	1054		0.053	0.053
273	61.30	0.000	Lyman	07	Rural	2014	4255	24	8.7	8	8	6	2	1054		0.003	0.056
273	61.31	0.000	Lyman	07	Rural	2014	4255	24	8.7	8	8	6	2	1054	43250207	0.008	0.064
273	61.32	0.000	Lyman	07	Rural	2014	4255	24	8.7	8	8	6	2	1054		0.011	0.075
273	61.33	0.000	Lyman	07	Rural	2014	4255	24	8.7	8	8	6	2	1054		0.003	0.078
273	61.34	0.000	Lyman	07	Rural	2014	4255	24	8.7	8	8	6	2	1054	43250206	0.055	0.133
273	61.38	0.000	Lyman	07	Rural	2014	4255	24	8.7	8	8	6	2	1054		0.017	0.150
273	61.43	0.000	Lyman	07	Rural	2014	4255	24	8.7	8	8	6	2	1054		0.103	0.253
273	61.50	0.000	Lyman	07	Rural	2014	4251	24	5.0	8	8	6	2	490		0.066	0.319
273	61.57	0.000	Lyman	07	Rural	2014	4251	24	5.0	8	8	6	2	490		0.113	0.432
273	61.69	0.000	Lyman	07	Rural	2014	4251	24	5.0	8	8	6	2	490	43250204	0.015	0.447
273	61.69	0.015	Lyman	07	Rural	2014	4251	24	5.0	8	8	6	2	490		0.053	0.500
273	61.75	0.000	Lyman	07	Rural	2014	4251	24	5.0	8	8	6	2	490		0.070	0.570
273	61.83	0.000	Lyman	07	Rural	2014	4251	24	5.0	8	8	6	2	490		0.069	0.639
273	61.90	0.000	Lyman	07	Rural	2014	4251	24	5.0	8	8	6	2	490		0.111	0.750
273	62.01	0.000	Lyman	07	Rural	2014	4251	23	5.0	1	1	6	2	490		0.031	0.781
273	62.04	0.000	Lyman	07	Rural	2014	4251	23	5.0	1	1	6	2	490		0.044	0.825
273	62.09	0.000	Lyman	07	Rural	2014	4251	23	5.0	1	1	6	2	490		0.102	0.927

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	Year	-----Surfacing-----			-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length	
							Type	Width	Thick ness	Width LT	RT	Type						
273	62.19	0.000	Lyman	07	Rural	2014	4251	23	5.0	1	1	6	2	490		0.073	1.000	
																		* JCT EVERETT ST IN KENNEBEC
273	62.26	0.000	Lyman	07	Rural	2014	4251	23	5.0	1	1	6	2	490		0.086	1.086	
																		* JCT HOTCHKISS ST IN KENNEBEC
273	62.38	0.000	Lyman	07	Rural	2014	4251	23	5.0	1	1	6	2	490		0.651	1.737	
																		* N CITY LIMITS IN KENNEBEC
273	63.00	0.000	Lyman	07	Rural	2014	4251	23	5.0	1	1	6	2	212		1.428	3.165	
273	64.43	0.000	Lyman	07	Rural	2014	4251	23	5.0	1	1	6	2	212	43250176	0.331	3.496	
273	64.43	0.331	Lyman	07	Rural	2014	4251	23	5.0	1	1	6	2	212		4.736	8.232	
273	69.61	0.000	Lyman	07	Rural	2014	4251	23	5.0	1	1	6	2	212		4.491	12.723	
																		* ENTER LOWER BRULE RESERVATION
273	74.00	0.000						0	0	0	0		0	0		0.000	12.723	
																		* JCT SD 1806/MEDICINE BULL MEML HWY/315 AVE HWY END

# South Dakota Department of Transportation

## Transportation Inventory Management & Research

### Statewide Highway Log

Highway	MRM	Disp	County	Functional Class	Rural Urban	-----Surfacing-----				-----Shoulder-----			Lanes	ADT	Structure Number	Section Length	Accumulated Length	
						Year	Type	Width	Thick ness	Width LT	RT	Type						
377	119.53	0.000	Jackson	06	Rural	2010	4251	24	5.2	3	3	6	2	558		0.646	0.646	
377	120.18	0.000	Jackson	06	Rural	2010	4251	24	5.2	3	3	6	2	558		0.215	0.861	
377	120.40	0.000	Jackson	06	Rural	2010	4251	24	5.2	3	3	6	2	558	36086179	0.293	1.154	
377	120.40	0.293	Jackson	06	Rural	2010	4251	24	5.2	3	3	6	2	558		0.320	1.474	
377	121.01	0.000	Jackson	06	Rural	2010	4251	26	3.0	0	0	1	2	558		0.699	2.173	
377	121.71	0.000						0	0	0	0		0	0		0.000	2.173	

\* JCT SD 44/A ST IN INTERIOR HWY BEGIN

\* N CITY LIMITS IN INTERIOR

\* ENTER BADLANDS NATIONAL PARK

\* JCT SD 240 AT CEDAR PASS HWY END



South Dakota Department of Transportation  
Transportation Inventory Management & Research